ASUS ZenWiFi AX (XT8) wireless router Gigabit Ethernet Tri-band (2.4 GHz / 5 GHz / 60 GHz) White

Brand : ASUS

Product code: 90IG0590-MO3G70

Product name : ZenWiFi AX (XT8)

802.11a/b/g/n/ac/ax, 2.4 + 5 GHz, 512 MB RAM, RJ-45, USB 3.1, MU-MIMO, 160x75x161.5 mm, white, 2 pcs

ASUS ZenWiFi AX (XT8). WAN connection type: RJ-45. Wi-Fi band: Tri-band (2.4 GHz / 5 GHz / 60 GHz), Top Wi-Fi standard: Wi-Fi 6 (802.11ax), WLAN data transfer rate (max): 6600 Mbit/s. Ethernet LAN interface type: Gigabit Ethernet, Ethernet LAN data rates: 1000 Mbit/s, Networking standards: IEEE 802.11a, IEEE 802.11ac, IEEE 802.11ax, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n. Security algorithms: WPA-Enterprise, WPA-PSK, WPA2-Enterprise, WPA2-PSK, NAT functionality: PPTP, L2TP, IPSec, RTSP, H.323, SIP, PPPoE. Product type: Tabletop router, Product colour: White, LED indicators: Power






WAN connection		Security	
Ethernet WAN * DSL WAN * WAN connection type	✓ × RJ-45	URL filtering System event log DMZ support	
Wireless LAN features		Network address translation (NAT)	1
Wi-Fi band *	Tri-band (2.4 GHz / 5 GHz / 60 GHz)	NAT functionality	PPTP, L2TP, IPSec, RTSP, H.323, SIP, PPPoE
Top Wi-Fi standard * WLAN data transfer rate (max) *	Wi-Fi 6 (802.11ax) 6600 Mbit/s	Protocols	
Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4	Universal Plug and Play (UPnP)	4
Modulation	(802.11n), Wi-Fi 5 (802.11ac) 1024-QAM	Design	
Network	1024-QAM	Product colour LED indicators	White Power
Ethernet LAN *	4	On/off switch	1
Ethernet LAN interface type *	Gigabit Ethernet	Product type *	Tabletop router
Ethernet LAN data rates	1000 Mbit/s	Antenna	
Networking standards	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11ax, IEEE 802.11b, IEEE	Antenna design *	Internal
	802.11g, IEEE 802.11n	Features	
Port forwarding Dynamic DNS (DDNS) VPN Passthrough VPN support	 IPSec, PPTP, L2TP, PPTP, OpenVPN 	Built-in processor Processor frequency Processor cores Internal memory	✓ 1500 MHz 4 512 MB
Mobile network		Flash memory	256 MB
3G	×	Power	
4G	X	Power source type *	AC
Ports & interfaces		AC input voltage	110 - 240 V
Ethernet LAN (RJ-45) ports *	3	AC input frequency	50 - 60 Hz
USB port *	4	Output voltage	19 V
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	1	Output current	1.75 A
Memory card slot(s)	×		

/08.08

Management features		System requirements	
Web-based management Quality of Service (QoS) support Reset button WPS push button Security	1 1 1	Windows operating systems supported Linux operating systems supported Mac operating systems supported	Windows 10, Windows 7, Windows 8, Windows 8.1 Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion
Security algorithms	WPA-Enterprise, WPA-PSK, WPA2- Enterprise, WPA2-PSK	Weight & dimensions	
Firewall Guest access Stateful Packet Inspection (SPI) DoS attack prevention		Width Depth Height Weight	160 mm 75 mm 161.5 mm 716 g
Filtering		Logistics data	
		Harmonized System (HS) code	85176990



5704174839101

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.