

DIGITUS® Fiber Optic SC Duplex Couplers



Compact & sturdy housing
High quality ceramic ferrule
Perfect for assembling of splice boxes
Quick and easy installation

Abstract

DIGITUS® Fiber Optic SC Duplex Couplers, Singlemode/Multimode

Features

- Compact design
- Sturdy housing
- Accurate processed
- High quality ceramik ferrule
- With dust protection caps
- Perfect for assembling of splice boxes
- Quick and easy installation
- Low return- and insertion loss
- Compatible to Telcordia, ANSI, TIA/EIA, NTT und JIS
- According to IEC 61754 standards
- Suitable for SC Duplex and LC Quad break-out
- Couplers with laser shutter (on request)

Product Overview

The high quality DIGITUS[®] fiber optic couplers with ceramic ferrule are the perfect supplement for the assembling of splice boxes. Due to constant quality controls and the accurate processing, the couplers guarantee an optimal performance and link quality. Each coupler is equipped with a dust protection cup, to protect the ferrules against dust. Moreover the couplers are delivered with the suitable mounting material, so that they can be installed and fixed to the front panels immediately. The perfect performance is achieved by using the DIGITUS[®] pigtails, which are also high quality manufactured and whose connectors interact with the couplers in the best of possible ways.

Specifications

Connector	Singlemode 9/125 µ	Singlemode 9/125 µ APC	Multimode 50/125 μ
Ferrule	Ceramic	Ceramic	Ceramic
Color	Blue	green	Grey/Aqua
Insertion loss	< 0.20 dB	≤ 0,2 dB	< 0.20 dB
Life cycle	max. 1000 matings	max. 1000 matings	max. 1000 matings
Operating temperature	-40 up to +85 °C	-40 up to +85 °C	-40 up to +85 °C


- Some of the form when the South State State Contrary of Parameters and in the source of the state of the source of the source



Application Areas

- CATV
- Active Network/Transceiver
- Passive Network
- Telecommunication
- Metro
- Multimedia
- Test equipment
- Gigabit Ethernet
- Video

Technical Drawings



Average the second set was an experience of the second second set of the second s


IT STORE is a needle of Pariation and SPR MARY Produces Codel.




Product Number Information

DN-96003-1	DIGITUS SC/SC Duplex coupler, color blue, ceramic sleeve,
	plastic housing, Singlemode, incl. fixing material
DN-96004-1	DIGITUS SC/SC Duplex coupler, color grey, ceramic sleeve,
	plastic housing, Singlemode, incl. fixing material
DN-96005-1	DIGITUS SC/SC Duplex coupler, color aqua, ceramic sleeve,
	plastic housing, Multimode, incl. fixing material
DN-96006-1	DIGITUS SC/SC Duplex coupler, ceramic sleeve, metal housing,
	Multimode, incl. fixing material
DN-96013-1	DIGITUS SC/PC Duplex coupler, Metall, ceramic sleeve, metal housing,
	Singlemode, incl. fixing material
DN-96014-1	DIGITUS SC/APC Duplex coupler, ceramic sleeve, metal housing,
	Singlemode, incl. fixing material
DN-96015-1	DIGITUS SC/PC Duplex coupler, ceramic sleeve, metal housing,
	Singlemode, incl. fixing material

Mechanical Oliurem (criteron)





- Some Children with the set Signal Signal Constraint Setting and Approximation productions and and added the setting setting section.