



Equip Cat.6A U/UTP Patch Cable, 0.5m, White

Brand : Equip

Product code: 60300107201

Product name : Cat.6A U/UTP Patch Cable, 0.5m, White

- 4 x 2 AWG 26/7
 - Unshielded
 - 500MHz performance Bandwidth
 - Transmission: 10Gbit
 - Suitable for PoE, PoE+
 - Stranded bare copper conductor
 - Molded boot with Strain relief
 - RoHS compliant
 - Low Smoke Zero Halogen (LSZH/LSOH)
 - Compliant with ISO/IEC 11801 and EN 50173
- Cat.6A U/UTP Patch Cable, 0.5m, White


[Equip Cat.6A U/UTP Patch Cable, 0.5m, White:](#)

The equip® Cat.6A U/UTP Patch Cord is composed of preeminent materials and fully-examined to conform with industrial standards. Offering higher bandwidth and better signal-to-noise margin, the Cat.6A cable is able to deliver ultrahigh and error-free performance in the most demanding network environments, specially for 10G application.

Equip Cat.6A U/UTP Patch Cable, 0.5m, White. Cable length: 0.5 m, Cable standard: Cat6a, Cable shielding: U/UTP (UTP), Connector 1: RJ-45, Connector 2: RJ-45, Connector contacts plating: Gold, Data transfer rate: 10000 Mbit/s, Product colour: White

Features		Weight & dimensions	
Product colour *	White	Width	10.7 mm
Cable length *	0.5 m	Depth	11.7 mm
Cable standard *	Cat6a	Height	500 mm
Cable shielding *	U/UTP (UTP)	Outer diameter	5.5 mm
Connector 1 *	RJ-45	Weight	26 g
Connector 2 *	RJ-45	Packaging data	
Connector 1 gender *	Male	Quantity per pack	1 pc(s)
Connector 2 gender *	Male	Package width	100 mm
Connector 1 form factor	Straight	Package depth	12 mm
Connector 2 form factor	Straight	Package height	180 mm
Connector contacts plating	Gold	Package weight	28 g
Jacket material	Low smoke zero halogen (LSZH)	Package type	Polybag
Cable shape	Round	Technical details	
Conductor type	Stranded	Sustainability compliance	✓
Conductor material	Copper	Doesn't contain	Halogen
Cabling technology	10GBase-T	Compliance certificates	CE, REACH, RoHS
Ethernet interface type	10 Gigabit Ethernet, Gigabit Ethernet	Logistics data	
AWG wire size	26/7	Harmonized System (HS) code	84733080
Data transfer rate	10000 Mbit/s	Master (outer) case width	300 mm
Frequency	500 MHz	Master (outer) case length	300 mm
Power over Ethernet (PoE)	✓	Master (outer) case gross weight	7 kg
Power over Ethernet (PoE) type supported	PoE+	Master (outer) case height	400 mm
Molded cable boot	✓	Products per master (outer) case	250 pc(s)
Plug and Play	✓	Other features	
Country of origin	China	Insulation outer diameter	1.05 mm





4015867206560

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 21-OCT-2024. Prints or copies of Information are only valid on the printed Publication date