

HP DeskJet 2820e All-in-One Printer

Brand : HP Product family: DeskJet Product code: 588K9B

Product name: DeskJet 2820e

All-in-One Printer

- Scan to PDF
- Print, copy, scan
- Print speed up to 7.5 ppm (black) and 5.5 ppm (color)
- Up to 1200 x 1200 rendered dpi

DeskJet 2820e All-in-One Printer


HP DeskJet 2820e All-in-One Printer. Print technology: Thermal inkjet, Printing: Colour printing, Maximum resolution: 4800 x 1200 DPI, Print speed (colour, normal quality, A4/US Letter): 5.5 ppm. Copying: Colour copying, Maximum copy resolution: 300 x 300 DPI. Scanning: Colour scanning, Optical scanning resolution: 1200 x 1200 DPI. Duplex functions: Print. Maximum ISO A-series paper size: A4. Wi-Fi. Product colour: Grey





Printing		Performance	
Duplex printing mode	Manual	Processor frequency	1000 MHz
Print resolution colour	4800 x 1200 DPI	Sound power level (printing)	6.1 dB
Print resolution black	1200 x 1200 DPI Thermal inkjet	Design	
Print technology *		Product colour *	Grey
Printing *	Colour printing	Colour name	Cement
Duplex printing *	•	Market positioning *	Home & office
Maximum resolution *	4800 x 1200 DPI	Built-in display *	✓
Print speed (black, normal quality, A4/US Letter) *	7.5 ppm	Display	LCD
Print speed (colour, normal quality, A4/US Letter)	5.5 ppm	Control type Power	Buttons
Print speed (black, draft quality, A4/US Letter)	20 ppm	Power consumption (ready)	2.8 W
Print speed (colour, draft quality, A4/US Letter)	16 ppm	Power consumption (sleep) Power consumption (off)	1.4 W 0.3 W
Print speed (ISO/IEC 24734) black	7.5 ppm	AC input voltage	100 - 240 V
Print speed (ISO/IEC 24734) colour	5.5 ppm	AC input frequency	50/60 Hz
Time to first page (black, normal)	15 s	Brand-specific features	
Time to first page (colour, normal)	19 s	HP Dynamic security	1
Borderless printing	×	HP GTIN (EAN/UPC)	196337380042
Copying			130337300042
Duplex copying *	✓	System requirements	
Copying *	Colour copying	Windows operating systems supported	Windows 11, Windows 10
Maximum copy resolution *	300 x 300 DPI		Mac OS X 10.15 Catalina, Mac OS X
Maximum number of copies Scanning	9 copies	Mac operating systems supported	13.0 Ventura, Mac OS X 11.0 Big Sur, Mac OS X 10.14 Mojave, Mac OS X 12.0 Monterey
Duplex scanning *	V	Other operating systems supported	•
Scanning *	Colour scanning 1200 x 1200 DPI 209.9 x 349.6 mm	Operational conditions	
Optical scanning resolution *		Operating relative humidity (H-H)	20 - 80%
Maximum scan area		Operating relative numbers (n-n) Operating temperature (T-T)	5 - 40 °C
Scanner type *	Flatbed & ADF scanner	Non-operating relative humidity	
Document formats supported	PDF	(non-condensing)	5 - 90%
Scan drivers	TWAIN	Operating altitude	0 - 3000 m
Fax		Non-operating altitude	0 - 4500 m
Faxing *	×		

Factoria		0. 1.6 1	
Features	50.400	Certificates	
Recommended duty cycle Maximum duty cycle * Duplex functions * Number of print cartridges * Printing colours * Page description languages All-In-One-multitasking Country of origin	Colour Original Ink Cartridge (~100 pages yield); 3YM63AE HP 305XL Tri-Colour High-Yield Original Ink Cartridge (~200 pages yield). Actual yield varies considerably based on content of printed pages and other factors. For details see	Certification	EN 55032:2015+A11:2020 CLASS B, IEC 61000-4-2:2008, IEC 61000-4-2:2008, IEC 61000-4-3:2020, IEC 61000-4-4:2012, IEC 61000-4-5:2014+A1:2017, IEC 61000-4-6:2013, IEC 61000-4-8:2009, IEC 61000-4-11:2004+A1:2017, EN 301 489-1 V2.2.3, EN 301 489-17 V3.2.4, FCC CFR 47 PART 15, ICES-003, ISSUE 7
Replacement cartridges		Sustainability	
		Sustainability compliance	✓
		Sustainability certificates	Post-Consumer Recycled Plastic
		Carbon footprint	
		Total carbon footprint (kg of CO2e)	40
HP segment	Home	Carbon emissions, manufacturing (kg of CO2e)	34
Input & output capacity		Carbon emissions, logistics (kg of	2
Total number of input trays *	1	CO2e)	2
Total output capacity *	60 sheets	Carbon emissions, end-of-life (kg of CO2e)	3
Total output capacity * Auto document feeder (ADF)	25 sheets	Total carbon emissions, w/o use	4
Maximum number of input trays	1	phase (kg of CO2e)	*
Maximum input capacity	60 sheets	Weight & dimensions	
Maximum output capacity	25 sheets	Width	425 mm
Paper handling		Depth Height	304 mm 154 mm
Maximum ISO A-series paper size		Weight	3.42 kg
Maximum print size	209.9 x 349.6 mm	Packaging data	
Paper tray media types * ISO A-series sizes (A0A9) *	Envelopes, Photo paper, Plain paper A4, A6	Package width	475 mm
ISO B-series sizes (B0B9)	B5	Package depth	191 mm
Envelopes sizes	B5, DL	Package height	354 mm
Paper tray media weight	60 - 300 g/m²	Package weight	4.58 kg
Ports & interfaces		Packaging content	
Direct printing *	×	Cartridge(s) included	✓
USB port	✓	Included cartridge capacity (black) Included cartridge capacity (CMY)	100 pages 50 pages
USB 2.0 ports quantity	1	Cables included	AC AC
Optional connectivity	Bluetooth, Wireless LAN	Bundled software	HP Printer Software, available online
Network		Logistics data	
Wi-Fi *	✓	Harmonized System (HS) code	8443310000
Ethernet LAN * Wi-Fi standards	× 802.11b, 802.11g, Wi-Fi 4 (802.11n)	Pallet gross weight	351 g
Bluetooth	✓	Layers per pallet	6 pc(s)
Mobile printing technologies	Apple AirPrint, Mopria Print Service	Products per pallet Technical details	72 pc(s)
Performance		Master (outer) cases per pallet layer 12 pc(s) General Product Safety Regulation https://support.hp.com/gb-en/product/setup-u	ser-guides/hp-deskjet-2800e-all-in-one-printer-series/model/2101372278?sku=588K9B
Maximum internal memory	64 MB	Other features	
Internal memory *	64 MB	Number of users	3 user(s)
Built-in processor	✓	Pallet dimensions (W x D x H)	1200 x 1000 x 2261 mm
		Recommended system requirements	Windows 10, 11, : 1 GHz 32-bit (x86) or 64-bit (x64) processor, 2 GB available hard disk space, Internet connection, Internet Explorer.
		Number of print heads	One-year limited warranty. For
		Manufacturer warranty	One-year limited warranty. For more info please visit us at http://support.hp.com


















Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.