Zyxel GS1200-5HP v2 Managed Gigabit Ethernet (10/100/1000) Power over Ethernet (PoE) Grey

Brand : Zyxel **Product code:** GS1200-5HPV2-EU0101F

Product name: GS1200-5HP v2

GS1200-5HP v2 - 5-Port Web Managed PoE Gigabit Switch

Zyxel GS1200-5HP v2. Switch type: Managed. Basic switching RJ-45 Ethernet ports type: Gigabit Ethernet (10/100/1000), Basic switching RJ-45 Ethernet ports quantity: 5. Full duplex. MAC address table: 2000 entries, Switching capacity: 10 Gbit/s. Networking standards: IEEE 802.3ab, IEEE 802.3af, IEEE 802.3at, IEEE 802.3at, IEEE 802.3ay, IEEE 802.3y, IEEE 802.3y, IEEE 802.3x,.... Power over Ethernet (PoE)





| Management features | | Design | |
|--|----------------------------------|---|--------------------------------------|
| Switch type * Quality of Service (QoS) support Web-based management | Managed ✓ | Reset button LED indicators On/off switch Safety | ✓ Link, PoE, Power ✓ LVD EN60950-1 |
| Ports & interfaces | | , | 210 21100350 1 |
| Basic switching RJ-45 Ethernet ports quantity * Basic switching RJ-45 Ethernet ports | | Performance Firmware upgradeable | 1 |
| type * | Gigabit Ethernet (10/100/1000) | Power | |
| Network | IEEE 802.3ab, IEEE 802.3af, IEEE | Output current Power consumption (max) | 1.3 A 72 W |
| Networking standards * | | Power over Ethernet (PoE) | |
| | | Power over Ethernet (PoE) * | ✓ |
| 10G support * | × | Power over Ethernet (PoE) ports quantity | 5 |
| Port mirroring Full duplex | 1 | Power over Ethernet plus (PoE+) ports quantity | 4 |
| Flow control support Link aggregation | 1 | Total Power over Ethernet (PoE) budget | 60 W |
| Broadcast storm control | 1 | Operational conditions | |
| Auto MDI/MDI-X VLAN support Virtual LAN features | ✔ ✔ Port-based VLAN | Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) | 0 - 40 °C -40 - 70 °C 10 - 90% |
| Data transmission | | Storage relative humidity (H-H) | 10 - 90% |
| Switching capacity * MAC address table * | 10 Gbit/s 2000 entries | Weight & dimensions | |
| Store-and-forward Jumbo frames support Jumbo frames Packet buffer memory | 9000 0.1 MB | Width Depth Height Weight | 193 mm 84 mm 26 mm 392 g |
| Security | | Packaging data | |
| DHCP features IGMP snooping | DHCP client ✓ | Package type Package width Package depth | Box 210 mm 132 mm |

| Multicast features | | Packaging data | |
|--|----------------|-------------------------------|--------------------------|
| Multicast support Number of multicast groups filtered | √ 20 | Package height Package weight | 78 mm 950 q |
| Design | 20 | Certificates | 550 g |
| Rack mounting * | × | Certification | CE, FCC, C-Tick, Class A |
| Stackable * | X Grey | Logistics data | |
| Product colour | | Harmonized System (HS) code | 85176990 |



4718937598717

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.