

HP DeskJet 4220e All-in-One Printer

Brand: HP Product code: 588K4B

Product name: DeskJet 4220e All-in-One Printer

- HP+; HP Instant Ink eligible; Scan to PDF
- Print, copy, scan
- Print speed up to 8.5 ppm (black) and 5.5 ppm (color)
- Up to 1200X 1200 rendered dpi (when Printing from a computer)

DeskJet 4220e All-in-One Printer

HP DeskJet 4220e All-in-One Printer. Print technology: Thermal inkjet, Printing: Colour printing, Maximum resolution: 4800 x 1200 DPI, Print speed (colour, normal quality, A4/US Letter): 5.5 ppm. Copying: Colour copying, Maximum copy resolution: 300 x 300 DPI. Scanning: Colour scanning, Optical scanning resolution: 1200 x 1200 DPI. Duplex functions: Print. Maximum ISO A-series paper size: A4. Wi-Fi. Product colour: Grey



	Design	
Manual 4800 x 1200 DPI 1200 x 1200 DPI	Built-in display * Display Control type	LCD Buttons
Thermal inkjet	Power	
4800 x 1200 DPI 8.5 ppm	Power consumption (ready) Power consumption (sleep) Power consumption (off) AC input voltage	2.8 W 1.53 W 0.3 W 100 - 240 V 50/60 Hz
5.5 ppm		30/00 112
20 ppm	HP Instant Ink	✓
16 ppm	HP Dynamic security	✓ (629) 196337379985; (686)
8.5 ipm 8.5 ppm	HP GTIN (EAN/UPC) with options	196337379992; (687) 196337380004
5.5 ppm 15 s	HP GTIN (EAN/UPC)	196337379985, 196337379992, 196337380004
19 s	System requirements	
	Windows operating systems	Windows 11, Windows 10
Colour copying 300 x 300 DPI 9 copies	Mac operating systems supported Other operating systems supported	Mac OS X 10.15 Catalina, Mac OS X 13.0 Ventura, Mac OS X 11.0 Big Sur, Mac OS X 10.14 Mojave, Mac OS X 12.0 Monterey ChromeOS
*	Operational conditions	
X Colour scanning 1200 x 1200 DPI 216 x 297 mm Flatbed & ADF scanner CIS BMP, JPEG, PNG, TIFF PDF	Operating relative humidity (H-H) Storage temperature (T-T) Operating temperature (T-T) Non-operating relative humidity (non-condensing) Storage relative humidity (H-H) Operating altitude Non-operating altitude	15 - 80% -40 - 60 °C 5 - 40 °C 5 - 90% 5 - 90% 0 - 3000 m 0 - 4500 m
	4800 x 1200 DPI 1200 x 1200 DPI Thermal inkjet Colour printing 4800 x 1200 DPI 8.5 ppm 5.5 ppm 20 ppm 16 ppm 8.5 ipm 8.5 ipm 8.5 ppm 5.5 ppm 5.5 ppm 15 s 19 s Colour copying 300 x 300 DPI 9 copies X Colour scanning 1200 x 1200 DPI 216 x 297 mm Flatbed & ADF scanner CIS BMP, JPEG, PNG, TIFF	Manual 4800 x 1200 DPI 1200 x 1200 DPI 1200 x 1200 DPI 1control type Thermal inkjet Colour printing 4800 x 1200 DPI Thermal inkjet Colour printing 4800 x 1200 DPI 8.5 ppm AC input voltage AC input frequency Brand-specific features 4800 x 1200 DPI 8.5 ppm Brand-specific features 4800 x 1200 DPI Brand-specific features 40 ppm HP Instant Ink HP Dynamic security HP GTIN (EAN/UPC) with options 5.5 ppm 5.5 ppm HP GTIN (EAN/UPC) 5.5 ppm HP GTIN (EAN/UPC) Thermal ink Windows operating systems supported 4 Colour copying 300 x 300 DPI 9 copies Other operating systems supported 4 Operating relative humidity (H-H) Storage temperature (T-T) 1200 x 1200 DPI Non-operating relative humidity (non-condensing) Flatbed & ADF scanner CIS BMP, JPEG, PNG, TIFF DIF

Scanning		Certificates	
Greyscale levels	256		EN 55032:2015+A11:2020 CLASS B, IEC 61000-4-2:2008,EC
Scan drivers	TWAIN		61000-4-2:2008, IEC
Features			61000-4-3:2020,IEC 61000-4-4:2012, IEC
Recommended duty cycle	100 - 300 pages per month	Certification	61000-4-5:2014+A1:2017, IEC
Maximum duty cycle * Duplex functions *	1000 pages per month Print	Cerementon	61000-4-6:2013, IEC 61000-4-8:2009, IEC
Number of print cartridges *	2		61000-4-0:2009, IEC 61000-4-11:2004+A1:2017, EN 301
Printing colours *	Black, Cyan, Magenta, Yellow		489-1 V2.2.3,EN 301 489-17 V3.2.4, FCC CFR 47 PART 15, ICES-003,
Page description languages	URF, PCLm, PCL 3 GUI		ISSUE 7
All-In-One-multitasking	✓	Sustainability	
Country of origin	China	Sustainability compliance	✓
	HP 305 Black Original Ink Cartridge (~120 pages yield) 3YM61AE; HP 305XL Black High-Yield Original Ink Cartridge (~240 pages yield) 3YM62AE; HP 305 Tri-Color Original Ink Cartridge (~100 pages yield) 3YM60AE; HP 305XL Tri-Color High-Yield Original Ink Cartridge (~200 pages yield) 3YM63AE. Actual yield varies considerably based on content of printed pages and other factors. For details see	Sustainability certificates	Post-Consumer Recycled Plastic
		•	rose consumer recycled ridstre
		Carbon footprint	
Replacement cartridges		Total carbon footprint (kg of CO2e) Carbon emissions, manufacturing	50
		(kg of CO2e)	35
		Carbon emissions, logistics (kg of	2
	http://www.hp.com/go/learnaboutsupplies		-
HP segment	Home	Carbon emissions, end-of-life (kg of CO2e)	4
Input & output capacity		Total carbon emissions, w/o use	4
Total number of input trays *	1	phase (kg of CO2e)	4
Total input capacity *	60 sheets	Weight & dimensions	
Total output capacity *	25 sheets	Width	428 mm
Auto document feeder (ADF) Auto document feeder (ADF) input	✓	Depth	332 mm
capacity	35 sheets	Height	200 mm
Maximum number of input trays	1	Weight	4.82 kg
Maximum input capacity	60 sheets	Packaging data	
Maximum output capacity	25 sheets	Package width	475 mm
Paper handling		Package depth	242 mm
Maximum ISO A-series paper size	* A4	Package height	405 mm
Maximum print size	209.9 x 349.6 mm	Package weight	6.19 kg
Paper tray media types *	Envelopes, Photo paper, Plain paper	Packaging content	
ISO A-series sizes (A0A9) *	A4, A6	Cartridge(s) included	1
ISO B-series sizes (B0B9) Envelopes sizes	B5 B5, DL	Included cartridge capacity (black)	100 pages
Photo paper sizes	10x15 cm	Included cartridge capacity (CMY) Cables included	65 pages
Paper tray media weight	60 - 300 g/m²	Bundled software	AC HP Printer Software, available online
Ports & interfaces			The Trinical Software, available offinite
USB port	/	Logistics data	0442210000
USB connector	USB Type-A	Harmonized System (HS) code Pallet gross width	8443310000 120 cm
USB 2.0 ports quantity	1	Pallet gross length	101.6 cm
Network		Pallet gross height	2.16 m
Wi-Fi *	✓	Pallet gross weight	331 g
Wi-Fi * Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)	Layers per pallet	5 pc(s)
Bluetooth	√	Products per pallet layer	10 pc(s)
Mobile printing technologies	Apple AirPrint, Mopria Print Service	Products per pallet	50 pc(s)
Performance	Apple Am Time, Proprie Time Service	Technical details Master (outer) cases per pallet layer 10 pc(s) General Product Safety Regulation https://support.hp.com/gb-en/product/setue-u	
	C4 MD	(GPSR) URL	ser-guides/hp-deskjet-4200e-all-in-one-printer-series/model/2101374536?sku=588K4B
Maximum internal memory Internal memory *	64 MB 64 MB	Other features	
Built-in processor	04 MB ✓	Number of users	3 user(s)
Processor frequency	1000 MHz	Pallet dimensions (W x D x H)	1200 x 1016 x 2162 mm Windows 10, 11, : 1 GHz 32-bit
Sound power level (printing)	6.2 dB	Recommended system	(x86) or 64-bit (x64) processor, 2
Design		requirements	GB available hard disk space, Internet connection, Internet
Product colour *	Gray		Explorer.
Colour name	Grey Cement	PictBridge	×
SS.OUI HUITIC	- Controlle		

Design		Other features	
Market positioning *	Home & office	Pallet dimensions (W x D x H) (imperial)	1219.2 x 1016 x 2161.5 mm (48 x 40 x 85.1")
		Pallet weight (imperial)	330.2 kg (728 lbs)
		Pallet weight (EU)	331 g
		Number of print heads	2
		Manufacturer warranty	One-Year limited hardware warranty with option to extend to two-years with acceptance of HP+ Offer. For more info please visit us at http://support.hp.com













Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.