

FGU-5021 Version: 1



# 50-Port Fast Ethernet Switch, 2 x Gigabit SFP/RJ45 Combo

Fast connections and fiber distancesFGU-5021 is a 48-port Fast Ethernet Switch (10/100 Mbps) that gives you a

Plug and Play, Flexible and EasyGSW-5150 is plug-and-play so no configuration is required. Providing auto MDI/MDI-X cable detection on all ports eliminates the need for crossover cables or Uplink ports. Each port can be used as general ports or Uplink ports, and any port can be simply plugged into a server, a hub, a router or a switch, using a straight cable or crossover cable. Diagnostic LEDs which display link status and activity, allowing you to quickly detect and correct problems on the network.

## **Key Features**

- 10/100Mbps, full/half-duplex, auto-negotiation, auto-MDI/MDIX
- 9K jumbo frames to increase data transfer rates
- Supports 8K MAC address auto-learning and auto-aging
- 19-inch metal housing
- Quick and easy installation

#### **Specifications**

#### **System Specifications**

#### Standards & Protocols:

IEEE802.3(10BASE-T) IEEE802.3u(100BASE-T)

IEEE802.3az Energy Efficient Ethernet

## Memory:

16Mbit

#### **Buffer Memory:**

4Mbit

## Connectors and Cabling:

48 x 10/100BASE-TX RJ45 ports 2 x 100/1000/1000Base-X SFP Slots 2 x 100/1000/1000Base-T RJ45 ports

#### Indicator:

Power, LINK/ACT, 1000M

www.level1.com Page 1 of 3

Transmission Method:

Store- froward

Power Input:

100-240V/AC?50-60Hz

Power Consumption:

28.6W

# Performance

Backplane (Gbps):

13.6Gbps

MAC Address Table:

8K

Packet Forwarding Rate:

148800pps

Jumbo Frame (K):

9KB

# Environment

Power Saving:

Yes

Temperature (°C):

Operating: 0°C ~ 40°C Storage: -40°C ~ 70°C

Humidity (Non-condensing):

Operate:10-90% non-condensing Storage:5-90% non-condensing

# **Physical Specifications**

Dimensions (W x D x H mm):

440\*230\*44

Weight (g):

3.03


# **Approval and Compliance**

EMI/EMS:

CE/FCC

www.level1.com Page 2 of 3

# **Diagram**



# **Order Information**

FGU-5021

# **Package Contents**

FGU-5021 Power Cord 19" Rack Mount Kit Quick Installation Guide

No liability or responsibility for any errors or omissions in the content. Specifications are subject to change without notice.

All mentioned brand names are registered trademarks and property of their owners. Copyright © Digital Data Communications GmbH, Germany. All Rights Reserved.

www.level1.com Page 3 of 3