# Epson EcoTank ET-M1170

Brand : Epson   **Product family:** EcoTank   **Product code:** C11CH44401

Product name : EcoTank ET-M1170

- Reduce your printing costs: Economical ink tank printer with lots of ink included
- Reliable and durable: One-year or 100,000-page warranty
- Reduce energy usage: Save up to 95% in power consumption[4]
- Time saving: Wi-Fi, double-sided printing, 250-sheet tray, mobile printing
- Fast, business-quality printing: 20ppm print speeds[3] , no warm up time, PrecisionCore printhead
EcoTank ET-M1170
Epson EcoTank ET-M1170. Maximum duty cycle: 20000 pages per month. Maximum resolution: 1200 x 2400 DPI. Maximum ISO A-series paper size: A4. Print speed (black, normal quality, A4/US Letter): 39 ppm. Duplex printing. Wi-Fi. Product colour: Grey

Features

Recommended duty cycle	250 - 1500 pages per month
Duplex printing *	✔
Duplex printing mode	Auto
Page description languages *	GDI
Printing colours *	White
Ink tank system	✔
Ink type	Pigment-based ink
Print head nozzles	400 nozzles black
Colour *	✘
Maximum duty cycle *	20000 pages per month

Printing

Maximum resolution *	1200 x 2400 DPI
Print speed (black, normal quality, A4/US Letter) *	39 ppm
Time to first page (black, normal)	6 s
Duplex print speed (black, normal quality, A4/US Letter)	9 ppm
Duplex print speed (ISO/IEC 24734, A4) black	9 ppm

Input & output capacity

Total number of input trays *	1
Total input capacity *	250 sheets
Total output capacity *	100 sheets
Maximum number of input trays *	2
Maximum input capacity	251 sheets
Paper input type	Paper tray

Paper handling

Maximum ISO A-series paper size *	A4
ISO A-series sizes (A0...A9) *	A4
Non-ISO print media sizes	Legal
Paper tray media weight	64 - 256 g/m²
Thickness	9.5 cm

Ports & interfaces

USB port *	✔
Standard interfaces	USB

Design

Market positioning *	Home & office
Product colour *	Grey
Built-in display *	✔
Display diagonal	3.68 cm (1.45")
Country of origin	Philippines

Power

Power consumption (printing) *	13 W
Power consumption (off)	0.2 W
Power consumption (ready)	3.3 W
AC input voltage	100 - 240 V

System requirements

Windows operating systems supported	Windows 10, Windows 7, Windows 8, Windows 8.1, Windows Vista, Windows XP, Windows XP Professional x64
Mac operating systems supported	Mac OS X 10.6 Snow Leopard
Server operating systems supported	Windows Server 2003 R2, Windows Server 2003 x64, Windows Server 2008 R2 x64
Compatible operating systems	Mac OS X 10.6.8 or later, Windows 10, Windows 7, Windows 8, Windows 8.1, Windows Server 2003 R2 x64, Windows Server 2008 (32/64 Bit), Windows Server 2008 R2, Windows Server 2012 (64bit), Windows Server 2012 R2, Windows Server 2016, Windows Vista, Windows XP SP3, XP Professional x64 Edition SP2

Weight & dimensions

Width	375 mm
Depth	347 mm
Height	151 mm
Weight	4.3 kg

Packaging data

Included cartridge capacity (black)	11000 pages
Quantity per pack	1 pc(s)
Cables included	AC
Package width	410 mm

Network

Ethernet LAN *	✓
Wi-Fi *	✓
Wi-Fi Direct *	✓
Security algorithms	64-bit WEP, 128-bit WEP, WPA-PSK, WPA-TKIP, WPA2-PSK, WPA2-AES
Mobile printing technologies	Epson Connect, Epson iPrint, Epson Email Print, Epson Remote Print

Performance

Sound pressure level (printing)	56 dB
Sound power level (printing)	6.9 dB

Packaging data

Package depth	440 mm
Package height	275 mm
Package weight	6 kg

Logistics data

Products per pallet layer	2 pc(s)
Products per pallet layer (UK)	4 pc(s)
Products per pallet (UK)	28 pc(s)
Harmonized System (HS) code	84433210
Products per pallet	14 pc(s)

Other features

Printing method	Epson PrecisionCore
Print technology	Inkjet
Ink drop	2.8
Media thickness	64 - 95 mm
Number of users	3 user(s)

8715946663548