Epson Expression Photo HD XP-15000

Brand : Epson **Product code:** C11CG43402

Product name: Expression Photo HD XP-15000

- Compact and stylish A3+ printer: Small footprint and looks great from all angles
- Professional-looking photos: Claria Photo HD inks with red and grey
- Flexible: Wi-Fi and easy mobile printing
- Versatile: A4 duplex and CD/DVD printing
- Convenient: Front and rear paper trays

Expression Photo HD XP-15000

Epson Expression Photo HD XP-15000. Colour, Number of print cartridges: 6. Maximum resolution: 5760 x 1440 DPI. Maximum ISO A-series paper size: A3. Print speed (black, normal quality, A4/US Letter): 29 ppm. Duplex printing. Display: LCD. Wi-Fi. Product colour: Black








Features		Power	
Duplex printing * Duplex printing mode Page description languages * Printing colours *	Auto ESC P, ESC/P-R Black, Cyan, Grey, Magenta, Red, Yellow	Power consumption (printing) * Power consumption (off) Power consumption (standby) Power consumption (ready) AC input voltage	21 W 0.2 W 0.8 W 5.7 W 100 - 120 V
Print head nozzles	180 Nozzles Black, 180 Nozzles per Color	AC input frequency	50 - 60 Hz
Colour *	✓	System requirements	
Number of print cartridges *	6	Windows operating systems supported	Windows 10, Windows 7, Windows 8, Windows 8.1, Windows XP,
Printing			Windows XP Professional x64
Maximum resolution *	5760 x 1440 DPI	Mac operating systems supported	Mac OS X 10.6 Snow Leopard
Print speed (black, normal quality, A4/US Letter) * Print speed (colour, normal quality,	29 ppm	Compatible operating systems	Mac OS X 10.6.8 or later, Windows 10, Windows 7, Windows 8, Windows 8.1, Windows XP SP3, XP
A4/US Letter)	29 ppm		Professional x64 Edition SP2
Print speed (ISO/IEC 24734) mono	9.2 ipm	Operational conditions	
Print speed (ISO/IEC 24734) colour	9 ipm	Operating temperature (T-T)	10 - 35 °C
Borderless printing	1	Storage temperature (T-T)	-20 - 40 °C
Input & output capacity		Operating relative humidity (H-H)	20 - 80%
Total number of input trays *	2	Storage relative humidity (H-H)	5 - 85%
Total input capacity *	200 sheets	Sustainability	
Maximum input capacity	250 sheets	Sustainability certificates	ENERGY STAR
Paper handling		Weight & dimensions	
Maximum ISO A-series paper size * Paper tray media types * ISO A-series sizes (A0A9) * ISO B-series sizes (B0B9)	A3 Thick paper A3, A3+, A4, A5, A6 B5	Width Depth Height Weight	479 mm 370 mm 159 mm 8.5 kg
Non-ISO print media sizes	Legal	Packaging data	
Envelopes sizes Photo paper sizes Photo paper sizes (imperial)	10, C6, DL 9x13,10x15,13x18,13x20,20x25 4x6,5x7,8x10	Quantity per pack Cables included	1 pc(s) AC
Borderless printing media sizes	4x6	Bundled software	Epson Easy Photo Print, Epson Print CD
Ports & interfaces		Package width	445 mm
USB port *	1	Package depth	595 mm

Ports & interfaces		Packaging data	
PictBridge	√	Package height	240 mm
Standard interfaces	Ethernet, USB 2.0, Wireless LAN	Package weight	10.5 kg
Network		Logistics data	
Ethernet LAN *	1	Pallet gross length	120 cm
Wi-Fi *	1	Pallet gross width	80 cm
Wi-Fi Direct *	1	Pallet gross height	147 cm
Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)	Products per pallet layer	2 pc(s)
Security algorithms	64-bit WEP, 128-bit WEP, WPA-PSK, WPA-TKIP, WPA-AES	Products per pallet layer (UK) Products per pallet (UK)	4 pc(s) 36 pc(s)
Mobile printing technologies	Epson Connect, Apple AirPrint, Google Cloud Print	Pallet length (UK) Pallet width (UK)	120 cm
Performance		Pallet height (UK)	147 cm
Sound pressure level (printing)	36 dB	Harmonized System (HS) code	84433210
Sound power level (printing)	5 dB	Products per pallet	18 pc(s)
Design		Other features	
Market positioning *	Home & office	Printing method	Epson Micro Piezo
Product colour *	Black	Print technology	Inkjet
Built-in display *	✓	DVD/CD printing	1
Display	LCD	Ink drop	1.5
Colour display Display diagonal	√ 6.1 cm (2.4")	Maximum input capacity (photo paper)	50 sheets
Country of origin	Indonesia	Box contents	Individual Ink Cartridges, Main unit, Power cable, Setup guide, Software (CD), Warranty Documents



8715946633893

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.