



## HP Color Laser MFP 179fnw

**Brand :** HP

**Product family:** Color Laser

**Product code:** 4ZB97A#B19

**Product name :** Color Laser  
MFP 179fnw

- Scan to PDF
  - Print, copy, scan, fax
  - Print speed up to 19 ppm (black) and 4 ppm (colour)
  - Up to 600 x 600 dpi 4 bits
- Color Laser MFP 179fnw

**HP Color Laser MFP 179fnw:**

Get productive MFP performance – world's smallest in-class.<sup>[1]</sup> Print, scan, copy, and fax, produce high-quality colour results, and print and scan from your phone.<sup>[2]</sup>

Dynamic security enabled printer Certain HP printers are intended to work only with cartridges that have a new or reused HP chip or electronic circuitry. These printers use dynamic security measures to block cartridges using a non-HP chip or electronic circuitry. Periodic firmware updates will maintain the effectiveness of these measures and block cartridges that previously worked. Reused HP chips and electronic circuitry enable the use of reused, remanufactured, and refilled cartridges.



Printing		Ports & interfaces	
Duplex printing mode	Manual	USB port	✓
Print resolution colour	600 x 600 DPI	<b>Network</b>	
Print resolution black	600 x 600 DPI	Wi-Fi *	✓
Print technology *	Laser	Ethernet LAN *	✓
Printing *	Colour printing	Cabling technology	10/100Base-T(X)
Duplex printing *	✓	Ethernet LAN data rates	10,100 Mbit/s
Maximum resolution *	600 x 600 DPI	Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)
Print speed (black, normal quality, A4/US Letter) *	18 ppm	Wi-Fi Direct	✓
Print speed (colour, normal quality, A4/US Letter)	4 ppm	Security algorithms	IPSec, SNMPv2
Warm-up time	38 s	Mobile printing technologies	Apple AirPrint, Google Cloud Print, Mopria Print Service
Time to first page (black, normal)	12.4 s	<b>Performance</b>	
Time to first page (colour, normal)	25.3 s	Maximum internal memory	128 MB
Print margins (top, bottom, right, left)	5 mm	Internal memory *	128 MB
N-in-1 print function	✓	Built-in processor	✓
Watermark printing	✓	Processor frequency	800 MHz
Secure printing	✓	Sound power level (printing)	6.5 dB
Booklet printing function	✓	<b>Design</b>	
Poster printing function	✓	Product colour *	Black, White
<b>Copying</b>		Market positioning *	Home & office
Duplex copying *	✓	Built-in display *	✓
Copying *	Colour copying	Display	LCD
Maximum copy resolution *	600 x 600 DPI	Display number of lines	2 lines
Copy speed (black, normal quality, A4)	18 cpm	Control type	Buttons
Copy speed (colour, normal quality, A4)	4 cpm	<b>Power</b>	
Time to first copy (black, normal)	12.6 s	Power consumption (printing)	300 W
Time to first copy (colour, normal)	32.1 s	Power consumption (ready)	38 W
Maximum number of copies	999 copies	Power consumption (sleep)	1.9 W
		Power consumption (off)	0.2 W

Copying		Power	
Copier resize	25 - 400%	Energy Star Typical Electricity Consumption (TEC)	1.093 kWh/week
N-in-1 copy function	✓	AC input voltage	220 - 240 V
N-in-1 copy function (N=)	2, 4	AC input frequency	50/60 Hz
ID-card copy function	✓	Brand-specific features	
Background adjustment function	✓	HP Auto-On/Auto-Off	✓
Auto fit function	✓	HP Dynamic security	✓
Scanning		(ABT) 193015507333; (ABY) 193015507340; (ACQ) 193015507371; (B13) 193905621620; (B19) 193015507388; (BAZ) 193015507395	
Scanning *	Colour scanning	HP GTIN (EAN/UPC) with options	193015507333, 193015507340, 193015507371, 193905621620, 193015507388, 193015507395
Optical scanning resolution *	600 x 600 DPI		
Maximum scan resolution	19200 x 19200 DPI	HP GTIN (EAN/UPC)	193015507333, 193015507340, 193015507371, 193905621620, 193015507388, 193015507395
Maximum scan area	216 x 297 mm		
Scanner type *	Flatbed & ADF scanner	System requirements	
Scan technology	CIS	Windows operating systems supported	Windows 11, Windows 8
Scan to	Software, TWAIN, WIA	Mac operating systems supported	Mac OS X 10.11 El Capitan, Mac OS X 10.14 Mojave, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra
Image formats supported	JPG, TIFF	Server operating systems supported	Windows Server 2008 R2, Windows Server 2012, Windows Server 2016
Document formats supported	PDF	Operational conditions	
Input colour depth	24 bit	Operating relative humidity (H-H)	10 - 80%
Greyscale levels	256	Storage temperature (T-T)	-20 - 40 °C
Scan drivers	TWAIN, WIA	Operating temperature (T-T)	10 - 30 °C
TWAIN version	1.9	Certificates	
Fax		Certification	EN 61000-3-2:2014, EN 61000-3-3:2013, EN55024:2010, EN 55032:2012/AC:2013, 47 CFR Part 15, Subpart B I ANSI C63.4-2009, ICES-003 Issue 5, KN32, KN35, CISPR22:2008, CISPR32:2012, CNS 13438 (Other EMC approvals as required by individual countries)
Faxing *	Mono faxing		
Fax resolution (black)	300 x 300 DPI	Sustainability	
Modem speed	33.6 Kbit/s	Sustainable technologies and materials	Mercury free
Fax memory	400 pages	Doesn't contain	Mercury
Auto-redialing	✓	Carbon footprint	
Speed dialling	✓	Total carbon footprint (kg of CO2e)	180
Fax forwarding	✓	Carbon emissions, manufacturing (kg of CO2e)	108
Fax delayed sending	✓	Carbon emissions, logistics (kg of CO2e)	5
Auto reduction	✓	Carbon emissions, end-of-life (kg of CO2e)	19
Distinctive ring	✓	Total carbon emissions, w/o use phase (kg of CO2e)	45
Features		Weight & dimensions	
Recommended duty cycle	100 - 500 pages per month	Width	406 mm
Maximum duty cycle *	20000 pages per month	Depth	363 mm
Duplex functions *	Scan	Height	344.1 mm
Digital sender	✓	Weight	14.1 kg
Number of print cartridges *	4	Packaging data	
Printing colours *	Black, Cyan, Magenta, Yellow	Package width	501 mm
Page description languages	SPL	Package depth	466 mm
All-In-One-multitasking	✓	Package height	440 mm
Country of origin	China	Package weight	17.4 kg
Replacement cartridges	HP 117A Black Original Laser Toner Cartridge (1,000 pages) W2070A; HP 117A Cyan Original Laser Toner Cartridge (700 pages) W2071A; HP 117A Yellow Original Laser Toner Cartridge (700 pages) W2072A; HP 117A Magenta Original Laser Toner Cartridge (700 pages) W2073A		
HP segment	Small medium business		
Input & output capacity			
Total number of input trays *	1		
Total input capacity *	150 sheets		
Total output capacity *	50 sheets		
Paper tray 1 input capacity	150 sheets		
Paper input type	Paper tray		
Auto document feeder (ADF)	✓		
Auto document feeder (ADF) input capacity	40 sheets		

Input & output capacity	
Maximum number of input trays	1
Maximum input capacity	150 sheets
Maximum output capacity	50 sheets
Paper handling	
Maximum ISO A-series paper size *	A4
Maximum print size	216 x 356 mm
Paper tray media types *	Bond paper, Glossy paper, Heavy paper, Labels, Plain paper, Recycled paper, Thick paper
ISO A-series sizes (A0...A9) *	A4, A5, A6
ISO B-series sizes (B0...B9)	B5
Non-ISO print media sizes	Oficio
JIS B-series sizes (B0...B9)	B5
Custom media width	76 - 216 mm
Custom media length	148.5 - 356 mm
Paper tray media weight	60 - 220 g/m²
Ports & interfaces	
Standard interfaces	USB 2.0
Direct printing *	✓

Packaging content	
Cartridge(s) included	✓
Included cartridge capacity (black)	700 pages
Included cartridge capacity (CMY)	500 pages
Cables included	AC, USB
Manual	✓
Power cord included	✓
Warranty card	✓
Quick installation guide	✓
Bundled software	Common Installer, V3 Print Driver with Lite SM, TWAIN/WIA Driver, HP MFP Scan, HP LJ Network PC-FAX, OCR program
Logistics data	
Harmonized System (HS) code	84433100
Pallet gross weight	357 g
Master (outer) cases per pallet	20 pc(s)
Layers per pallet	5 pc(s)
Products per pallet	20 pc(s)
Technical details	
<small>Master (outer) cases per pallet layer 4 pc(s) General Product Safety Regulation (GPSR) URL : <a href="https://support.hp.com/gb-en/product/setup-user-guides/hp-color-laser-mfp-170-printer-series/model/24494369?sku=42897A">https://support.hp.com/gb-en/product/setup-user-guides/hp-color-laser-mfp-170-printer-series/model/24494369?sku=42897A</a> ; <a href="http://h10032.www1.hp.com/ctg/Manual/c06266695.pdf">http://h10032.www1.hp.com/ctg/Manual/c06266695.pdf</a> ; <a href="http://h10032.www1.hp.com/ctg/Manual/c06270941.pdf">http://h10032.www1.hp.com/ctg/Manual/c06270941.pdf</a></small>	
Other features	
Number of users	5 user(s)
Pallet dimensions (W x D x H)	1014 x 944 x 2202 mm
Recommended system requirements	PC: Windows® 10, 8.1, 8, 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer.



0193015507388



193015507388

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 05-APR-2025. Prints or copies of Information are only valid on the printed Publication date