



HP LaserJet Enterprise M406dn

Brand : HP

Product family: LaserJet Enterprise

Product code: 3PZ15A

Product name : LaserJet Enterprise M406dn

- Compact Size; Strong Security; Two-sided printing; Energy Efficient; Front-facing USB printing
 - Print
 - Up to 40 ppm (black)
 - Up to 1200 x 1200 dpi
- LaserJet Enterprise M406dn

[HP LaserJet Enterprise M406dn:](#)


HP's entry-level Enterprise-class printer with speeds up to 40 ppm^[9] and strongest security.^[11]

Dynamic security enabled printer Certain HP printers are intended to work only with cartridges that have a new or reused HP chip or electronic circuitry. These printers use dynamic security measures to block cartridges using a non-HP chip or electronic circuitry. Periodic firmware updates will maintain the effectiveness of these measures and block cartridges that previously worked. Reused HP chips and electronic circuitry enable the use of reused, remanufactured, and refilled cartridges.



Printing		Power	
Duplex printing mode	Auto	Power consumption (printing) *	531 W
Print resolution black	1200 x 1200 DPI	Power consumption (max)	531 W
Colour *	✗	Power consumption (ready)	8.1 W
Print technology *	Laser	Power consumption (PowerSave)	0.07 W
Duplex printing *	✓	Power consumption (off)	0.07 W
Maximum resolution *	1200 x 1200 DPI	Energy Star Typical Electricity Consumption (TEC)	0.462 kWh/week
Print speed (black, normal quality, A4/US Letter) *	38 ppm	AC input voltage	220 - 240 V
Warm-up time	176 s	AC input frequency	50/60 Hz
Time to first page (black, normal)	6.5 s	System requirements	
Watermark printing	✓	Windows operating systems supported	Windows 8, Windows 10, Windows 8.1, Windows 7, Windows 11
Secure printing	✓	Mac operating systems supported	Mac OS X 10.15 Catalina, Mac OS X 10.13 High Sierra, Mac OS X 10.12 Sierra, Mac OS X 10.14 Mojave
Features		Other operating systems supported	iOS, Android
Maximum duty cycle *	100000 pages per month	Operational conditions	
Recommended duty cycle	900 - 4800 pages per month	Operating temperature (T-T)	15 - 32.5 °C
Printing colours *	Black	Storage temperature (T-T)	-20 - 40 °C
Number of print cartridges *	1	Operating relative humidity (H-H)	30 - 70%
Page description languages *	PCL 5, PCL 6, PDF 1.7, PostScript 3	Sustainability	
Printer fonts	PostScript, Scalable, TrueType, Windows	Sustainability compliance	✓
Country of origin	Philippines	Sustainability certificates	Blue Angel, ENERGY STAR, EPEAT Silver
Replacement cartridges	HP 59A Black Original LaserJet Toner Cartridge (3,000 pages) CF259A; HP 59X High Yield Black Original LaserJet Toner Cartridge (10,000 pages) CF259X	Sustainable technologies and materials	Mercury-free
HP segment	Business	Doesn't contain	Mercury
Input & output capacity		Carbon footprint	
Total number of input trays *	2	Total carbon footprint (kg of CO2e)	120
Total input capacity *	350 sheets	Carbon emissions, manufacturing (kg of CO2e)	75
Total output capacity *	150 sheets	Carbon emissions, logistics (kg of CO2e)	3
Paper tray 1 input capacity	100 sheets	Carbon emissions, end-of-life (kg of CO2e)	11
Paper tray 2 input capacity	250 sheets		
Maximum number of input trays	3		
Maximum input capacity	900 sheets		


Input & output capacity		Carbon footprint	
Maximum output capacity	150 sheets	Total carbon emissions, w/o use phase (kg of CO2e)	28
Paper handling		Weight & dimensions	
Maximum ISO A-series paper size *	A4	Width	381 mm
Paper tray media types *	Bond paper, Envelopes, Heavy paper, Labels, Plain paper, Recycled paper, Rough paper, Thick paper	Depth	357 mm
ISO A-series sizes (A0...A9) *	A4, A5, A6	Height	220 mm
ISO B-series sizes (B0...B9)	B5	Pallet dimensions (W x D x H)	1200 x 1000 x 2471 mm
ISO C-series sizes (C0...C9)	C5, C6	Weight	8.5 kg
Non-ISO print media sizes	16K	Packaging data	
JIS B-series sizes (B0...B9)	B5, B6	Package width	443 mm
Envelopes sizes	B5, C5, C6, DL	Package depth	278 mm
Photo paper sizes	10x15 cm	Package height	464 mm
Photo paper sizes (imperial)	3x5,4x6,5x7,5x8	Package weight	11.4 kg
Custom media width	76 - 216 mm	Packaging content	
Custom media length	127 - 356 mm	Cartridge(s) included	✓
Paper tray media weight	60 - 175 g/m²	Included cartridge capacity (black)	3000 pages
Ports & interfaces		Cables included	AC
Direct printing *	✗	Brand-specific features	
USB port *	✓	HP ePrint	✓
USB 2.0 ports quantity	2	HP Web Jetadmin	✓
Network		HP Auto-On/Auto-Off	✓
Network ready	✓	HP Dynamic security	✓
Wi-Fi *	✗	HP Management tools	HP Printer Assistant, HP JetAdvantage Security Manager, HP SNMP Proxy Agent (Part of HP WebJetAdmin), HP WS Pro Proxy Agent (Part of HP WebJetAdmin)
Ethernet LAN *	✓		(ABT) 193905233199; (ABY) 193905233205; (ACQ) 193905233212; (B13) 193905481576; (B19) 193905205998; (BAZ) 193905233229
Cabling technology	10/100/1000Base-T(X)		193905233199, 193905233205, 193905233212, 193905481576, 193905205998, 193905233229
Ethernet LAN data rates	10,100,1000 Mbit/s	HP GTIN (EAN/UPC) with options	
Security algorithms	EAP-PEAP, EAP-TLS, FIPS 140, HTTPS, IPSec, SNMPv3, SSL/TLS		
Mobile printing technologies	Apple AirPrint, HP ePrint, Mopria Print Service	HP GTIN (EAN/UPC)	
Performance		Logistics data	
Internal memory *	1024 MB	Pallet gross weight	532.02 g
Maximum internal memory	1024 MB	Layers per pallet	4 pc(s)
Internal storage capacity	4 GB	Products per pallet	36 pc(s)
Built-in processor	✓	Technical details	
Processor frequency	800 MHz	Master (outer) cases per pallet layer 9 pc(s) General Product Safety Regulation : https://support.hp.com/gb-en/product/setup-user-guides/hp-laserjet-enterprise-m406-series/model/22732207?sku=3P215A&serialnumber=3P215A (GPSR) URL : https://hass.hpcloud.hp.com/pdf-public/pdf_2968165_en-US-1.pdf	
Sound pressure level (printing)	54 dB	Other features	
Sound power level (printing)	6.5 dB	Recommended system requirements	2 GB available hard disk space Internet connection or USB port Internet browser.
Design		Recommended humidity operating range	10 - 90%
Market positioning *	Business	Pallet dimensions (W x D x H) (imperial)	1198.9 x 1000.8 x 2471.4 mm (47.2 x 39.4 x 97.3")
Product colour *	White	Pallet weight (imperial)	532 kg (1172.9 lbs)
Built-in display *	✓	Manufacturer warranty	One-year, On-site Repair 24-hour / 7 day a week phone support
Display	LCD		
Colour display	✓		
Display diagonal	6.86 cm (2.7")		
Control type	Buttons		
Certification	CISPR 22:2008 (International) Class A, CISPR 32:2012 (International)/ EN 55032:2012, CISPR 35:2016 (International)/ EN 55035:2017, EN 55024:2010+A1:2015, EN 61000-3-2:2014, EN 61000-3-3:2013. Other EMC approvals as required by individual countries.		



0193905233229




193905233229



0193905878192




193905878192



0193905206001




193905206001



0193905205974




193905205974



0193905878208




193905878208



0194441235296




194441235296



0193905233205




193905233205



0193905206018




193905206018



0193905205981




193905205981



0193905233212



193905233212



0193905233199



193905233199



0193905205967



193905205967

Disclaimer: The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "As Is" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites which are linked to this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.