



## BenQ EW3270U computer monitor 80 cm (31.5") 3840 x 2160 pixels 4K Ultra HD LED Black, Grey, Metallic

**Brand :** BenQ

**Product code:** 9H.LGVLA.TSE

**Product name :** EW3270U

- 32 inch 4K High Resolution
- High Dynamic Range (HDR)
- 95% DCI-P3 Wide Color Gamut


LED 31.5 4K UHD VA 3840 x 2160, 3000:1, 60Hz, 2W x 2, HDCP, HDR, B.I.+ , HDMI, DisplayPort, USB Type-C, 76W, 7.5 kg

BenQ EW3270U. Display diagonal: 80 cm (31.5"), Display resolution: 3840 x 2160 pixels, HD type: 4K Ultra HD, Display technology: LED. Display: LED. Response time: 4 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). Built-in USB hub. VESA mounting. Product colour: Black, Grey, Metallic




Display		Ergonomics	
Display diagonal *	80 cm (31.5")	Tilt angle range	-5 - 15°
Display resolution *	3840 x 2160 pixels	On Screen Display (OSD)	✓
HD type *	4K Ultra HD	On Screen Display (OSD) languages	Arabic, Simplified Chinese, Czech, German, Dutch, English, Spanish, French, Hungarian, Italian, Japanese, Korean, Polish, Portuguese, Romanian, Russian, Swedish
Native aspect ratio *	16:9		
Display technology *	LED		
Panel type *	VA	Number of OSD languages	18
Backlight type	LED	Power	
Touchscreen *	✗	Energy efficiency class (SDR) *	G
Display brightness (typical)	300 cd/m²	Energy efficiency class (HDR) *	G
Response time *	4 ms	Energy consumption (SDR) per 1000 hours *	41 kWh
Screen shape *	Flat	Energy consumption (HDR) per 1000 hours *	52 kWh
Supported graphics resolutions	1920 x 1080 (HD 1080), 3860 x 2160	Power consumption (standby) *	0.3 W
Contrast ratio (typical) *	3000:1	Power consumption (max)	76 W
Contrast ratio (dynamic)	20000000:1	AC input voltage	100 - 240 V
Maximum refresh rate *	60 Hz	AC input frequency	50 - 60 Hz
Viewing angle, horizontal	178°	Energy efficiency scale	A to G
Viewing angle, vertical	178°	European Product Registry for Energy Labelling (EPREL) code	342312
Display number of colours *	1.073 billion colours	Operational conditions	
Pixel density	140 ppi	Operating temperature (T-T)	5 - 40 °C
Display diagonal (metric)	80 cm	Storage temperature (T-T)	-20 - 60 °C
High Dynamic Range (HDR) supported	✓	Operating relative humidity (H-H)	20 - 90%
High Dynamic Range (HDR) technology	High Dynamic Range 10 (HDR10)	Storage relative humidity (H-H)	10 - 90%
Colour gamut standard	DCI-P3	Weight & dimensions	
Colour gamut	95%		
Performance			
NVIDIA G-SYNC *	✗		

Performance		Weight & dimensions	
AMD FreeSync *	✓	Width (with stand)	726.4 mm
AMD FreeSync type	FreeSync	Depth (with stand)	215 mm
VESA Adaptive Sync support	✓	Height (with stand)	522.2 mm
Flicker-free technology	✓	Weight (with stand)	7.5 kg
Low Blue Light technology	✓	Width (without stand)	726.4 mm
Smart modes	Filmmaker	Depth (without stand)	65.2 mm
Windows operating systems supported	✓	Height (without stand)	442.5 mm
Mac operating systems supported	✓	Weight (without stand)	6.1 kg
Multimedia		Packaging data	
Number of speakers	2	Package width	560 mm
RMS rated power	4 W	Package depth	956 mm
Built-in speaker(s) *	✓	Package height	160 mm
Built-in camera *	✗	Package weight	10.2 kg
Design		Packaging content	
Product colour *	Black, Grey, Metallic	Stand included	✓
Feet colour	Black, Grey	Cables included	AC
Ports & interfaces		Quick start guide	✓
Built-in USB hub *	✓	Manual	✓
USB upstream port type	USB Type-C	Other features	
Number of upstream ports	1	AC adapter included	✗
USB Power Delivery (USB PD)	✗	Display	LED
DVI port	✗	On/off switch	✓
HDMI *	✓	TV tuner integrated	✗
HDMI ports quantity	1	Colour	✓
HDMI version	2.0	Product weight	7.48 kg (16.5 lbs)
DisplayPorts quantity	1	Power	76 W
DisplayPort version	1.4	Resolution	3840 x 2160 pixels
Headphone out *	✓	Package weight	10.2 kg
Headphone outputs	1	No flickering	✓
HDCP	✓	Net weight	10.2 kg
HDCP version	2.2	USB ports quantity	1
Ergonomics		Storage	N/A
VESA mounting *	✓	Package volume	16 cm <sup>3</sup>
Cable lock slot *	✗	Certification	TUV
Height adjustment *	✗	Thin Client	
Tilt adjustment	✓	Thin client installed	✗
		Logistics data	
		Harmonized System (HS) code	85285210



4718755072666



0840046039165



840046039165

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.