

HP Color LaserJet Pro MFP 4302fdw Printer

Brand : HP

Pro

```
Product family: Color LaserJet Product code: 5HH64F#B19
```

Product name : Color LaserJet Pro MFP 4302fdw Printer

- Wireless; Print from phone or tablet; Automatic document feeder
- Print, copy, scan, fax
- Print speed up to 33 ppm black & color (A4)
- Up to 600 x 600 dpi; Up to 38,400 x 600 enhanced dpi
- Color LaserJet Pro MFP 4302fdw Printer

HP Color LaserJet Pro MFP 4302fdw Printer:

Fast colour printing and easy set up Get a blazing fast colour printer and easy management tools with LaserJet Pro.

Dynamic security enabled printer Certain HP printers are intended to work only with cartridges that have a new or reused HP chip or electronic circuitry. These printers use dynamic security measures to block cartridges using a non-HP chip or electronic circuitry. Periodic firmware updates will maintain the effectiveness of these measures and block cartridges that previously worked. Reused HP chips and electronic circuitry enable the use of reused, remanufactured, and refilled cartridges.





Printing		Ports & interfaces	
Duplex printing mode	Auto	Direct printing *	1
Print resolution colour	600 x 600 DPI	USB port	Image: A start of the start
Print resolution black	600 x 600 DPI	USB 2.0 ports quantity	2
Print technology *	Laser	USB 3.2 Gen 1 (3.1 Gen 1) ports	1
Printing *	Colour printing	quantity	1
Duplex printing *	1	Network	
Maximum resolution *	600 x 600 DPI	Wi-Fi *	1
Print speed (black, normal quality, A4/US Letter) *	33 ppm	Ethernet LAN *	1
Print speed (colour, normal quality, A4/US Letter)	33 ppm	Cabling technology Ethernet LAN data rates	10/100Base-T(X) 10,100 Mbit/s
Print speed (black, draft quality, A4/US Letter)	35 ppm	Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)
Duplex print speed (black, normal guality, A4/US Letter)	29 ppm	Wi-Fi Direct Bluetooth	J J
Duplex print speed (colour, normal quality, A4/US Letter)	29 ppm	Mobile printing technologies	Apple AirPrint, Mopria Print Service
Warm-up time	55 s	Performance	
Time to first page (black, normal)	9.5 s	Maximum internal memory	512 MB
Time to first page (colour, normal)	10.5 s	Internal storage capacity	512 GB
Watermark printing	1	Internal memory *	512 MB
Copying		Built-in processor	Image: A start of the start
		Processor frequency	1200 MHz
Duplex copying *		Sound pressure level (printing)	50 dB
Copying *	Colour copying	Sound pressure level (scanning)	48 dB
Maximum copy resolution *	600 x 600 DPI	Sound power level (printing)	6.1 dB
Copy speed (black, normal quality, A4)	35 cpm	Design	
Copy speed (colour, normal quality, A4)	35 cpm	Product colour * Market positioning *	Blue, White Business
Time to first copy (black, normal)	7.6 s	Built-in display *	1
Time to first copy (colour, normal)	10 s	Display diagonal	10.9 cm (4.3")
Maximum number of copies	999 copies	Control type	Touch

Copying		Power	
Copier resize	25 - 400%	Power consumption (max)	585 W
ID-card copy function	1	Power consumption (PowerSave)	0.07 W
Auto fit function	1	Power consumption (printing)	585 W 18 W
Scanning		Power consumption (ready) Power consumption (sleep)	0.8 W
Duplex scanning *	1	Power consumption (off)	0.07 W
Scanning *	Colour scanning	Energy Star Typical Electricity Consumption (TEC)	0.422 kWh/week
Optical scanning resolution *	1200 x 1200 DPI	AC input voltage	220 - 240 V
Maximum scan resolution Maximum scan area	1200 x 1200 DPI 216 x 297 mm	AC input frequency	50/60 Hz
Scanner type *	Flatbed & ADF scanner	Brand-specific features	
Scan technology	CIS	HP Auto-On/Auto-Off	1
Scan to	E-mail, Software, TWAIN, WIA, File	HP Dynamic security	·
Scan speed (colour)	35 ppm		(ABT) 196068332570; (ABY)
Scan speed (black) Duplex scan speed (colour) Duplex scan speed (black)	44 ppm 37 ppm 46 ppm	HP GTIN (EAN/UPC) with options	196068332587; (B19) 196068332587; (BAZ) 196068332594; (BAZ)
Image formats supported Document formats supported	JPG, TIFF PDF	HP GTIN (EAN/UPC)	196068332570, 196068332587, 196068323264, 196068332594
Input colour depth	30 bit	System requirements	
Greyscale levels Scan drivers	256 TWAIN, WIA	Windows operating systems supported	Windows 11, Windows 10
Fax		Mac operating systems supported	Mac OS X 11.0 Big Sur, Mac OS X 10.15 Catalina, Mac OS X 13.0
Faxing *	Mono faxing	nue operating systems supported	Ventura, Mac OS X 12.0 Monterey
Fax resolution (black)	300 x 300 DPI		Windows Server 2008 R2 x64, Windows Server 2012, Windows
Fax transmission speed Modem speed	5 sec/page 33.6 Kbit/s	Server operating systems supported	
Fax memory	500 pages		Server 2016, Windows Server 2019, Windows Server 2022
Auto-redialing	✓	Mobile operating systems supported	Android, iOS
Speed dialling	- -	Other operating systems supported	ChromeOS, iOS, Linux, Android
Fax forwarding		Operational conditions	
Fax delayed sending	Image: A start of the start	Storage temperature (T-T)	-20 - 40 °C
Auto reduction	1	Operating temperature (T-T)	10 - 32.5 °C
Features		Certificates	
Recommended duty cycle 750 - 4000 pages per month Maximum duty cycle * 50000 pages per month Duplex functions * Print, Copy, Scan Digital sender ✓ Number of print cartridges * 4 Printing colours * Black, Cyan, Magenta, Yellow PCL 5e, PCL 6, PostScript 3, URF,	Certification	CISPR 22:2008 (International) Class B, CISPR 32:2015 (International) Class B / EN 55032:2015 Class B + A11:2020, CISPR 35:2016 (International) / EN 55035:2017 + A11:2020, EN IEC 61000-3-2:2019, EN 61000-3-3:2013+A1:2019 + A2:2021, FCC 47 CFR Part 15 Class B, ICES-003, Issue 7 Class B. Other EMC approvals as required by	
Printer fonts	PWG, PDF Scalable, TrueType		individual countries.
All-In-One-multitasking	 Image: A second s	Sustainability	
Country of origin	China	Sustainability compliance	✓ Blue Angel
		Sustainability certificates	Blue Angel
		Carbon footprint	
		Total carbon footprint (kg of CO2e) Carbon emissions, manufacturing (kg of CO2e)	220 140
		Carbon emissions, logistics (kg of CO2e)	6
		Carbon emissions, end-of-life (kg of CO2e)	28
		Total carbon emissions, w/o use phase (kg of CO2e)	47
		Weight & dimensions	
		Width	421 mm
		Depth	435 mm

Features

	HP 220A Black Original LaserJet
Replacement cartridges	Toner Cartridge (~2,000 pages) W2200A; HP 220A Cyan Original LaserJet Toner Cartridge (~1,800 pages) W2201A; HP 220A Yellow Original LaserJet Toner Cartridge (~1,800 pages) W2202A; HP 220A Magenta Original LaserJet Toner Cartridge (~1,800 pages) W2203A; HP 220X Black Original LaserJet Toner Cartridge (~7,500 pages) W2200X; HP 220X Cyan Original LaserJet Toner Cartridge (~5,500 pages) W2201X; HP 220X Yellow Original LaserJet Toner Cartridge (~5,500 pages) W2202X; HP 220X Magenta Original LaserJet Toner Cartridge (~5,500 pages) W2203X
HP segment	Small medium business

Weight & dimensions	
Height Weight	384 mm 20.4 kg
Packaging data	
Package width Package depth Package height Package weight	597 mm 497 mm 492 mm 23.6 kg
Packaging content	
Cartridge(s) included Included cartridge capacity (black) Included cartridge capacity (CMY) Cables included Warranty card	 2000 pages 1000 pages AC, USB
Logistics data	
Pallet gross weight Layers per pallet Products per pallet Technical detail Mater forder case per palet layer 4 pcts General Induct State Regulation International Control Cont	414 g 4 pc(s) 16 pc(s) xxeje pro m/s 400-4004 of the printer series model/18148337stur-99444F&serialmumber-39444F
(GPSR) URL : https://kass.hpcloud.hp.com/pdf-public/pdf_2963110_en-US-1.pd	
Number of users Pallet dimensions (W x D x H) Recommended system requirements	10 user(s) 1200 x 1000 x 2111 mm 2 GB available hard disk space, Internet connection or USB port, Internet browser.


Input & output capacity

2
300 sheets
150 sheets
50 sheets
250 sheets
1
50 sheets
1
50 sheets
3
850 sheets
150 sheets

Paper handling

Maximum ISO A-series paper size *	A4
Maximum print size	212
Paper tray media types *	Bor pap pap Rec
ISO A-series sizes (A0A9) *	A4,
JIS B-series sizes (B0B9)	B6
Custom media width	76.
Custom media length	127
Paper tray media weight	60

2 x 352 mm nd paper, Envelopes, Glossy per, Labels, Letterhead, Photo per, Plain paper, Postcard, cycled paper, Rough paper A5, A6 .2 - 216 mm 7 - 356 mm - 200 g/m²





196068323264

0196068323264

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.