



Canon i-SENSYS X C1333iF Laser A4 1200 x 1200 DPI 33 ppm Wi-Fi

Brand : Canon

Product family: i-SENSYS

Product code: 5455C001

Product name : X C1333iF

A4, 1200 x 1200 dpi, USB 2.0, LAN, WLAN, LCD, 1380 W, 22 Kg

Canon i-SENSYS X C1333iF Laser A4 1200 x 1200 DPI 33 ppm Wi-Fi:

Expand your print fleet with hassle-free integration and enhanced network management
Cloud connectivity enables secure scanning and printing from anywhere, supporting remote working and workforce collaboration.

High quality, compact A4 colour multifunction printers with cloud connectivity that offer seamless office integration

Harness the power of cloud to support your employees with the cloud workspace collaboration.
Canon i-SENSYS X C1333iF. Print technology: Laser, Printing: Colour printing, Maximum resolution: 1200 x 1200 DPI. Copying: Colour copying, Maximum copy resolution: 600 x 600 DPI. Scanning: Colour scanning, Optical scanning resolution: 600 x 600 DPI. Faxing: Colour faxing. Duplex functions: Copy, Print. Maximum ISO A-series paper size: A4. Wi-Fi. Direct printing. Product colour: Black, White



Printing		Paper handling	
Print technology *	Laser	Paper tray media types *	Envelopes, Heavy paper, Plain paper, Postcard, Recycled paper, Thin paper
Printing *	Colour printing	ISO A-series sizes (A0...A9) *	A4, A5, A6
Duplex printing *	✓	ISO B-series sizes (B0...B9)	B5
Maximum resolution *	1200 x 1200 DPI	Non-ISO print media sizes	Executive, Legal, Letter, Statement
Print speed (black, normal quality, A4/US Letter) *	33 ppm	Envelopes sizes	C5, Com-10, DL, Monarch
Warm-up time	14 s	Paper tray media weight	60 - 163 g/m ²
Time to first page (black, normal)	7.1 s	Ports & interfaces	
Secure printing	✓	Direct printing *	✓
Copying		USB port	✓
Duplex copying *	✓	USB 2.0 ports quantity	1
Duplex copying mode	Auto	Network	
Copying *	Colour copying	Wi-Fi *	✓
Maximum copy resolution *	600 x 600 DPI	Ethernet LAN *	✓
Time to first copy (black, normal)	8.3 s	Ethernet LAN data rates	10,1000 Mbit/s
Time to first copy (colour, normal)	9.4 s	Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)
Maximum number of copies	999 copies	Security algorithms	WPA-AES, WPA-PSK, WPA2-AES, WPA2-PSK
Copier resize	25 - 400%	Management protocols	SNMPv1, SNMPv3
ID-card copy function	✓	Performance	
Scanning		Internal storage capacity	30 GB
Scanning *	Colour scanning	Internal memory *	1000 MB
Optical scanning resolution *	600 x 600 DPI	Built-in processor	✓
Scanner type *	ADF scanner	Processor frequency	1200 MHz
Scan to	Cloud, E-mail, PC, USB	Design	
Input colour depth	24 bit	Product colour *	Black, White
Output colour depth	24 bit	Market positioning *	Business
Greyscale levels	256	Built-in display *	✓
Scan drivers	ICA, TWAIN, WIA	Display	LCD
Fax		Control type	Touch
Faxing *	Colour faxing	Power	
Modem speed	33.6 Kbit/s	Power consumption (max)	1380 W
Fax memory	512 pages	Power consumption (printing)	700 W
Speed dialling	✓	Power consumption (standby)	24 W
Features			
Recommended duty cycle	750 - 4000 pages per month		

Features		Power	
Maximum duty cycle *	50000 pages per month	Power consumption (sleep)	1 W
Duplex functions *	Copy, Print	AC input voltage	220 - 240 V
Number of print cartridges *	4	AC input frequency	50 - 60 Hz
Printing colours *	Black, Cyan, Magenta, Yellow	System requirements	
Page description languages	PCL 5e, PCL 6, PostScript 3, UFR II	Windows operating systems supported	Windows 10, Windows 11, Windows 8.1
Input & output capacity		Mac operating systems supported	Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 10.2 Jaguar, Mac OS X 10.3 Panther, Mac OS X 10.4 Tiger, Mac OS X 10.5 Leopard, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks, Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey
Total number of input trays *	1		Windows Server 2012, Windows Server 2012 R2, Windows Server 2016, Windows Server 2019, Windows Server 2022
Total input capacity *	250 sheets	Server operating systems supported	
Total output capacity *	150 sheets		
Maximum input capacity	850 sheets	Operational conditions	
Paper handling		Operating relative humidity (H-H)	20 - 80%
Maximum ISO A-series paper size *	A4	Operating temperature (T-T)	10 - 30 °C
		Weight & dimensions	
		Width	425 mm
		Depth	461 mm
		Height	430 mm
		Weight	22 kg

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 10-DEC-2024. Prints or copies of Information are only valid on the printed Publication date