




D-Link DGS-1210-52MP Managed L2 Gigabit Ethernet (10/100/1000) Power over Ethernet (PoE) Black, Grey

Brand : D-Link

Product code: DGS-1210-52MP/E

Product name : DGS-1210-52MP

D-Link DGS-1210-52MP. Switch type: Managed, Switch layer: L2. Basic switching RJ-45 Ethernet ports type: Gigabit Ethernet (10/100/1000), Basic switching RJ-45 Ethernet ports quantity: 48, Installed SFP modules quantity: 4. Full duplex. MAC address table: 16000 entries, Switching capacity: 104 Gbit/s. Networking standards: IEEE 802.3, IEEE 802.3ab, IEEE 802.3af, IEEE 802.3at, IEEE 802.3az, IEEE 802.3u, IEEE 802.3x, IEEE.... Power over Ethernet (PoE)



Management features		Security	
Switch type *	Managed	Loop protection	✓
Switch layer	L2	Design	
Quality of Service (QoS) support	✓	Product colour	Black, Grey
Web-based management	✓	LED indicators	✓
Ports & interfaces		Performance	
Basic switching RJ-45 Ethernet ports quantity *	48	Internal memory	128 MB
Basic switching RJ-45 Ethernet ports type *	Gigabit Ethernet (10/100/1000)	Flash memory	32 MB
Installed SFP modules quantity *	4	Mean time between failures (MTBF)	236406 h
Network		Power	
Networking standards *	IEEE 802.3, IEEE 802.3ab, IEEE 802.3af, IEEE 802.3at, IEEE 802.3az, IEEE 802.3u, IEEE 802.3x, IEEE 802.3z	Power source *	AC
10G support *	✗	Power supply included *	✓
Port mirroring	✓	Number of power supply units	1
Full duplex	✓	AC input voltage	100 - 240 V
Half duplex	✓	AC input frequency	50/60 Hz
Flow control support	✓	Power consumption (max)	54.4 W
Link aggregation	✓	Power over Ethernet (PoE)	
Broadcast storm control	✓	Power over Ethernet (PoE) *	✓
Auto MDI/MDI-X	✓	Power over Ethernet (PoE) ports quantity	48
Spanning tree protocol	✓	Total Power over Ethernet (PoE) budget	370 W
Head-of-line (HOL) blocking	✓	Operational conditions	
Ethernet LAN data rates	10,100,1000 Mbit/s	Operating temperature (T-T)	-5 - 50 °C
VLAN support	✓	Storage temperature (T-T)	-40 - 70 °C
Number of VLANs	256	Operating relative humidity (H-H)	0 - 95%
Data transmission		Storage relative humidity (H-H)	0 - 95%
Switching capacity *	104 Gbit/s	Heat dissipation	507.23 BTU/h
Forwarding rate	77.4 Mpps	Weight & dimensions	
MAC address table *	16000 entries	Width	440 mm
Static route	✓	Depth	430 mm
Number of static routes	256	Height	44 mm
Jumbo frames support	✓	Weight	6.26 kg
		Sustainability	
		Sustainability compliance	✓


Data transmission		Certificates	
Jumbo frames	10000	Compliance certificates	BSMI, CB, CCC, cUL
Packet buffer memory	12 MB		
Security			
IGMP snooping	✓		



0790069467806



790069467806



5704174940425

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.