Viewsonic LS740W data projector Standard throw projector 5000 ANSI lumens WXGA (1200x800) White

Brand : Viewsonic Product code: LS740W


Product name: LS740W

- 3rd generation laser phosphor technology with up to a 30,000-hour lifespan
- 5,000 ANSI Lumens offering bright images in any environment
- Up to 300" ultra large screen with lower cost-per-inch
- Compact size and light weight reducing cost of transportation and installation
- Installation flexibility: 1.3x optical zoom, H/V keystone, 360° projection, and portrait mode Full HD, 4200 ANSI, 3000000:1, 1.07 B, 2, 15W x2, RJ45, HDMI, Audio-out, RS232, USB, 100-240 V, 4.5 kg Viewsonic LS740W. Projector brightness: 5000 ANSI lumens, Projector native resolution: WXGA (1200x800), Contrast ratio (typical): 3000000:1. Light source type: Laser, Service life of light source: 20000 h, Service life of light source (economic mode): 30000 h. Focus: Manual, Fixed focal length: 7.51 mm, Zoom type: Manual. Analog signal format system: NTSC, PAL, SECAM, Supported video modes: 480i, 480p, 576i, 576p, 720p, 1080i, 1080p, 2160p. Serial interface type: RS-232, HDMI connector type: Full-size, Service port type: USB Type-A



Projector		Network	
Smart projector *	×	Wi-Fi *	x
Screen size compatibility *	1016 - 7620 mm (40 - 300")	Storage	
Projection distance Projector brightness *	0.43 - 3.25 m 5000 ANSI lumens	Card reader integrated *	×
Projector native resolution * W Contrast ratio (typical) * 30 Native aspect ratio * 16 Number of colours 1. Horizontal scan range 15 Vertical scan range 25 Keystone correction, horizontal Keystone correction, vertical -1 Light source	WXGA (1200x800) 3000000:1 16:9 1.07 billion colours 15 - 102 kHz 23 - 120 Hz -15 - 15° -15 - 15°	Features	
		Interactive * Noise level (economic mode) HDCP On Screen Display (OSD) On Screen Display (OSD) languages	X 29 dB Danish, German, Hungarian, Arabic, Dutch, Norwegian, English, Indonesian, Swedish, Spanish, Italian, Polish, Thai, Japanese, Portuguese, Turkish, Romanian, Simplified Chinese, Finnish, Korean, Russian, Vietnamese, Traditional
Service life of light source * Service life of light source (economic mode) Lens system	20000 h 30000 h	Number of OSD languages HDCP version	Chinese, French, Greek, Czech, Slovak 27 1.4/2.2
Focus *	Manual	Noise level *	32 dB
Fixed focal length F-number (relative aperture) Zoom capability Zoom type	7.51 mm 2.8 ✓ Manual	Multimedia Built-in speaker(s) * RMS rated power Number of built-in speakers	✓30 W2
Digital zoom	2x	Design	
Throw ratio Offset	0.49 132%	Market positioning * Product type *	Business Standard throw projector
Video Analog signal format system * Full HD * 3D *	NTSC, PAL, SECAM ✓	Product colour * Cable lock slot Cable lock slot type	White Kensington
3U *	X 480i, 480p, 576i, 576p, 720p, 1080i,	Display	
Supported video modes	1080p, 2160p	Built-in display *	×
Ports & interfaces		Power	
HDMI connector type HDMI version Service port type	Full-size 2.0 USB Type-A	Power source * Power consumption (typical) * Power consumption (standby) *	AC 245 W 0.5 W

s & interfaces		Power	
USB 2.0 ports quantity USB 2.0 Type-A ports quantity Serial interface type *	1 1 RS-232 ✓	AC input voltage AC input frequency	100 - 240 V 50 - 60 Hz
		Operational conditions	
PC Audio out HDMI ports quantity *		Operating temperature (T-T)	0 - 40 °C
DVI port *	X	Weight & dimensions	
AC (power) in	··	Width	337 mm
Network		Depth Height	265 mm 131.5 mm
Smart TV *	×	Weight *	4.5 kg
Ethernet LAN *	✓	Package width	496 mm
Ethernet LAN (RJ-45) ports	1	Package depth Package height Package weight	195 mm 387 mm 6.6 kg
		Packaging content	
		Remote control included * Quick start guide	<i>'</i>
		Warranty card	,
		Technical details	
		Image lag time	49.9 ms
		Logistics data	
		Quantity per pack	1 pc(s)





766907022599

0766907022599

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.