

## BenQ PD3225U computer monitor 81.3 cm (32") 3840 x 2160 pixels 4K Ultra HD LED Black

Brand : BenQ

Product code: 9H.LLYLA.TBE

Product name : PD3225U

- With a 2000:1 contrast ratio supports Display P3 and Thunderbolt 3 for Mac users

- Compatible with Display P3, ICCsync can be achieved instantly through the BenQ Display Pilot 2 - Covers 98% P3, 99% sRGB, 99% Rec.709 color space, ensuring ΔE≤2 accuracy with factory calibration 32", 4K Ultra HD, IPS, LED, 3840x2160p, 60 Hz, 16:9, sRGB 99%, 400 nits, 2 x 2.5W, Black, 8.2kg BenQ PD3225U. Display diagonal: 81.3 cm (32"), Display resolution: 3840 x 2160 pixels, HD type: 4K Ultra HD, Display technology: LED, Response time: 5 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). Built-in USB hub, USB hub version: 3.2 Gen 1 (3.1 Gen 1). VESA mounting, Height adjustment. Product colour: Black







Display		Ports & interfaces	
Display diagonal * Display resolution * HD type * Native aspect ratio * Display technology * Panel type * LED backlight	ay resolution *3840 x 2160 pixelsupe *4K Ultra HDe aspect ratio *16:9ay technology *LEDtype *IPS	DisplayPort version Thunderbolt 3 ports quantity Headphone out * Headphone connectivity Built-in KVM switch HDCP HDCP version	1.4 2 ✓ 3.5 mm ✓ 2.2
Backlight type	LED	Ergonomics	
Display brightness (peak) Display brightness (typical) Response time * Anti-glare screen Screen shape * Aspect ratio Contrast ratio (typical) * Maximum refresh rate * Viewing angle, horizontal Viewing angle, vertical Display number of colours * Pixel density Display diagonal (metric) High Dynamic Range (HDR) supported High Dynamic Range (HDR)	400 cd/m <sup>2</sup> 400 cd/m <sup>2</sup> 5 ms ✓ Flat 16:9 2000:1 60 Hz 178° 178° 1.07 billion colours 140 ppi 80 cm ✓ DisplayHDR 400, High Dynamic Range 10 (HDR10)	VESA mounting * Panel mounting interface Height adjustment * Height adjustment Pivot Pivot angle Swivelling Swivel angle range Tilt adjustment Tilt angle range On Screen Display (OSD) On Screen Display (OSD) languages	<ul> <li>100 x 100 mm</li> <li>15 cm</li> <li>90 - 90°</li> <li>-30 - 30°</li> <li>-5 - 20°</li> <li>Arabic, Simplified Chinese, Traditional Chinese, Czech, German, Dutch, English, Spanish, French, Hungarian, Italian, Japanese, Korean, Polish, Romanian, Russian, Swedish</li> </ul>
Colour gamut standard	Rec. 709	Power	
Colour gamut sRGB coverage (typical)	98% 99%	Energy efficiency class (SDR) * Energy efficiency class (HDR) * Energy consumption (SDR) per 1000 hours *	F G 32 kWh

Performance		Power	
Flicker-free technology Low Blue Light technology	4	Energy consumption (HDR) per 1000 hours *	48 kWh
Smart modes	Animation, Black & White, CAD/CAM, Darkroom, M-Book	Power consumption (typical) $st$	23 W
		Power consumption (standby) *	0.4 W
Multimedia		Power consumption (off)	0.3 W
Number of speakers	2	AC input voltage	100 - 240 V
RMS rated power	2.5 W	Energy efficiency scale	A to G
Built-in speaker(s) *	1	European Product Registry for Energy Labelling (EPREL) code	1874336
Design		Weight & dimensions	
Market positioning *	Graphics design	Width (with stand)	714.8 mm
Product colour *	Black	Depth (with stand)	273.3 mm
Feet colour	Grey	Height (with stand)	628.4 mm
Ports & interfaces		Weight (with stand)	8.2 kg
Built-in USB hub *	1	Width (without stand)	714.8 mm
USB hub version	3.2 Gen 1 (3.1 Gen 1)	Depth (without stand)	74.8 mm
USB upstream port type	USB Type-B	Height (without stand)	411.4 mm
Number of upstream ports	1	Weight (without stand)	6.6 kg
USB Type-C downstream ports quantity	1	Packaging data	
USB Power Delivery	J	Package weight	18.1 kg
USB Power Delivery up to	85 W	Packaging content	
HDMI *	1	Stand included	1
HDMI ports quantity	2	Cables included	DisplayPort, HDMI, Power,
HDMI version	2.0		Thunderbolt, USB Type-A
DisplayPorts quantity	1	Sustainability	
		Sustainability compliance	1
		Sustainability certificates	TUV

Publication date: 19-OCT-2024. Prints or copies of Information are only valid on the printed Publication date



4718755093265

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.