## Chieftec APEX GA-01B-TG-OP ATX Midi Tower Black

**Brand :** Chieftec **Product code:** GA-01B-TG-OP

**Product name:** APEX GA-01B-TG-OP ATX

- A-RGB control hub with M/B sync and fan speed control
- Front & Side panel made of TEMPERED GLASS
- 4x 120mm A-RGB fans pre-installed

Chieftec Apex GA-01B-TG-OP

## Chieftec APEX GA-01B-TG-OP ATX Midi Tower Black:

The CHIEFTEC APEX presents an E-ATX chassis with full clean tempered glass on the front and side panels, including four pre-installed 120mm ARGB fans that provide impressive style and cooling.

APEX with 4 pre-installed rainbow ARGB fans connected to a control hub that allows for ARGB M/B sync and fan speed control.

The case is generous with space, offering support for GPUs up to 400 mm in length, CPU coolers up to 175mm in height, and radiator support up to 360mm on the top and up to 420mm on the front.

CHIEFTEC APEX AIR is ready to bring more airflow and better cooling to modern gaming systems.





Design		Cooling	
Material	SPCC	Fan speed control	1
Form factor *	Midi Tower	Front fans installed	3x 120 mm
Type *	PC	Number of front fans supported	-
Product colour *	Black	(max)	3
Supported motherboard form factors *	ATX, EATX, ITX, micro ATX, Mini-ITX	Front fans diameters supported  Number of side fans supported	120,140 mm 2
Number of 3.5" bays *	2	(max)	2
Number of 2.5" bays	3	Rear fans installed	1x 120 mm
Number of internal 3.5" bays	2	Number of rear fans supported	1
Number of storage drives supported	5	(max)	120,140 mm
Number of expansion slots	7	Rear fans diameters supported  Number of top fans supported	120,140 mm
Full-Height expansion slots	7	(max)	3
Side window	✓	Top fans diameters supported	120,140 mm
Suitable for	Gaming	Number of bottom fans supported	2
Illumination	✓	(max)	2
Illumination colour	Multi	Bottom fans diameters supported	120 mm
Illumination location	Case fans	Liquid cooling capability	✓
Tempered glass panel(s)	✓	Liquid cooling installed	×
Anti-dust filter	✓	Front radiator sizes supported	240,280,360,420 mm
Cable management	✓	Side radiator sizes supported	240 mm
Reset button	✓	Top radiator sizes supported	240,280,360 mm
On/off button	1	Storage	
RGB control button	1	Supported HDD sizes *	2.5,3.5"
Maximum CPU cooler height	17.5 cm		2.575.15
Maximum graphics card length	40 cm	Weight & dimensions	
Maximum PSU length	22 cm	Width	230 mm
Power supply		Depth	465 mm
Power supply included *	×	Height	495 mm
Power supply location	Bottom	Weight Material thickness	8 kg 0.6 mm
Ports & interfaces		Material thickness	0.0
Audio input	1	Packaging data	
Audio output	/	LED controller	✓
		Package weight	9.5 kg

## Ports & interfaces

USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity \* 2
USB Type-C ports quantity 1
USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity \* 1





753263078520

0753263078520

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.