


Philips 5000 series 34B2U5600C/00 computer monitor 86.4 cm (34") 3440 x 1440 pixels Dual QHD LCD Grey

Brand : Philips

Product family: 5000 series

Product code: 34B2U5600C/00

Product name :
34B2U5600C/00



Curved Business monitor 34B2U5600C WQHD monitor with USB-C

Philips 5000 series 34B2U5600C/00 computer monitor 86.4 cm (34") 3440 x 1440 pixels Dual QHD LCD Grey:

This monitor is all about quality. With its WQHD resolution, Smart KVM switch, and USB-C to RJ45 connectivity, it is the ideal option for switching between sources and connecting to the internet without compromising on picture quality.

Philips 5000 series 34B2U5600C/00. Display diagonal: 86.4 cm (34"), Display resolution: 3440 x 1440 pixels, HD type: Dual QHD, Display technology: LCD, Response time: 4 ms, Native aspect ratio: 21:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). Built-in USB hub. VESA mounting, Height adjustment. Product colour: Grey

Display		Ergonomics	
Display diagonal *	86.4 cm (34")	VESA mounting *	✓
Display resolution *	3440 x 1440 pixels	Panel mounting interface	100 x 100 mm
HD type *	Dual QHD	Cable lock slot *	✓
Native aspect ratio *	21:9	Cable lock slot type	Kensington
Display technology *	LCD	Height adjustment *	✓
Panel type *	VA	Height adjustment	18 cm
LED backlight	✓	Swivelling	✓
Backlight type	W-LED	Swivel angle range	-180 - 180°
Display brightness (typical)	300 cd/m ²	Tilt adjustment	✓
Response time *	4 ms	Tilt angle range	-5 - 30°
Anti-glare screen	✓	On Screen Display (OSD)	✓
Screen shape *	Curved	On Screen Display (OSD) languages	Simplified Chinese, Traditional Chinese, Czech, German, Dutch, English, Spanish, Finnish, French, Greek, Hungarian, Italian, Japanese, Korean, Polish, Portuguese, Russian, Turkish, Ukrainian
Contrast ratio (typical) *	4000:1		
Contrast ratio (dynamic)	50000000:1		
Maximum refresh rate *	120 Hz		
Viewing angle, horizontal	178°		
Viewing angle, vertical	178°		
Display number of colours *	16.7 million colours		
Pixel pitch	0.23175 x 0.23175 mm		
Pixel density	109.68 ppi		
Horizontal scan range	30 - 220 kHz		
Vertical scan range	48 - 120 Hz		
Viewable size, horizontal	79.7 cm		
Viewable size, vertical	33.4 cm		
DDC/CI	✓		
Haze rate	25%		
Surface hardness	3H		
sRGB coverage (typical)	120%		
NTSC coverage (typical)	104%		
		Power	
		Energy efficiency class (SDR) *	F
		Power consumption (typical) *	28.3 W
		Power consumption (standby) *	0.3 W
		Power consumption (PowerSave)	20.5 W
		AC input voltage	100 - 240 V
		AC input frequency	50/60 Hz
		Power supply type	Internal
		Operational conditions	
		Operating temperature (T-T)	0 - 40 °C
		Storage temperature (T-T)	-20 - 60 °C
		Operating relative humidity (H-H)	20 - 80%

Multimedia		Operational conditions	
Number of speakers	2	Operating altitude	0 - 3658 m
RMS rated power	10 W	Non-operating altitude	3658 - 12192 m
Built-in speaker(s) *	✓	Weight & dimensions	
Design		Width (with stand)	807 mm
Product colour *	Grey	Depth (with stand)	281 mm
Ports & interfaces		Height (with stand)	575 mm
Built-in USB hub *	✓	Weight (with stand)	10.4 kg
Number of USB Type-C upstream ports quantity	2	Width (without stand)	807 mm
USB Type-A downstream ports quantity	4	Depth (without stand)	112 mm
USB Type-C downstream ports quantity	1	Height (without stand)	369 mm
HDMI *	✓	Weight (without stand)	7.64 kg
HDMI ports quantity	2	Packaging data	
HDMI version	2.0	Package width	980 mm
DisplayPorts quantity	1	Package depth	188 mm
DisplayPort version	1.4	Package height	525 mm
Audio output	✓	Package weight	15.7 kg
HDCP	✓	Packaging content	
HDCP version	1.4/2.2	Stand included	✓
		Cables included	DisplayPort, HDMI, Power, USB Type-C
		Sustainability	
		Doesn't contain	Mercury, PVC/BFR
		Other features	
		HBR3 support	✓



8712581806040

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 20-OCT-2024. Prints or copies of Information are only valid on the printed Publication date