




140-watt GaN charger with Power Delivery (PD)

SKU: TETRGANUSB2CPD140W



Small, powerful, universal: use it for all your devices

What sets GaN chargers apart

This charger is made with **gallium nitride semiconductors**. The charger is therefore **small but very powerful**, measuring just 7.4 x 4 x 4.1 cm.

Ultra-fast charging for all your devices

The **140W GaN charger** is the ideal choice for people with powerful accessories that need a high level of energy. It can **power up to 3 devices simultaneously**. Its unique design makes it very practical: you can insert it into a wall socket either way up and **easily insert your charging cable**.

Power Delivery (PD) supply: lots of power, maximum safety

Equipped with a European plug, this charger features **two USB-C Power Delivery (PD) outputs** that each deliver **140 watts**. Even if both are in use, these ports will never deliver **less than 136 watts**. They can charge any device in a flash: **iPhones** and **Android smartphones** from brands such as Samsung, Oppo, Xiaomi and Huawei charge in **10 minutes**; **tablets and iPads** charge in **10 minutes**; and **laptops and MacBooks** in **30 minutes** (charging times are estimates and depend on the battery of the device being charged).

Power Delivery technology combines **impressive charging performance** with **unmatched safety**. There is no risk of short circuits or overloads during charging.

The 36W USB-A port is fast and safe

This universal charger has a third output that supports **USB-A** cables. This port is equipped with **Adaptive Fast Charging (AFC)** technology that determines the power of the charging device. The charger can deliver **36W** to ensure a fast and safe supply without your device being overloaded.

Key features:

- Gallium nitride (GaN) semiconductors: small but powerful
- universal charging for smartphones, tablets, laptops, speakers, e-readers, smartwatches and more
- Maximum power output: 140 watts
- dimensions: 74 x 40 x 41 mm
- smart design
- 2 140-watt USB-C ports with Power Delivery technology (PD)
- 1 36W USB-A port with Adaptive Fast Charge (AFC) technology
- European plug



140-watt GaN charger with Power Delivery (PD)

SKU: TETRGANUSB2CPD140W

Technical data

Output power: 140W

Input: 100-240V A.C. 50/60 Hz - 2.5A

Output: With 3 devices connected: 100W+20W+18W (138W max)

Connector: 3 USB female

Plug type: European

Technology: Adaptive Fast Charge, GaN, Power Delivery (PD)

USB Output: 5 V D.C. 3A/9 V D.C. 3A/12 V D.C. 3A (36 Watt max)

Connector 1: 2xUSB-C

Connector 2: USB-A

Charging type: Fast, Power Delivery

Input voltage: 100-240 V A.C. 50/60 Hz - 2.5 A

Type C output: All USB-C ports occupied: 136W max

Color: black

EAN: 8018417447839

SKU: TETRGANUSB2CPD140W

Weight: 30 g

Maximum output power: 140 WATT

Logistics data

Depth Pack: 50 mm

Width Pack: 80 mm

Depth Inner: 190 mm

Height Pack: 150 mm

Weight Pack: 245 g

Width Inner: 160 mm

Amount Inner: 6

Depth Master: 380 mm

Height Inner: 140 mm

Weight Inner: 1570 g

Width Master: 360 mm

Amount Master: 48

Height Master: 300 mm

Weight Master: 13400 g