## Alienware AW3225QF computer monitor 81.3 cm (32") 3840 x 2160 pixels 4K Ultra HD QD-OLED Black, White

**Brand**: Alienware **Product code**: GAME-AW3225QF

Product name: AW3225QF

Alienware AW3225QF. Display diagonal: 81.3~cm (32"), Display resolution: 3840~x 2160 pixels, HD type: 4K Ultra HD, Display technology: QD-OLED, Response time: 0.03~ms, Native aspect ratio: 16:9, Viewing angle, horizontal:  $178^\circ$ , Viewing angle, vertical:  $178^\circ$ . Built-in USB hub. VESA mounting, Height adjustment. Product colour: Black, White





Display		Ergonomics	
Display diagonal *	81.3 cm (32")	VESA mounting *	✓
Display resolution *	3840 x 2160 pixels	Panel mounting interface	100 x 100 mm
HD type *	4K Ultra HD	Cable management	✓
Native aspect ratio *	16:9	Cable lock slot *	<b>✓</b>
Display technology *	QD-OLED	Height adjustment *	/
Panel type *	OLED	Height adjustment	11 cm
Touchscreen *	×	Swivelling	✓
Display brightness (peak)	1000 cd/m²	Swivel angle range	-20 - 20°
Display brightness (typical)	250 cd/m²	Tilt adjustment	✓
Response time *	0.03 ms	Tilt angle range	-5 - 21°
Screen shape *	Curved	Picture-in-Picture	-3-21 •
Screen curvature rating	1700R		
Supported graphics resolutions	640 x 480 (VGA), 720 x 400, 800 x 600 (SVGA), 1024 x 768 (XGA), 1152 x 864 (XGA+), 1280 x 1024 (SXGA), 1600 x 900, 1920 x 1080	On Screen Display (OSD)	✓
		Plug and Play	1
		LED indicators	✓
	(HD 1080), 2560 x 1440, 3840 x 2160	Power	
Supported video modes	480p, 576p, 720p, 1080i, 1080p,	Energy efficiency class (SDR) *	G
• •	2160p	Energy efficiency class (HDR) *	G
Contrast ratio (dynamic)	1500000:1	Energy consumption (SDR) per 1000	42.5 kWh
Maximum refresh rate *	240 Hz	hours *	42.3 RWII
Viewing angle, horizontal	178°	Energy consumption (HDR) per 1000 hours *	42.5 kWh
Viewing angle, vertical	178°	Power consumption (typical) *	42.5 W
Display number of colours *	1.07 billion colours 0.1814 x 0.1814 mm	Power consumption (typical) *	0.5 W
Pixel pitch		Power consumption (max)	190 W
Pixel density	140 ppi	Power consumption (off)	0.3 W
Horizontal scan range	27 - 582.94 kHz	AC input voltage	100 - 240 V
Vertical scan range Viewable size, horizontal	48 - 240 Hz 69.9 cm	AC input frequency	50/60 Hz
viewabie Size, florizofital	טא.א כווו	Input current	3 A

Display		Power	
Viewable size, vertical	39.5 cm	Power supply type	Internal
Viewable size diagonal	80.3 cm	Energy efficiency scale	A to G
Display diagonal (metric)	81.28 cm	European Product Registry for	
High Dynamic Range (HDR)		Energy Labelling (EPREL) code	1830139
supported	✓	Operational conditions	
High Dynamic Range (HDR)	DisplayHDR 400 True Black, Dolby	Operating temperature (T-T)	0 - 40 °C
technology Colour gamut standard	Vision DCI-P3	Storage temperature (T-T)	-20 - 60 °C
Colour gamut standard Colour gamut	99%	Operating relative humidity (H-H)	10 - 80%
Dell ComfortView technology	<i>√</i>	Storage relative humidity (H-H)	5 - 90%
3,	•	Operating altitude	0 - 5000 m
Performance		Non-operating altitude	0 - 12192 m
NVIDIA G-SYNC *	✓	Weight & dimensions	
AMD FreeSync *	×	Width (with stand)	715.6 mm
VESA Adaptive Sync support	<b>✓</b>	Depth (with stand)	305.7 mm
Flicker-free technology	✓	Height (with stand)	582.8 mm
Smart modes	FPS, MOBA/RTS, RPG, Sports	Weight (with stand)	8.94 kg
Windows operating systems	Windows 10, Yes	Width (without stand)	715.6 mm
supported	Williams 10, 163	Depth (without stand)	106.4 mm
Multimedia		Height (without stand)	421.9 mm
Built-in speaker(s) *	×	Weight (without stand)	6 kg
Audio decoders	Dolby Atmos	Bezel width (side)	1.06 cm
Built-in camera *	×	Bezel width (top)	6.32 mm
Design		Bezel width (bottom)	2.08 cm
_	Gaming	Packaging data	
Market positioning *	Gaming Black White	Package weight	14.4 kg
_	Gaming Black, White Black		14.4 kg 1.8 m
Market positioning * Product colour *	Black, White	Package weight	-
Market positioning * Product colour * Front bezel colour Illuminated rear cover	Black, White Black	Package weight USB cable length	-
Market positioning * Product colour * Front bezel colour Illuminated rear cover Ports & interfaces	Black, White Black	Package weight USB cable length Packaging content	1.8 m
Market positioning * Product colour * Front bezel colour Illuminated rear cover Ports & interfaces Built-in USB hub *	Black, White Black	Package weight USB cable length Packaging content Stand included	1.8 m
Market positioning * Product colour * Front bezel colour Illuminated rear cover Ports & interfaces Built-in USB hub * USB upstream port type	Black, White Black   USB Type-B	Package weight USB cable length  Packaging content Stand included Cables included	1.8 m  ✓ AC, DisplayPort, HDMI, USB
Market positioning * Product colour * Front bezel colour Illuminated rear cover  Ports & interfaces  Built-in USB hub * USB upstream port type Number of upstream ports	Black, White Black   USB Type-B	Package weight USB cable length  Packaging content Stand included Cables included Quick start guide	1.8 m  ✓ AC, DisplayPort, HDMI, USB
Market positioning * Product colour * Front bezel colour Illuminated rear cover Ports & interfaces Built-in USB hub * USB upstream port type	Black, White Black   USB Type-B	Package weight USB cable length  Packaging content Stand included Cables included Quick start guide DisplayPort cable length	1.8 m  ✓ AC, DisplayPort, HDMI, USB ✓ 1.8 m
Market positioning * Product colour * Front bezel colour Illuminated rear cover Ports & interfaces Built-in USB hub * USB upstream port type Number of upstream ports Number of USB Type-B upstream ports quantity USB Type-A downstream ports	Black, White Black   USB Type-B	Package weight USB cable length  Packaging content Stand included Cables included Quick start guide DisplayPort cable length HDMI cable length	1.8 m  AC, DisplayPort, HDMI, USB  1.8 m  1.8 m
Market positioning * Product colour * Front bezel colour Illuminated rear cover  Ports & interfaces  Built-in USB hub *  USB upstream port type Number of upstream ports Number of USB Type-B upstream ports quantity  USB Type-A downstream ports quantity	Black, White Black  USB Type-B  1  1	Package weight USB cable length  Packaging content  Stand included Cables included Quick start guide DisplayPort cable length HDMI cable length Power cable length	1.8 m  AC, DisplayPort, HDMI, USB  1.8 m  1.8 m
Market positioning * Product colour * Front bezel colour Illuminated rear cover  Ports & interfaces  Built-in USB hub *  USB upstream port type  Number of upstream ports  Number of USB Type-B upstream ports quantity  USB Type-A downstream ports	Black, White Black   USB Type-B  1	Package weight USB cable length  Packaging content  Stand included Cables included Quick start guide DisplayPort cable length HDMI cable length Power cable length Sustainability	1.8 m  AC, DisplayPort, HDMI, USB  1.8 m  1.8 m  1.8 m
Market positioning * Product colour * Front bezel colour Illuminated rear cover  Ports & interfaces  Built-in USB hub *  USB upstream port type Number of upstream ports Number of USB Type-B upstream ports quantity  USB Type-A downstream ports quantity  USB Type-C downstream ports	Black, White Black  USB Type-B  1  1	Package weight USB cable length  Packaging content Stand included Cables included Quick start guide DisplayPort cable length HDMI cable length Power cable length Sustainability Doesn't contain	1.8 m  AC, DisplayPort, HDMI, USB  1.8 m  1.8 m  1.8 m
Market positioning * Product colour * Front bezel colour Illuminated rear cover  Ports & interfaces  Built-in USB hub *  USB upstream port type Number of upstream ports Number of USB Type-B upstream ports quantity  USB Type-A downstream ports quantity  USB Type-C downstream ports quantity	Black, White Black  USB Type-B  1  1	Package weight USB cable length  Packaging content  Stand included Cables included Quick start guide DisplayPort cable length HDMI cable length Power cable length Sustainability Doesn't contain Other features	1.8 m  AC, DisplayPort, HDMI, USB  1.8 m  1.8 m  1.8 m  Arsenic, Mercury, PVC/BFR
Market positioning * Product colour * Front bezel colour Illuminated rear cover  Ports & interfaces  Built-in USB hub * USB upstream port type Number of upstream ports Number of USB Type-B upstream ports quantity USB Type-A downstream ports quantity USB Type-C downstream ports quantity HDMI * HDMI ports quantity HDMI version	Black, White Black  USB Type-B  1  1  3  1  2 2.1	Package weight USB cable length  Packaging content  Stand included Cables included Quick start guide DisplayPort cable length HDMI cable length Power cable length Sustainability Doesn't contain Other features Picture-by-Picture (PbP)	1.8 m  AC, DisplayPort, HDMI, USB  1.8 m  1.8 m  1.8 m  Arsenic, Mercury, PVC/BFR
Market positioning * Product colour * Front bezel colour Illuminated rear cover  Ports & interfaces  Built-in USB hub * USB upstream port type Number of upstream ports Number of USB Type-B upstream ports quantity USB Type-A downstream ports quantity USB Type-C downstream ports quantity HDMI * HDMI ports quantity HDMI version DisplayPorts quantity	Black, White Black  USB Type-B  1  1  2  2.1  1	Package weight USB cable length  Packaging content  Stand included Cables included Quick start guide DisplayPort cable length HDMI cable length Power cable length Sustainability Doesn't contain Other features Picture-by-Picture (PbP) Maximum resolution	1.8 m  AC, DisplayPort, HDMI, USB  1.8 m  1.8 m  1.8 m  Arsenic, Mercury, PVC/BFR
Market positioning * Product colour * Front bezel colour Illuminated rear cover  Ports & interfaces  Built-in USB hub * USB upstream port type Number of upstream ports Number of USB Type-B upstream ports quantity USB Type-A downstream ports quantity USB Type-C downstream ports quantity HDMI * HDMI ports quantity HDMI version DisplayPorts quantity DisplayPort version	Black, White Black  USB Type-B  1  1  2  2.1  1  1.4	Package weight USB cable length  Packaging content  Stand included Cables included Quick start guide DisplayPort cable length HDMI cable length Power cable length Sustainability Doesn't contain Other features Picture-by-Picture (PbP) Maximum resolution Compliance certificates  Brand-specific features	1.8 m  AC, DisplayPort, HDMI, USB  1.8 m  1.8 m  1.8 m  Arsenic, Mercury, PVC/BFR  3840 x 2160 pixels RoHS
Market positioning * Product colour * Front bezel colour Illuminated rear cover  Ports & interfaces  Built-in USB hub * USB upstream port type Number of upstream ports Number of USB Type-B upstream ports quantity USB Type-A downstream ports quantity USB Type-C downstream ports quantity HDMI * HDMI ports quantity HDMI version DisplayPorts quantity DisplayPort version Headphone out *	Black, White Black  USB Type-B  1  1  2  2.1  1  1.4  X	Package weight USB cable length  Packaging content  Stand included Cables included Quick start guide DisplayPort cable length HDMI cable length Power cable length Sustainability Doesn't contain Other features Picture-by-Picture (PbP) Maximum resolution Compliance certificates	1.8 m  AC, DisplayPort, HDMI, USB  1.8 m  1.8 m  1.8 m  Arsenic, Mercury, PVC/BFR
Market positioning * Product colour * Front bezel colour Illuminated rear cover  Ports & interfaces  Built-in USB hub * USB upstream port type Number of upstream ports Number of USB Type-B upstream ports quantity USB Type-A downstream ports quantity USB Type-C downstream ports quantity HDMI * HDMI ports quantity HDMI version DisplayPorts quantity DisplayPort version Headphone out * HDCP	Black, White Black  USB Type-B  1  1  3  1   2 2.1  1 1.4  X	Package weight USB cable length  Packaging content  Stand included Cables included Quick start guide DisplayPort cable length HDMI cable length Power cable length Sustainability Doesn't contain Other features Picture-by-Picture (PbP) Maximum resolution Compliance certificates Brand-specific features Dell Display Manager (DDM)	1.8 m  AC, DisplayPort, HDMI, USB  1.8 m  1.8 m  1.8 m  Arsenic, Mercury, PVC/BFR  3840 x 2160 pixels RoHS
Market positioning * Product colour * Front bezel colour Illuminated rear cover  Ports & interfaces  Built-in USB hub * USB upstream port type Number of upstream ports Number of USB Type-B upstream ports quantity USB Type-A downstream ports quantity USB Type-C downstream ports quantity HDMI * HDMI ports quantity HDMI version DisplayPorts quantity DisplayPort version Headphone out * HDCP HDCP version	Black, White Black  USB Type-B  1  1  3  1  1  1  1  1  1  1  1  1  1	Package weight USB cable length  Packaging content  Stand included Cables included Quick start guide DisplayPort cable length HDMI cable length Power cable length Sustainability Doesn't contain Other features Picture-by-Picture (PbP) Maximum resolution Compliance certificates Brand-specific features Dell Display Manager (DDM)	1.8 m  AC, DisplayPort, HDMI, USB  1.8 m  1.8 m  1.8 m  Arsenic, Mercury, PVC/BFR  3840 x 2160 pixels RoHS
Market positioning * Product colour * Front bezel colour Illuminated rear cover  Ports & interfaces  Built-in USB hub * USB upstream port type Number of upstream ports Number of USB Type-B upstream ports quantity USB Type-A downstream ports quantity USB Type-C downstream ports quantity HDMI * HDMI ports quantity HDMI version DisplayPorts quantity DisplayPort version Headphone out * HDCP	Black, White Black  USB Type-B  1  1  3  1   2 2.1  1 1.4  X	Package weight USB cable length  Packaging content  Stand included Cables included Quick start guide DisplayPort cable length HDMI cable length Power cable length Sustainability Doesn't contain Other features Picture-by-Picture (PbP) Maximum resolution Compliance certificates Brand-specific features Dell Display Manager (DDM)	1.8 m  AC, DisplayPort, HDMI, USB  1.8 m  1.8 m  1.8 m  Arsenic, Mercury, PVC/BFR  3840 x 2160 pixels RoHS



5397184821640

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.