



Epson WorkForce DS-60000N

Brand : Epson **Product family:** WorkForce **Product code:** B11B204231BT


Product name : Epson
WorkForce DS-60000N

ReadyScan LED, 600 DPI, A3, 40 ppm, Gigabit Ethernet
Epson WorkForce DS-60000N. Maximum scan size: 297 x 2540 mm, Optical scanning resolution: 600 x 600 DPI, Input colour depth: 16 bit. Scanner type: Flatbed & ADF scanner, Product colour: Grey. Daily duty cycle (max): 5000 pages, Scan file formats: JPG, PDF, TIFF, Scan to: E-mail Server, Fax. Standard input capacity: 200 sheets. Maximum ISO A-series paper size: A3, ISO A-series sizes (A0...A9): A3, A4, A5, A6, ISO B-series sizes (B0...B9): B4, B5, B6



Scanning		Packaging content		
Maximum scan size *	297 x 2540 mm	Bundled software	ABBYY FineReader Sprint 8.0 (MacOS), ABBYY FineReader Sprint 9.0 (Windows), Epson Document Capture Pro, Epson Document Capture Pro Server (on free download), Epson Scan, EpsonNet Config, Epson Event Manager (Mac Only)	
Optical scanning resolution *	600 x 600 DPI			
Colour scanning	✓			
Duplex scanning *	✓			
Input colour depth	16 bit			
Output colour depth	48 bit			
Film scanning	✗			
ADF scan speed (b/w, A4)	40 ppm	Sustainability		
ADF scan speed (colour, A4)	40 ppm	Sustainability certificates	ENERGY STAR	
Design		System requirements		
Scanner type *	Flatbed & ADF scanner	Mac compatibility	✓	
Product colour *	Grey	Compatible operating systems	Mac OS 10.4+, Presentation Server 4.5, Terminal Service, Windows 7, Windows 7 x64, Windows Server 2003 (32/64bit), Windows Server 2008 (32/64bit), Windows Server 2008 R2, Windows Vista, Windows Vista x64, Windows XP, Windows XP x64, Windows server 2003 R2, XenApp 5.0, XenApp 6.0	
Display	✓			
Built-in display *	✓			
Performance		Operational conditions		
Scan file formats	JPG, PDF, TIFF	Operating temperature (T-T)	5 - 35 °C	
Daily duty cycle (max) *	5000 pages	Storage temperature (T-T)	-25 - 60 °C	
Scan to	E-mail Server, Fax	Operating relative humidity (H-H)	10 - 80%	
Input capacity	200 sheets	Storage relative humidity (H-H)	10 - 85%	
		Other features		
Paper handling		Network ready	✓	
Maximum ISO A-series paper size *	A3	Standard media sizes	A3, A4, A5, A6, B4, B5, B6, Letter, Legal, Executive	
ISO A-series sizes (A0...A9)	A3, A4, A5, A6			
ISO B-series sizes (B0...B9)	B4, B5, B6			
Letter	✓			
Legal	✓			

Ports & interfaces		Other features	
Standard interfaces	Ethernet	Box contents	Main unit, Epson Network Interface Panel, Power cable, Setup guide, Software (CD), Warranty document
Network			
Ethernet LAN	✓		
Power		Special features	One keypress, RGB colour dropout, Skip blank page, Punch holes removal, Advanced editing, Pre-defined scanning settings, Automatic area segmentation, Automatic de-skew, Automatic B/W colour original detection, RGB colour enhance, Dual Image Output (Windows only), Auto-rotation, Text enhancement, Edge enhancement, Advanced cropping feature for Auto size, Unsharp Mask (USM), Descreening, Book spine correction, Automatic Folder Creation, Barcode Recognition, Zonal OCR A & B support
Power supply type *	AC		
Power consumption (typical)	82 W		
Power consumption (standby)	4.1 W		
Input voltage	100-240 V		
Weight & dimensions			
Width	640 mm		
Depth	522 mm		
Height	289 mm		
Weight	26.9 kg		
Packaging data		Logistics data	
Quantity per pack	1 pc(s)	Products per pallet	3 pc(s)
Package width	550 mm	Country of origin	China
Package depth	880 mm	Pallet gross length	120 cm
Package height	750 mm	Pallet gross width	80 cm
Package weight	35.2 g	Pallet gross height	103.5 cm
		Products per pallet layer	1 pc(s)
		Products per pallet layer (UK)	1 pc(s)
		Products per pallet (UK)	3 pc(s)
		Pallet length (UK)	120 cm
		Pallet width (UK)	100 cm
		Pallet height (UK)	103.5 cm
		Harmonized System (HS) code	84716070



8715946510613

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 19-DEC-2024. Prints or copies of Information are only valid on the printed Publication date