msi

MSI Pro MP275QPDG 27 Inch Monitor, QHD (2560 x 1440), 100Hz, IPS, 1ms, 2x HDMI 2.0b, 1x DP 1.2a input, 1x DP 1.2a output, 1x Type-C (DP alt.) w/ 98W PD, 1x LAN, 4xUSB 5Gbps Type-A, 1x USB 5Gbps Type-B, Built-in Speakers, Webcam, Daisy Chain, HDR Ready, Anti-Glare, Anti-Flicker, Less Blue light, TÜV Certified, VESA, Kensington, 4-Way adjustable stand, Black

Brand : MSI

Product family: Pro

Product code: PRO MP275QPDG

Product name : MSI PRO MP275QPDG 27 Inch Monitor, QHD (2560 x 1440), 100Hz, IPS, 1ms, 2x HDMI 2.0b, 1x DP 1.2a input, 1x DP 1.2a output, 1x Type-C (DP alt.) w/ 98W PD, 1x LAN, 4xUSB 5Gbps Type-A, 1x USB 5Gbps Type-B, Built-in Speakers, Webcam, Daisy Chain, HDR Ready, Anti-Glare, Anti-Flicker, Less Blue light, TÜV Certified, VESA, Kensington, 4-Way adjustable stand, Black



115

MSI PRO MP275QPDG 27 Inch Monitor, QHD (2560 x 1440), 100Hz, IPS, 1ms, 2x HDMI 2.0b, 1x DP 1.2a input, 1x DP 1.2a output, 1x Type-C (DP alt.) w/ 98W PD, 1x LAN, 4xUSB 5Gbps Type-A, 1x USB 5Gbps Type-B, Built-in Speakers, Webcam, Daisy Chain, HDR Ready, Anti-Glare, Anti-Flicker, Less Blue light, TÜV Certified, VESA, Kensington, 4-Way adjustable stand, Black

| Display                        |                       | Ports & interfaces       |              |
|--------------------------------|-----------------------|--------------------------|--------------|
| Display diagonal *             | 68.6 cm (27")         | HDMI *                   | ✓            |
| Display resolution *           | 2560 x 1440 pixels    | HDMI ports quantity      | 2            |
| HD type *                      | Wide Quad HD          | HDMI version             | 2.0b         |
| Native aspect ratio *          | 16:9                  | DisplayPorts quantity    | 1            |
| Display technology *           | LCD                   | DisplayPort out quantity | 1            |
| Panel type *                   | IPS                   | DisplayPort version      | 1.2a         |
| Touchscreen *                  | ×                     | Headphone out *          | 1            |
| Display brightness (typical)   | 250 cd/m <sup>2</sup> | Headphone outputs        | 1            |
| Response time *                | 4 ms                  | HDCP                     | 1            |
| Response time measurement type | GTG (Gray to Gray)    | Network                  |              |
| Response time (MPRT)           | 1 ms                  |                          |              |
| Display surface                | Matt                  | Ethernet LAN             | 1            |
| Anti-glare screen              | 1                     | Ergonomics               |              |
| Screen shape *                 | Flat                  | VESA mounting *          | 1            |
| Supported graphics resolutions | 2560 x 1440           | Panel mounting interface | 100 x 100 mm |
| Supported video modes          | 1440p                 | Wall mountable           |              |
| Contrast ratio (typical) *     | 1300:1                | Cable management         |              |
| Contrast ratio (dynamic)       | 10000000:1            | 5                        | -            |
| Maximum refresh rate *         | 100 Hz                | Cable lock slot *        |              |
| Refresh rate optimizor         | 1                     | Cable lock slot type     | Kensington   |
| Viewing angle, horizontal      | 178°                  | Height adjustment *      |              |
| Viewing angle, vertical        | 178°                  | Adjustable height (max)  | 13 cm        |
| Display number of colours *    | 16.7 million colours  | Pivot                    | 1            |
| Pixel pitch                    | 0.2331 x 0.2331 mm    | Pivot angle              | -90 - 90°    |
| Horizontal scan range          | 71.04 - 186.3 kHz     | Swivelling               | 1            |
| Vertical scan range            | 48 - 100 Hz           | Swivel angle range       | -45 - 45°    |
| Viewable size, horizontal      | 59.7 cm               | Tilt adjustment          | 1            |
| Viewable size, vertical        | 33.6 cm               | Tilt angle range         | -5 - 20°     |
| Colour depth                   | 8 bit                 | -                        |              |

| Display  |                      | Ergonomics   |   |
|--|----------------------|--|---|
| Colour gamut standard<br>Colour gamut<br>sRGB coverage (typical)   | DCI-P3<br>79%<br>84% | Picture-in-Picture<br>On Screen Display (OSD)<br>Plug and Play   | 5<br>5<br>5   |
| NTSC coverage (typical)<br>DCI-P3 coverage   | 100%<br>79%          | Power  |   |
| Performance  | 1570                 | Energy efficiency class (SDR) *  | E   |
| NVIDIA G-SYNC*×AMD FreeSync*×VESA Adaptive Sync support✓Flicker-free technology✓Low Blue Light technology✓Multimedia2  | ×<br>*<br>*<br>2     | Energy efficiency class (HDR) *<br>Energy consumption (SDR) per 1000<br>hours *<br>Energy consumption (HDR) per<br>1000 hours *<br>Power consumption (standby) *<br>Power consumption (off)<br>AC input voltage<br>AC input frequency<br>Energy efficiency scale | 26 kWh<br>34 kWh<br>0.5 W<br>0.3 W<br>100 - 240 V<br>50/60 Hz |
| RMS rated power  | 4 W                  |  | A to G  |
| Built-in speaker(s) *<br>Built-in camera *   |                      | Weight & dimensions<br>Width (with stand)  | 614 mm  |
| Design<br>Market positioning *<br>Product colour *   | Business<br>Black    | Depth (with stand)<br>Height (with stand)<br>Weight (with stand)<br>Width (without stand)<br>Depth (without stand)<br>Height (without stand)<br>Weight (without stand)   | 223.9 mm<br>578.9 mm<br>7.05 kg                               |
| Refurbished<br>Colour name<br>Frameless design   | ×<br>BLACK           |  | 614 mm<br>53.6 mm<br>377.4 mm<br>4.38 kg                      |
| Housing material   | Plastic              | Packaging data   |   |
| Feet colourBlackPorts & interfacesImage: Color of the state of the sta | ✓<br>2.0             | Package width<br>Package depth<br>Package height<br>Package weight<br>Package type   | 850 mm<br>150 mm<br>500 mm<br>10.2 kg<br>Box                  |
| Number of upstream ports   | 4                    | Packaging content  |   |
| Number of USB Type-B upstream<br>ports quantity  | 1                    | Stand included   | ✓   |
| USB Type-A downstream ports<br>quantity  | 4                    | Cables included  | HDMI, Power, USB Type-A to USB<br>Type-B                      |
| USB Type-C DisplayPort Alternate<br>Mode   | 1                    | Power adapter included<br>Quick start guide  | 1<br>1  |
| USB Power Delivery (USB PD)  |                      | Sustainability   |   |
| USB Power Delivery up to   | 98 W                 | Sustainability certificates  | ENERGY STAR   |
|  |                      | Other features   |   |
|  |                      | Country of origin  | China   |

Warranty period

Compliance certificates

3 year(s)

CB, CE, UKCA





4711377238182

4711377264242

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.