

|||||

## Samsung Galaxy A26 17 cm (6.7") Dual SIM Android 15 5G USB Type-C 6 GB 128 GB 5000 mAh Mint colour

**Brand :** Samsung

**Product family:** Galaxy

**Product code:** SM-A266BLGBEUB

**Product name :** Galaxy A26


Galaxy A26 5G

Samsung Galaxy A26. Display diagonal: 17 cm (6.7"), Display resolution: 1080 x 2340 pixels. Processor family: Samsung Exynos. RAM capacity: 6 GB, Internal storage capacity: 128 GB. Rear camera resolution (numeric): 50 MP, Rear camera type: Triple camera. SIM card capability: Dual SIM. Operating system installed: Android 15. Battery capacity: 5000 mAh. Product colour: Mint colour. Weight: 200 g



<b>Display</b>		<b>Camera</b>	
Display diagonal *	17 cm (6.7")	Slow motion mode	✓
Screen shape	Flat	Slow motion rate	480 fps in HD, 240 fps in HD
Display technology marketing name	Super AMOLED	Camera image formats supported	DNG, HEIF, JPEG
Display glass type	Gorilla Glass	<b>Network</b>	
Gorilla Glass version	Gorilla Glass Victus+	SIM card capability *	Dual SIM
Display resolution *	1080 x 2340 pixels	Mobile network generation *	5G
Display number of colours	16 million colours	SIM card type *	NanoSIM
Maximum refresh rate	120 Hz	3G standards *	UMTS, WCDMA
Display brightness	800 cd/m <sup>2</sup>	4G standard *	LTE-TDD & LTE-FDD
Pixel density	387 ppi	5G standard *	Sub6 FDD, Sub6 TDD
<b>Processor</b>		Top Wi-Fi standard *	Wi-Fi 5 (802.11ac)
Processor family *	Samsung Exynos	Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac)
Processor cores	8	Bluetooth *	✓
Processor boost frequency	2.4 GHz	Bluetooth version	5.3
<b>Storage</b>		3G bands supported	850,900,1900,2100 MHz
User memory	234.3 GB	4G bands supported	700,800,850,900,1500,1800,1900,2100,2300,2500,2600 MHz
RAM capacity *	6 GB	5G bands supported	700,800,850,900,1800,2100,2300,2500,2600,3500,3700 MHz
Internal storage capacity *	128 GB	4G data rate (max)	1200 Mbit/s
Compatible memory cards *	MicroSD (TransFlash)	5G data rate (max)	2.33 Gbit/s
Maximum memory card size	2 TB	Wi-Fi Direct	✓
<b>Camera</b>		Near Field Communication (NFC)	✓
Rear camera sensor size	1/2.76"	<b>Ports &amp; interfaces</b>	
Second rear camera sensor size	1/4.0"	USB connector type	USB Type-C
		USB version	2.0
		Headphone connectivity	USB Type-C

Camera		Design	
Third rear camera sensor size	1/5.0"	Form factor *	Bar
Rear camera resolution (numeric) *	50 MP	Product colour *	Mint colour
Second rear camera resolution (numeric)	8 MP	International Protection (IP) code	IP67
Third rear camera resolution (numeric)	2 MP	<b>Performance</b>	
Rear camera aperture number	1.8	Wireless charging	✗
Second rear camera aperture number	2.2	Fingerprint reader	✓
Third rear camera aperture number	2.4	<b>Navigation</b>	
Rear camera pixel size	0.64 µm	GPS (satellite)	✓
Second rear camera pixel size	1.12 µm	GLONASS	✓
Third rear camera pixel size	1.75 µm	BeiDou	✓
Rear camera field of view (FOV) angle	77°	Galileo	✓
Second rear camera field of view (FOV) angle	120°	Quasi-Zenith Satellite System (QZSS)	✓
Third rear camera field of view (FOV) angle	89°	Position location *	✓
Digital zoom	10x	<b>Multimedia</b>	
Front camera type *	Single camera	Audio system	Dolby Atmos
Front camera sensor size	1/3.0"	Audio formats supported	3GA, AAC, AMR, AWB, FLAC, IMY, M4A, Mid, MIDI, MP3, MXMF, OGA, OGG, OTA, RTTTL, RTX, WAV, XMF
Front camera resolution (numeric) *	13 MP	Video formats supported	3G2, 3GP, AVI, FLV, M4V, MKV, MP4, WEBM
Front camera aperture number	2.2	<b>Software</b>	
Front camera pixel size	1.12 µm	Platform *	Android
Front camera field of view (FOV) angle	80°	Operating system installed *	Android 15
Rear camera flash *	✓	Operating system fork	One UI 7.0
Flash type	LED	Google applications	Gmail, Google Chrome, Google Drive, Google Meet, Google Play, YouTube
Maximum frame rate	480 fps	<b>Battery</b>	
Resolution at capture speed	1280x720@30fps, 1920x1080@30fps, 1920x1080@60fps, 3840x2160@30fps	Battery recharge time	1.23 h
Rear camera type *	Triple camera	Battery capacity *	5000 mAh
Auto focus	✓	<b>Sensors</b>	
Image stabilizer	✓	Proximity sensor	✓
Image stabilizer type	Optical Image Stabilization (OIS)	Accelerometer	✓
Night mode	✓	Ambient light sensor	✓
Panorama	✓	Gyroscope	✓
Portrait mode	✓	Geomagnetic sensor	✓
Macro photography	✓	<b>Power</b>	
		USB Type-C charging port	✓
		<b>Weight &amp; dimensions</b>	
		Width	77.5 mm
		Height	164 mm
		Weight *	200 g
		<b>Packaging content</b>	
		AC adapter included *	✗



8806097072867

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 05-MAR-2025. Prints or copies of Information are only valid on the printed Publication date