

DELL UltraSharp Écran 24 - U2422H

Marque : DELL Famille de produit: UltraSharp Code produit: DELL-U2422H

Nom du produit : Écran Dell UltraSharp 24 - U2422H

- 60.47cm (23.8") Full HD 1920 x 1080 W-LED IPS
- 8ms, 16:9, 250cd/m², 1000:1
- USB, HDMI, DisplayPort

60.47cm (23.8") Full HD 1920 x 1080 W-LED IPS, 16:9, 250cd/m², 16.78M, 8ms, 1000:1 DELL UltraSharp Écran 24 - U2422H. Taille de l'écran: 60,5 cm (23.8"), Résolution de l'écran: 1920 x 1080 pixels, Type HD: Full HD, Technologie d'affichage: LCD, Temps de réponse: 8 ms, Ratio de format d'image: 16:9, Angle de vision horizontal: 178° , Angle de vision vertical: 178° . Concentrateur USB intégré. Montage VESA, Réglage de la hauteur. Couleur du produit: Argent





Display		Ergonomics	
Display diagonal * Display resolution * HD type * Native aspect ratio * Display technology * Panel type * Backlight type Touchscreen * Display brightness (typical) Response time *	60.5 cm (23.8") 1920 x 1080 pixels Full HD 16:9 LCD IPS W-LED X 250 cd/m ² 8 ms	Cable lock slot * Height adjustment * Adjustable height (max) Pivot Pivot angle Swivelling Swivel angle range Tilt adjustment Tilt angle range	15 cm -90 - 90° -45 - 45° -5 - 21°
Anti-glare screen	✓	Power	
Screen shape *	Flat 640 x 480 (VGA), 720 x 400, 800 x 600 (SVGA), 1024 x 768 (XGA),	Energy efficiency class (SDR) * Energy efficiency class (HDR) *	C Not available
Supported graphics resolutions	1152 x 864 (XGA+), 1280 x 1024 (SXGA), 1600 x 900, 1920 x 1080 (HD 1080)	Energy consumption (SDR) per 1000 hours * Power consumption (typical) *	11.6 W
Supported video modes	480i, 480p, 576i, 576p, 720p, 1080i, 1080p	Power consumption (standby) * Power consumption (max)	0.3 W 63 W
Contrast ratio (typical) *	1000:1	Power consumption (off)	0.3 W
Maximum refresh rate *	60 Hz	Power consumption (PowerSave)	11.06 W
Viewing angle, horizontal	178°	AC input voltage	100 - 240 V
Viewing angle, vertical	178°	AC input frequency	50 - 60 Hz
Display number of colours *	16.78 million colours	Input current	1.2 A
Response time (fast)	5 ms	Power supply type	Internal
Pixel pitch	0.2745 x 0.2745 mm	Energy efficiency scale	A to G
Pixel density Horizontal scan range	92.53 ppi 30 - 83 kHz	European Product Registry for Energy Labelling (EPREL) code	414164
Vertical scan range	56 - 76 Hz	Operational conditions	
Viewable size, horizontal	52.7 cm	Operating temperature (T-T)	0 - 40 °C





5397184504970

5704174556756

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.