

DELL UltraSharp Écran hub 27 USB-C - U2722DE

Marque : DELL Famille de produit: Code produit: DELL-U2722DE UltraSharp

Oitrasiii

Nom du produit : Écran hub Dell UltraSharp 27 USB-C -

U2722DE

- 68.6cm (27") Quad HD 2560 x 1440 LED IPS

- 8ms, 16:9, 350cd/m², 1000:1
- USB, HDMI, DisplayPort

68.6cm (27") Quad HD 2560 x 1440 LED IPS, 16:9, 350cd/m², 1.07B, 8ms, 178°/178°, 1000:1 DELL UltraSharp Écran hub 27 USB-C - U2722DE. Taille de l'écran: 68,6 cm (27"), Résolution de l'écran: 2560 x 1440 pixels, Type HD: Quad HD, Technologie d'affichage: LCD, Temps de réponse: 8 ms, Ratio de format d'image: 16:9, Angle de vision horizontal: 178°, Angle de vision vertical: 178°. Concentrateur USB intégré, Version du concentrateur USB: 3.2 Gen 2 (3.1 Gen 2). Montage VESA, Réglage de la hauteur. Couleur du produit: Argent





Display		Ergonomics	
Display diagonal *	68.6 cm (27")	Swivelling	✓
Display resolution *	2560 x 1440 pixels	Swivel angle range	-45 - 45°
HD type *	Quad HD	Tilt adjustment	/
Native aspect ratio *	16:9	Tilt angle range	-5 - 21°
Display technology *	LCD	On Screen Display (OSD)	✓
Panel type *	IPS	Plug and Play	<i>✓</i>
Backlight type	LED	riug and riay	•
Touchscreen *	×	Power	
Display brightness (typical)	350 cd/m²	Energy efficiency class (SDR) *	E
Response time *	8 ms	Energy efficiency class (HDR) *	Not available
Anti-glare screen	✓	Energy consumption (SDR) per 1000 hours *	20 kWh
Screen shape *	Flat	Power consumption (typical) *	20.4 W
Supported graphics resolutions	2560 x 1440	Power consumption (standby) *	0.3 W
Supported video modes	480i, 480p, 576p, 720p, 1080i, 1080p	Power consumption (max)	197 W
Contrast ratio (typical) *	1000:1	Power consumption (average)	20.4 W
Maximum refresh rate *	60 Hz	Power consumption (off)	0.3 W
Viewing angle, horizontal	178°	Power consumption (PowerSave)	20.32 W
Viewing angle, vertical	178°	AC input voltage	100 - 240 V
Display number of colours *	1.07 billion colours	AC input frequency	50 - 60 Hz
Response time (fast)	5 ms	Power supply type	Internal
Pixel pitch	0.2331 x 0.2331 mm	Energy efficiency scale	A to G
Pixel density	108.78 ppi	European Product Registry for	414156
Horizontal scan range	30 - 90 kHz	Energy Labelling (EPREL) code	
Vertical scan range	49 - 76 Hz	Operational conditions	
Viewable size, horizontal	59.7 cm	Operating temperature (T-T)	0 - 40 °C
Viewable size, vertical	33.6 cm	Storage temperature (T-T)	-20 - 60 °C
Viewable size diagonal	68.5 cm	Operating relative humidity (H-H)	10 - 80%
		Storage relative humidity (H-H)	5 - 90%

Display		Operational conditions	
High Dynamic Range (HDR)	x	Operating altitude	0 - 5000 m
supported		Non-operating altitude	0 - 12192 m
Colour gamut standard Colour gamut	sRGB 100%	Weight & dimensions	
Multimedia	10070	Width (with stand)	611.3 mm
		Depth (with stand)	185 mm
Built-in speaker(s) *	X	Height (with stand)	535.1 mm
Built-in camera *	X	Weight (with stand) Width (without stand)	6.59 kg 611.3 mm
Design		Depth (without stand)	49.5 mm
Market positioning *	Office	Height (without stand)	352 mm
Product colour *	Silver	Weight (without stand)	4.78 kg
Front bezel colour	Black	Bezel width (side)	7.3 mm
Detachable stand	1	Bezel width (top)	7.3 mm
Feet colour	Silver	Bezel width (bottom)	9.05 mm
Ports & interfaces		Packaging data	
Built-in USB hub *	✓	Package weight	10 kg
USB hub version	3.2 Gen 2 (3.1 Gen 2)	Packaging content	
USB upstream port type Number of upstream ports	USB Type-C 2	Cables included	AC, DisplayPort, HDMI, USB Type-C
Number of USB Type-C upstream	2	DisplayPort cable length	1.8 m
ports quantity	2	HDMI cable length	1.8 m
USB Type-A downstream ports quantity	4	Carbon footprint	
USB Type-C downstream ports	1	Total carbon footprint (kg of CO2e)	643
quantity	1	Total carbon emissions, standard deviation (kg of CO2e)	107
USB Type-C DisplayPort Alternate Mode	✓	Carbon emissions, manufacturing (kg of CO2e)	378
USB Power Delivery up to	90 W	Carbon emissions, logistics (kg of	F.1
DVI port	×	CO2e)	51
HDMI *	•	Carbon emissions, energy usage (kg of CO2e)	211
HDMI ports quantity HDMI version	1	Carbon emissions, end-of-life (kg of	
DisplayPorts quantity	1.4 2	CO2e)	3
DisplayPort version	1.4	Total carbon emissions, w/o use phase (kg of CO2e)	432
Audio output	•	PAIA version	1.2.13, 2021
Headphone connectivity	3.5 mm	Other features	
Network		Heavy metals free	Hg (mercury)
Wi-Fi	×	Ethernet LAN (RJ-45) ports	1
Ergonomics		Logistics data	
VESA mounting *	✓	Harmonized System (HS) code	85285210
Panel mounting interface	100 x 100 mm		
Cable lock slot *	✓		
Height adjustment *	✓		
Adjustable height (max)	15 cm		
Pivot	✓		
Pivot angle	-90 - 90°		
-			











Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.