



TP-Link TL-PA7017P KIT Adaptateur réseau CPL 1000 Mbit/s Ethernet/LAN Blanc 2 pièce(s)

Marque : TP-Link

Code produit: TL-PA7017P KIT

Nom du produit : TL-PA7017P KIT


TP-Link TL-PA7017P KIT. Maximum data transfer rate: 1000 Mbit/s, Standards réseau: IEEE 1901, IEEE 802.3, IEEE 802.3ab, IEEE 802.3u, Prise mâle: Type E / F. Consommation électrique (typique): 2,3 W, Consommation d'énergie (mode veille): 0,5 W. Couleur du produit: Blanc, Voyants: LAN, PLC, Énergie, Certification: CE. Prise en charge du système d'exploitation Windows: Windows 2000, Windows 7, Windows 8, Windows 8.1, Windows Vista, Windows XP. Largeur: 58 mm, Profondeur: 42 mm, Hauteur: 95 mm




Performance		System requirements	
Maximum data transfer rate *	1000 Mbit/s	Mac compatibility	✓
Ethernet LAN *	✓	Mac operating systems supported	✓
Ethernet LAN interface type	Gigabit Ethernet	Operational conditions	
Ethernet LAN data rates	10,100,1000 Mbit/s	Operating temperature (T-T)	0 - 40 °C
Ethernet LAN (RJ-45) ports	1	Storage temperature (T-T)	-40 - 70 °C
Wi-Fi *	✗	Operating relative humidity (H-H)	10 - 90%
Networking standards *	IEEE 1901, IEEE 802.3, IEEE 802.3ab, IEEE 802.3u	Storage relative humidity (H-H)	5 - 90%
Power plug *	Type E / F	Weight & dimensions	
Built-in power socket *	✓	Width	58 mm
PowerLine standard	HomePlug AV2	Depth	42 mm
Modulation	OFDM	Height	95 mm
Security algorithms	128-bit AES	Certificates	
Maximum operating distance	300 m	Compliance certificates	RoHS
Encryption button	✓	Packaging data	
Plug and Play	✓	Package width	190 mm
Power		Package depth	136 mm
Power consumption (typical)	2.3 W	Package height	100 mm
Power consumption (standby)	0.5 W	Package weight	580 g
Design		Packaging content	
LED indicators	LAN, PLC, Power	Quantity per pack *	2 pc(s)
Product colour *	White	Quick installation guide	✓
Certification	CE	Cables included	LAN (RJ-45)
System requirements		Logistics data	
Windows operating systems supported	Windows 2000, Windows 7, Windows 8, Windows 8.1, Windows Vista, Windows XP	Harmonized System (HS) code	85171800

System requirements

Linux operating systems supported ✓



6935364089078



0845973089078



845973089078

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.