




TP-Link TL-SG108PE commutateur réseau Géré L2 Gigabit Ethernet (10/100/1000) Connexion Ethernet, supportant l'alimentation via ce port (PoE) Noir

Marque : TP-Link

Nom du produit : TL-SG108PE

Code produit: TL-SG108PE




TP-Link TL-SG108PE. Type de commutateur: Géré, Banc de commutateurs: L2. Type de port Ethernet RJ-45 de commutation de base: Gigabit Ethernet (10/100/1000), Quantité de ports Ethernet RJ-45 de commutation de base: 8. Répertoire MAC: 4000 entrées, Capacité de commutation: 16 Gbit/s. Standards réseau: IEEE 802.1Q, IEEE 802.1p, IEEE 802.3ab, IEEE 802.3i, IEEE 802.3u, IEEE 802.3x. Connexion Ethernet, supportant l'alimentation via ce port (PoE)



Management features		Power	
Switch type *	Managed	Power supply included *	✓
Switch layer	L2	AC input voltage	220 V
Ports & interfaces		AC input frequency	50 Hz
Basic switching RJ-45 Ethernet ports quantity *	8	Input current	1.25 A
Basic switching RJ-45 Ethernet ports type *	Gigabit Ethernet (10/100/1000)	Power consumption (max)	65.2 W
Network		Power over Ethernet (PoE)	
Networking standards *	IEEE 802.1Q, IEEE 802.1p, IEEE 802.3ab, IEEE 802.3i, IEEE 802.3u, IEEE 802.3x	Power over Ethernet (PoE) *	✓
10G support *	✗	Power over Ethernet (PoE) ports quantity	4
Port mirroring	✓	Power over Ethernet plus (PoE+) ports quantity	4
Link aggregation	✓	Total Power over Ethernet (PoE) budget	55 W
Broadcast storm control	✓	Operational conditions	
Rate limiting	✓	Operating temperature (T-T)	0 - 40 °C
VLAN support	✓	Storage temperature (T-T)	-40 - 70 °C
Number of VLANs	32	Operating relative humidity (H-H)	10 - 90%
Data transmission		Storage relative humidity (H-H)	5 - 95%
Switching capacity *	16 Gbit/s	Weight & dimensions	
MAC address table *	4000 entries	Width	158 mm
Store-and-forward	✓	Depth	101 mm
Jumbo frames support	✓	Height	25 mm
Jumbo frames	15000	Packaging content	
Packet forwarding rate (1 Gbps)	11900000 pps	Cables included	AC
Packet buffer memory	1.5 MB	User guide	✓
		Packaging data	
		Package type	Box

Security		Certificates	
IGMP snooping	✓	Certification	FCC, CE, RoHS
Loop protection	✓	Logistics data	
Design		Harmonized System (HS) code	85176990
Rack mounting *	✗		
Product colour	Black		
LED indicators	Activity, Link, PoE, Power, Speed, Status		



5054242560797

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 05-APR-2025. Prints or copies of Information are only valid on the printed Publication date