## KYOCERA ECOSYS MA2100cfx Laser A4 1200 x 1200 DPI 21 ppm

Marque : KYOCERA Famille de produit: ECOSYS Code produit: 110C0B3NL0

Nom du produit : MA2100cfx

KYOCERA ECOSYS MA2100cfx. Technologie d'impression: Laser, Impression: Impression couleur, Résolution maximale: 1200 x 1200 DPI, Vitesse d'impression (couleur, qualité normale, A4/US Letter): 21 ppm. Copier: Copie couleur, Résolution max. des copies: 600 x 600 DPI. Numérisation: Numérisation couleur, Résolution de numérisation optique: 600 x 600 DPI. Télécopier: Télécopie simple. Fonctions recto verso: Impression. Taille de papier de série A ISO maximum: A4. Impression directe. Couleur du produit: Noir, Blanc





Printing		Input & output capacity	
Duplex printing mode	Auto	Maximum input capacity	550 sheets
Print technology *	Laser	Maximum output capacity	150 sheets
Printing *	Colour printing	Paper handling	
Duplex printing *	✓	Maximum ISO A-series paper size *	A4
Maximum resolution *	1200 x 1200 DPI	Maximum print size	216 x 356 mm
Print speed (black, normal quality, A4/US Letter) *	21 ppm	Paper tray media types *	Plain paper
Print speed (colour, normal quality, A4/US Letter)	21 ppm	ISO A-series sizes (A0A9) * ISO B-series sizes (B0B9)	A4, A5, A6 B5, B6
Warm-up time	32 s	Non-ISO print media sizes	Legal, Letter
Time to first page (black, normal)	11 s	Paper tray media weight	60 - 163 g/m²
Time to first page (colour, normal)	12.5 s	Multi-Purpose Tray media weight	60 - 220 g/m²
N-in-1 print function	✓	Ports & interfaces	
N-up printing	2, 4, 6, 8, 9, 16, 25	Direct printing *	<b>✓</b>
Watermark printing	✓	USB port	<b>✓</b>
Economical printing	✓		
Secure printing	✓	Network	
Booklet printing function	×	Wi-Fi *	×
Poster printing function	<b>√</b>	Ethernet LAN *	✓
Borderless printing	X	Cabling technology	10/100/1000Base-T(X)
DVD/CD printing	X	Ethernet LAN data rates	10,100,1000 Mbit/s
DVD/CD printing	^	Bluetooth	×
Copying		Near Field Communication (NFC)	×
Duplex copying *	×	Mobile printing technologies	Kyocera Mobile Print
Copying *	Colour copying	Performance	
Maximum copy resolution *	600 x 600 DPI	Maximum internal memory	1536 MB

Copying		Performance	
Maximum copy size	A4		<u> </u>
Copy speed (black, normal quality,		Card reader integrated Internal memory *	X 512 MB
A4)	21 cpm	Built-in processor	<b>√</b>
Copy speed (colour, normal quality,	21 cpm	Processor family	ARM Cortex-A9
A4)	999 copies	Processor frequency	800 MHz
Maximum number of copies  Copier resize	25 - 400%	Sound pressure level (printing)	48 dB
N-in-1 copy function	<b>2</b> 3 - 400 %	Sound pressure level (copying)	48 dB
N-in-1 copy function (N=)	2, 4	Sound pressure level (standby)	30 dB
Copy programming function	<b>√</b>	Design	
ID-card copy function	·	Product colour *	Black, White
. ,		Market positioning *	Home & office
Scanning		Built-in display *	✓
Duplex scanning *	×	Display	LCD
Scanning *	Colour scanning	Control type	Buttons
Optical scanning resolution * Scanner type *	600 x 600 DPI Flatbed & ADF scanner	Colour display	×
Scan to	E-mail, FTP, SMB, TWAIN, USB, WIA	Power	
Scan speed (colour)	23 ppm	Power consumption (max)	1062 W
Scan speed (black)	30 ppm	Power consumption (printing)	345 W
Image formats supported	JPEG, TIFF	Power consumption (copying)	345 W
Document formats supported	PDF, XPS	Power consumption (ready)	41 W
Fax		Power consumption (sleep)	1 W
Duplex faxing	×	Power consumption (off)	0.2 W
Faxing *	Mono faxing	Energy Star Typical Electricity Consumption (TEC)	0.73 kWh/week
Fax resolution (black)	400 x 400 DPI	AC input voltage	220 - 240 V
Fax transmission speed	2 sec/page	AC input frequency	50 - 60 Hz
Modem speed	33.6 Kbit/s	System requirements	
Features			
i eatures		Windows operating systems	,
Recommended duty cycle	500 - 1500 pages per month	Windows operating systems supported	✓
Recommended duty cycle Maximum duty cycle *	65000 pages per month		Mac OS X 10.10 Yosemite, Mac OS X
Recommended duty cycle Maximum duty cycle * Duplex functions *	65000 pages per month Print		Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra,
Recommended duty cycle Maximum duty cycle * Duplex functions * Number of print cartridges *	65000 pages per month Print 4		Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X
Recommended duty cycle Maximum duty cycle * Duplex functions * Number of print cartridges * Printing colours *	65000 pages per month Print 4 Black, Cyan, Magenta, Yellow	supported	Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.8 Mountain
Recommended duty cycle Maximum duty cycle * Duplex functions * Number of print cartridges * Printing colours * Page description languages	65000 pages per month Print 4 Black, Cyan, Magenta, Yellow PCL 6, PDF, PostScript 3, XPS	supported	Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks, Mac
Recommended duty cycle Maximum duty cycle * Duplex functions * Number of print cartridges * Printing colours *	65000 pages per month Print 4 Black, Cyan, Magenta, Yellow	Mac operating systems supported	Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks, Mac OS X 11.0 Big Sur
Recommended duty cycle Maximum duty cycle * Duplex functions * Number of print cartridges * Printing colours * Page description languages Printer fonts	65000 pages per month Print 4 Black, Cyan, Magenta, Yellow PCL 6, PDF, PostScript 3, XPS PCL, PostScript China TK-5430K Zwart (toner 1.250)	Mac operating systems supported  Linux operating systems supported	Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks, Mac
Recommended duty cycle Maximum duty cycle * Duplex functions * Number of print cartridges * Printing colours * Page description languages Printer fonts	65000 pages per month Print 4 Black, Cyan, Magenta, Yellow PCL 6, PDF, PostScript 3, XPS PCL, PostScript China TK-5430K Zwart (toner 1.250) ISO/IEC 19798 TK-5430Y Geel (toner	Mac operating systems supported  Linux operating systems supported  Weight & dimensions	Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks, Mac OS X 11.0 Big Sur ✓
Recommended duty cycle Maximum duty cycle * Duplex functions * Number of print cartridges * Printing colours * Page description languages Printer fonts	65000 pages per month Print 4 Black, Cyan, Magenta, Yellow PCL 6, PDF, PostScript 3, XPS PCL, PostScript China TK-5430K Zwart (toner 1.250) ISO/IEC 19798 TK-5430Y Geel (toner 1.250) ISO/IEC 19798 TK-5430M Magenta (toner 1.250) ISO/IEC	Mac operating systems supported  Linux operating systems supported  Weight & dimensions  Width	Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks, Mac OS X 11.0 Big Sur ✓
Recommended duty cycle Maximum duty cycle * Duplex functions * Number of print cartridges * Printing colours * Page description languages Printer fonts Country of origin	65000 pages per month Print 4 Black, Cyan, Magenta, Yellow PCL 6, PDF, PostScript 3, XPS PCL, PostScript China TK-5430K Zwart (toner 1.250) ISO/IEC 19798 TK-5430Y Geel (toner 1.250) ISO/IEC 19798 TK-5430M Magenta (toner 1.250) ISO/IEC 19798 TK-5430C Cyaan (toner	Mac operating systems supported  Linux operating systems supported  Weight & dimensions  Width Depth	Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks, Mac OS X 11.0 Big Sur   ✓  417 mm 429 mm
Recommended duty cycle Maximum duty cycle * Duplex functions * Number of print cartridges * Printing colours * Page description languages Printer fonts	65000 pages per month Print 4 Black, Cyan, Magenta, Yellow PCL 6, PDF, PostScript 3, XPS PCL, PostScript China TK-5430K Zwart (toner 1.250) ISO/IEC 19798 TK-5430Y Geel (toner 1.250) ISO/IEC 19798 TK-5430M Magenta (toner 1.250) ISO/IEC	supported  Mac operating systems supported  Linux operating systems supported  Weight & dimensions  Width Depth Height	Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks, Mac OS X 11.0 Big Sur   ✓  417 mm  429 mm  495 mm
Recommended duty cycle Maximum duty cycle * Duplex functions * Number of print cartridges * Printing colours * Page description languages Printer fonts Country of origin	65000 pages per month Print 4 Black, Cyan, Magenta, Yellow PCL 6, PDF, PostScript 3, XPS PCL, PostScript China TK-5430K Zwart (toner 1.250) ISO/IEC 19798 TK-5430Y Geel (toner 1.250) ISO/IEC 19798 TK-5430M Magenta (toner 1.250) ISO/IEC 19798 TK-5430C Cyaan (toner 1.250) ISO/IEC 19798 TK-5440K Zwart (toner 2.800) ISO/IEC 19798 TK-5440Y Geel (toner 2.400) ISO/IEC	Mac operating systems supported  Linux operating systems supported  Weight & dimensions  Width  Depth  Height  Weight	Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks, Mac OS X 11.0 Big Sur   ✓  417 mm 429 mm
Recommended duty cycle Maximum duty cycle * Duplex functions * Number of print cartridges * Printing colours * Page description languages Printer fonts Country of origin	65000 pages per month Print 4 Black, Cyan, Magenta, Yellow PCL 6, PDF, PostScript 3, XPS PCL, PostScript China TK-5430K Zwart (toner 1.250) ISO/IEC 19798 TK-5430Y Geel (toner 1.250) ISO/IEC 19798 TK-5430M Magenta (toner 1.250) ISO/IEC 19798 TK-5430C Cyaan (toner 1.250) ISO/IEC 19798 TK-5440K Zwart (toner 2.800) ISO/IEC 19798 TK-5440Y Geel (toner 2.400) ISO/IEC 19798 TK-5440M Magenta (toner 2.400) ISO/IEC 19798 TK-5440C	Mac operating systems supported  Linux operating systems supported  Weight & dimensions  Width Depth Height Weight  Packaging data	Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks, Mac OS X 11.0 Big Sur ✓
Recommended duty cycle Maximum duty cycle * Duplex functions * Number of print cartridges * Printing colours * Page description languages Printer fonts Country of origin	65000 pages per month Print 4 Black, Cyan, Magenta, Yellow PCL 6, PDF, PostScript 3, XPS PCL, PostScript China TK-5430K Zwart (toner 1.250) ISO/IEC 19798 TK-5430Y Geel (toner 1.250) ISO/IEC 19798 TK-5430M Magenta (toner 1.250) ISO/IEC 19798 TK-5430C Cyaan (toner 1.250) ISO/IEC 19798 TK-5440K Zwart (toner 2.800) ISO/IEC 19798 TK-5440Y Geel (toner 2.400) ISO/IEC 19798 TK-5440M Magenta (toner	supported  Mac operating systems supported  Linux operating systems supported  Weight & dimensions  Width Depth Height Weight  Packaging data  Package width	Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks, Mac OS X 11.0 Big Sur ✓  417 mm 429 mm 495 mm 26 kg
Recommended duty cycle Maximum duty cycle * Duplex functions * Number of print cartridges * Printing colours * Page description languages Printer fonts Country of origin	65000 pages per month Print 4 Black, Cyan, Magenta, Yellow PCL 6, PDF, PostScript 3, XPS PCL, PostScript China TK-5430K Zwart (toner 1.250) ISO/IEC 19798 TK-5430Y Geel (toner 1.250) ISO/IEC 19798 TK-5430M Magenta (toner 1.250) ISO/IEC 19798 TK-5430C Cyaan (toner 1.250) ISO/IEC 19798 TK-5440K Zwart (toner 2.800) ISO/IEC 19798 TK-5440Y Geel (toner 2.400) ISO/IEC 19798 TK-5440M Magenta (toner 2.400) ISO/IEC 19798 TK-5440C	Mac operating systems supported  Linux operating systems supported  Weight & dimensions  Width Depth Height Weight  Packaging data	Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks, Mac OS X 11.0 Big Sur ✓
Recommended duty cycle Maximum duty cycle * Duplex functions * Number of print cartridges * Printing colours * Page description languages Printer fonts Country of origin  Replacement cartridges  Input & output capacity Total number of input trays *	65000 pages per month Print 4 Black, Cyan, Magenta, Yellow PCL 6, PDF, PostScript 3, XPS PCL, PostScript China TK-5430K Zwart (toner 1.250) ISO/IEC 19798 TK-5430Y Geel (toner 1.250) ISO/IEC 19798 TK-5430M Magenta (toner 1.250) ISO/IEC 19798 TK-5430C Cyaan (toner 1.250) ISO/IEC 19798 TK-5440K Zwart (toner 2.800) ISO/IEC 19798 TK-5440Y Geel (toner 2.400) ISO/IEC 19798 TK-5440M Magenta (toner 2.400) ISO/IEC 19798 TK-5440M ISO/IEC 19798 TK-5440C Cyaan (toner 2.400) ISO/IEC 19798	Mac operating systems supported  Linux operating systems supported  Weight & dimensions  Width Depth Height Weight  Packaging data  Package width Package depth	Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15 Catalina, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks, Mac OS X 11.0 Big Sur ✓  417 mm 429 mm 495 mm 26 kg
Recommended duty cycle Maximum duty cycle * Duplex functions * Number of print cartridges * Printing colours * Page description languages Printer fonts Country of origin  Replacement cartridges  Input & output capacity Total number of input trays * Total input capacity *	65000 pages per month Print  4 Black, Cyan, Magenta, Yellow PCL 6, PDF, PostScript 3, XPS PCL, PostScript China TK-5430K Zwart (toner 1.250) ISO/IEC 19798 TK-5430Y Geel (toner 1.250) ISO/IEC 19798 TK-5430M Magenta (toner 1.250) ISO/IEC 19798 TK-5430C Cyaan (toner 1.250) ISO/IEC 19798 TK-5440K Zwart (toner 2.800) ISO/IEC 19798 TK-5440Y Geel (toner 2.400) ISO/IEC 19798 TK-5440M Magenta (toner 2.400) ISO/IEC 19798 TK-5440C Cyaan (toner 2.400) ISO/IEC 19798	Mac operating systems supported  Linux operating systems supported  Weight & dimensions  Width Depth Height Weight  Packaging data  Package width Package depth Package height Package weight	Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks, Mac OS X 11.0 Big Sur ✓  417 mm 429 mm 495 mm 26 kg
Recommended duty cycle Maximum duty cycle * Duplex functions * Number of print cartridges * Printing colours * Page description languages Printer fonts Country of origin  Replacement cartridges  Input & output capacity Total number of input trays * Total input capacity * Total output capacity *	65000 pages per month Print  4  Black, Cyan, Magenta, Yellow PCL 6, PDF, PostScript 3, XPS PCL, PostScript China TK-5430K Zwart (toner 1.250) ISO/IEC 19798 TK-5430Y Geel (toner 1.250) ISO/IEC 19798 TK-5430M Magenta (toner 1.250) ISO/IEC 19798 TK-5430C Cyaan (toner 1.250) ISO/IEC 19798 TK-5440K Zwart (toner 2.800) ISO/IEC 19798 TK-5440Y Geel (toner 2.400) ISO/IEC 19798 TK-5440M Magenta (toner 2.400) ISO/IEC 19798 TK-5440C Cyaan (toner 2.400) ISO/IEC 19798  2 300 sheets 150 sheets	Mac operating systems supported  Linux operating systems supported  Weight & dimensions  Width Depth Height Weight  Packaging data  Package width Package depth Package height Package weight  Packaging content	Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks, Mac OS X 11.0 Big Sur ✓  417 mm 429 mm 495 mm 26 kg
Recommended duty cycle Maximum duty cycle * Duplex functions * Number of print cartridges * Printing colours * Page description languages Printer fonts Country of origin  Replacement cartridges  Input & output capacity Total number of input trays * Total input capacity * Total output capacity * Paper tray 1 input capacity	65000 pages per month Print  4  Black, Cyan, Magenta, Yellow PCL 6, PDF, PostScript 3, XPS PCL, PostScript China TK-5430K Zwart (toner 1.250) ISO/IEC 19798 TK-5430Y Geel (toner 1.250) ISO/IEC 19798 TK-5430M Magenta (toner 1.250) ISO/IEC 19798 TK-5430C Cyaan (toner 1.250) ISO/IEC 19798 TK-5440K Zwart (toner 2.800) ISO/IEC 19798 TK-5440Y Geel (toner 2.400) ISO/IEC 19798 TK-5440M Magenta (toner 2.400) ISO/IEC 19798 TK-5440C Cyaan (toner 2.400) ISO/IEC 19798  2 300 sheets 150 sheets 250 sheets	Supported  Mac operating systems supported  Linux operating systems supported  Weight & dimensions  Width Depth Height Weight  Packaging data  Package width Package depth Package depth Package weight  Packaging content  Cartridge(s) included	Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks, Mac OS X 11.0 Big Sur ✓  417 mm 429 mm 495 mm 26 kg  592 mm 567 mm 637 mm 32 kg
Recommended duty cycle Maximum duty cycle * Duplex functions * Number of print cartridges * Printing colours * Page description languages Printer fonts Country of origin  Replacement cartridges  Input & output capacity Total number of input trays * Total input capacity * Total output capacity * Paper tray 1 input capacity Multi-Purpose tray	65000 pages per month Print 4 Black, Cyan, Magenta, Yellow PCL 6, PDF, PostScript 3, XPS PCL, PostScript China TK-5430K Zwart (toner 1.250) ISO/IEC 19798 TK-5430Y Geel (toner 1.250) ISO/IEC 19798 TK-5430M Magenta (toner 1.250) ISO/IEC 19798 TK-5430C Cyaan (toner 1.250) ISO/IEC 19798 TK-5440K Zwart (toner 2.800) ISO/IEC 19798 TK-5440Y Geel (toner 2.400) ISO/IEC 19798 TK-5440M Magenta (toner 2.400) ISO/IEC 19798 TK-5440K Cyaan (toner 2.400) ISO/IEC 19798 2 300 sheets 150 sheets 250 sheets	Mac operating systems supported  Linux operating systems supported  Weight & dimensions  Width Depth Height Weight  Packaging data  Package width Package depth Package depth Package weight  Packaging content  Cartridge(s) included Included cartridge capacity (black)	Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks, Mac OS X 11.0 Big Sur ✓  417 mm 429 mm 495 mm 26 kg  592 mm 567 mm 637 mm 32 kg
Recommended duty cycle Maximum duty cycle * Duplex functions * Number of print cartridges * Printing colours * Page description languages Printer fonts Country of origin  Replacement cartridges  Input & output capacity Total number of input trays * Total input capacity * Total output capacity * Paper tray 1 input capacity Multi-Purpose tray Multi-Purpose tray input capacity	65000 pages per month Print 4 Black, Cyan, Magenta, Yellow PCL 6, PDF, PostScript 3, XPS PCL, PostScript China TK-5430K Zwart (toner 1.250) ISO/IEC 19798 TK-5430Y Geel (toner 1.250) ISO/IEC 19798 TK-5430M Magenta (toner 1.250) ISO/IEC 19798 TK-5430C Cyaan (toner 1.250) ISO/IEC 19798 TK-5440K Zwart (toner 2.800) ISO/IEC 19798 TK-5440Y Geel (toner 2.400) ISO/IEC 19798 TK-5440M Magenta (toner 2.400) ISO/IEC 19798 TK-5440M ISO/IEC 19798 TK-5440C Cyaan (toner 2.400) ISO/IEC 19798  2 300 sheets 150 sheets 250 sheets	Supported  Mac operating systems supported  Linux operating systems supported  Weight & dimensions  Width Depth Height Weight  Packaging data  Package width Package depth Package depth Package weight  Packaging content  Cartridge(s) included	Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks, Mac OS X 11.0 Big Sur ✓  417 mm 429 mm 495 mm 26 kg  592 mm 567 mm 637 mm 32 kg
Recommended duty cycle Maximum duty cycle * Duplex functions * Number of print cartridges * Printing colours * Page description languages Printer fonts Country of origin  Replacement cartridges  Input & output capacity Total number of input trays * Total input capacity * Total output capacity * Paper tray 1 input capacity Multi-Purpose tray Multi-Purpose tray input capacity Auto document feeder (ADF)	65000 pages per month Print 4 Black, Cyan, Magenta, Yellow PCL 6, PDF, PostScript 3, XPS PCL, PostScript China TK-5430K Zwart (toner 1.250) ISO/IEC 19798 TK-5430Y Geel (toner 1.250) ISO/IEC 19798 TK-5430M Magenta (toner 1.250) ISO/IEC 19798 TK-5430C Cyaan (toner 1.250) ISO/IEC 19798 TK-5440K Zwart (toner 2.800) ISO/IEC 19798 TK-5440Y Geel (toner 2.400) ISO/IEC 19798 TK-5440M Magenta (toner 2.400) ISO/IEC 19798 TK-5440C Cyaan (toner 2.400) ISO/IEC 19798  2 300 sheets 150 sheets  ✓ 50 sheets	Mac operating systems supported  Linux operating systems supported  Weight & dimensions  Width Depth Height Weight  Packaging data Package width Package depth Package height Package weight  Packaging content  Cartridge(s) included Included cartridge capacity (black) Included cartridge capacity (CMY)	Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks, Mac OS X 11.0 Big Sur ✓  417 mm 429 mm 495 mm 26 kg  592 mm 567 mm 637 mm 32 kg  ✓ 1500 pages 1500 pages
Recommended duty cycle Maximum duty cycle * Duplex functions * Number of print cartridges * Printing colours * Page description languages Printer fonts Country of origin  Replacement cartridges  Input & output capacity Total number of input trays * Total input capacity * Total output capacity * Paper tray 1 input capacity Multi-Purpose tray Multi-Purpose tray input capacity	65000 pages per month Print 4 Black, Cyan, Magenta, Yellow PCL 6, PDF, PostScript 3, XPS PCL, PostScript China TK-5430K Zwart (toner 1.250) ISO/IEC 19798 TK-5430Y Geel (toner 1.250) ISO/IEC 19798 TK-5430M Magenta (toner 1.250) ISO/IEC 19798 TK-5430C Cyaan (toner 1.250) ISO/IEC 19798 TK-5440K Zwart (toner 2.800) ISO/IEC 19798 TK-5440Y Geel (toner 2.400) ISO/IEC 19798 TK-5440M Magenta (toner 2.400) ISO/IEC 19798 TK-5440M ISO/IEC 19798 TK-5440C Cyaan (toner 2.400) ISO/IEC 19798  2 300 sheets 150 sheets 250 sheets	Mac operating systems supported  Linux operating systems supported  Weight & dimensions  Width Depth Height Weight  Packaging data Package width Package depth Package depth Package weight  Packaging content  Cartridge(s) included Included cartridge capacity (black) Included cartridge capacity (CMY) Imaging unit included Cables included	Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks, Mac OS X 11.0 Big Sur   417 mm 429 mm 495 mm 26 kg  592 mm 567 mm 637 mm 32 kg
Recommended duty cycle Maximum duty cycle * Duplex functions * Number of print cartridges * Printing colours * Page description languages Printer fonts Country of origin  Replacement cartridges  Input & output capacity Total number of input trays * Total input capacity * Total output capacity * Paper tray 1 input capacity Multi-Purpose tray Multi-Purpose tray input capacity Auto document feeder (ADF) Auto document feeder (ADF) input	65000 pages per month Print 4 Black, Cyan, Magenta, Yellow PCL 6, PDF, PostScript 3, XPS PCL, PostScript China TK-5430K Zwart (toner 1.250) ISO/IEC 19798 TK-5430Y Geel (toner 1.250) ISO/IEC 19798 TK-5430M Magenta (toner 1.250) ISO/IEC 19798 TK-5430C Cyaan (toner 1.250) ISO/IEC 19798 TK-5440K Zwart (toner 2.800) ISO/IEC 19798 TK-5440Y Geel (toner 2.400) ISO/IEC 19798 TK-5440M Magenta (toner 2.400) ISO/IEC 19798 TK-5440C Cyaan (toner 2.400) ISO/IEC 19798  2 300 sheets 150 sheets  ✓ 50 sheets	Mac operating systems supported  Linux operating systems supported  Weight & dimensions  Width Depth Height Weight  Packaging data Package width Package depth Package height Package weight  Packaging content  Cartridge(s) included Included cartridge capacity (black) Included cartridge capacity (CMY) Imaging unit included	Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks, Mac OS X 11.0 Big Sur   417 mm 429 mm 495 mm 26 kg  592 mm 567 mm 637 mm 32 kg





632983074909

0632983074909

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.