

## BenQ PD2705UA écran plat de PC 68,6 cm (27") 3840 x 2160 pixels 4K Ultra HD LCD Noir

Marque : BenQ

Code produit: 9H.LKDLA.TPE

Nom du produit : PD2705UA

BenQ PD2705UA. Taille de l'écran: 68,6 cm (27"), Résolution de l'écran: 3840 x 2160 pixels, Type HD: 4K Ultra HD, Technologie d'affichage: LCD, Temps de réponse: 5 ms, Ratio de format d'image: 16:9, Angle de vision horizontal: 178°, Angle de vision vertical: 178°. Haut-parleurs intégrés. Built-in USB hub, USB hub version: 2.0 / 3.2 Gen 1 (3.1 Gen 1). Montage VESA, Réglage de la hauteur. Couleur du produit: Noir





Display		Ports & interfaces	
Display diagonal *	68.6 cm (27")	DisplayPorts quantity	1
Display resolution *	3840 x 2160 pixels	DisplayPort version	1.4
HD type *	4K Ultra HD	Thunderbolt 3 ports quantity	1
Native aspect ratio *	16:9	Headphone out *	✓
Display technology *	LCD	Headphone connectivity	3.5 mm
Panel type *	IPS	Built-in KVM switch	<ul> <li>Image: A second s</li></ul>
Backlight type	Direct LED	HDCP	1
Touchscreen *	×	HDCP version	2.2
Display brightness (peak)	350 cd/m <sup>2</sup>		
Display brightness (typical)	250 cd/m <sup>2</sup>	Ergonomics	
Response time *	5 ms	VESA mounting *	✓
Anti-glare screen	✓	Panel mounting interface	100 x 100 mm
Screen shape *	Flat	Wall mountable	<ul> <li>Image: A set of the set of the</li></ul>
Contrast ratio (typical) *	1200:1	Height adjustment *	v
Maximum refresh rate *	60 Hz	Height adjustment	15 cm
Viewing angle, horizontal	178°	Pivot	<ul> <li>Image: A set of the set of the</li></ul>
Viewing angle, vertical	178°	Pivot angle	0 - 90°
Display number of colours *	1.07 billion colours	Swivelling	1
Pixel density	163 ppi	Swivel angle range	270 - 275°
High Dynamic Range (HDR) supported	✓	Tilt adjustment	✓
High Dynamic Range (HDR) technology	High Dynamic Range 10 (HDR10)	Tilt angle range Picture-in-Picture	-5 - 30°
Colour gamut	99%	On Screen Display (OSD)	1
sRGB coverage (typical)	99%	on screen Display (OSD)	·
Performance			
NVIDIA G-SYNC *	x		
ConnectShare (USB)	<ul> <li>Image: A set of the set of the</li></ul>		

Performance		Ergonomics	
VESA Adaptive Sync support Flicker-free technology Low Blue Light technology Smart modes	✓ ✓ ✓ Animation, M-Book, Personal	On Screen Display (OSD) languages	Arabic, Simplified Chinese, Traditional Chinese, Czech, German, English, Spanish, French, Hungarian, Italian, Japanese, Korean, Norwegian, Polish, Portuguese, Romanian, Russian, Swedish
Multimedia		Number of OSD languages	18
Number of speakers	2	5 5	10
RMS rated power	5 W	Power	
Built-in speaker(s) *	1	Energy efficiency class (SDR) *	G
Built-in camera *	×	Energy efficiency class (HDR) *	G
Design		Energy consumption (SDR) per 1000 hours *	29 kWh
Market positioning * Product colour *	Graphics design Black	Energy consumption (HDR) per 1000 hours *	38 kWh
Frameless design	<ul> <li>Image: A second s</li></ul>	Power consumption (typical) *	27.5 W
Front bezel colour	Black	Power consumption (standby) *	0.5 W
Detachable stand		Power consumption (max)	152 W
Feet colour	Black	AC input voltage	100 - 240 V
	Didek	Power supply type	Internal
Ports & interfaces		Energy efficiency scale	A to G
Built-in USB hub * USB hub version	✓ 2.0 / 3.2 Gen 1 (3.1 Gen 1)	European Product Registry for Energy Labelling (EPREL) code	1335500
USB upstream port type	USB Type-B	Weight & dimensions	
Number of upstream ports	2	Width (with stand)	614 mm
Number of USB Type-B upstream	2	Depth (with stand)	459.4 mm
ports quantity	2	Height (with stand)	703 mm
USB Type-A downstream ports	3	Weight (with stand)	10 kg
quantity USB Type-C downstream ports		Width (without stand)	614 mm
quantity	1	Depth (without stand)	81.3 mm
USB Type-C DisplayPort Alternate	1	Height (without stand)	355.6 mm
Mode	•	Weight (without stand)	6.2 kg
USB Power Delivery (USB PD)	1	Packaging data	
USB Power Delivery up to	65 W	Package type	Box
HDMI *	1	Packaging content	
HDMI ports quantity	1		,
HDMI version	2.0	Stand included	
		Manual	
		Bundled software	Display Pilot
		Other features	

Eye Care+

1

Brand specific technologies

Screen mirroring

Certification

TUV, Solidworks, calman , Pantone , Pantone SkinTone



4718755090387

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.