



EIZO FlexScan EV2740X-WT LED display 68,6 cm (27") 3840 x 2160 pixels 4K Ultra HD LCD Blanc

Marque : EIZO

Famille de produit: FlexScan

Code produit: EV2740X-WT

Nom du produit : EV2740X-WT

EIZO FlexScan EV2740X-WT. Taille de l'écran: 68,6 cm (27"), Résolution de l'écran: 3840 x 2160 pixels, Type HD: 4K Ultra HD, Technologie d'affichage: LCD, Temps de réponse: 5 ms, Ratio de format d'image: 16:9, Angle de vision horizontal: 178°, Angle de vision vertical: 178°. Haut-parleurs intégrés. Built-in USB hub. Montage VESA, Réglage de la hauteur. Couleur du produit: Blanc



Display		Ports & interfaces	
Display diagonal *	68.6 cm (27")	Headphone out *	✓
Display resolution *	3840 x 2160 pixels	Headphone outputs	2
HD type *	4K Ultra HD	Headphone connectivity	3.5 mm
Native aspect ratio *	16:9	Built-in KVM switch	✓
Display technology *	LCD	HDCP	✓
Panel type *	IPS	HDCP version	1.4/2.3
LED backlight	✓	Network	
Backlight type	LED	Ethernet LAN	✓
Touchscreen *	✗	Ergonomics	
Display brightness (typical)	350 cd/m²	VESA mounting *	✓
Response time *	5 ms	Panel mounting interface	100 x 100 mm
Anti-glare screen	✓	Cable lock slot *	✓
Screen shape *	Flat	Cable lock slot type	Kensington
Supported graphics resolutions	720 x 400, 1280 x 1024 (SXGA),	Height adjustment *	✓
	3840 x 2160, 800 x 600 (SVGA),	Height adjustment	19.5 cm
	2560 x 1440, 1600 x 1200 (UXGA),	Pivot	✓
	1024 x 768 (XGA), 1680 x 1050	Pivot angle	0 - 90°
	(WSXGA+), 640 x 480 (VGA), 1920	Swivelling	✓
	x 1080 (HD 1080), 1920 x 1200	Swivel angle range	-90 - 90°
	(WUXGA)	Tilt adjustment	✓
		Tilt angle range	-5 - 35°
Contrast ratio (typical) *	2000:1	On Screen Display (OSD)	✓
Maximum refresh rate *	60 Hz	On Screen Display (OSD) languages	German, English, Spanish, French, Italian, Swedish
Viewing angle, horizontal	178°	Power	
Viewing angle, vertical	178°	Energy efficiency class (SDR) *	D
Display number of colours *	16.7 million colours		
Pixel pitch	0.155 x 0.155 mm		
Pixel density	163 ppi		
Viewable size, horizontal	59.7 cm		
Viewable size, vertical	33.6 cm		
Digital horizontal frequency	31 - 135 kHz		

Display		Power	
Digital vertical frequency	29 - 61 Hz	Energy efficiency class (HDR) *	Not available
Display diagonal (metric)	68.5 cm	Energy consumption (SDR) per 1000 hours *	18 kWh
Colour gamut standard	sRGB	Power consumption (typical) *	16 W
sRGB coverage (typical)	100%	Power consumption (standby) *	0.35 W
Performance		Power consumption (max)	186 W
NVIDIA G-SYNC *	✗	AC input voltage	100 - 240 V
AMD FreeSync *	✗	AC input frequency	50/60 Hz
Flicker-free technology	✓	European Product Registry for Energy Labelling (EPREL) code	1397122
Low Blue Light technology	✓	Weight & dimensions	
Multimedia		Width (with stand)	612 mm
Built-in speaker(s) *	✓	Depth (with stand)	242 mm
Built-in camera *	✗	Height (with stand)	565 mm
Design		Weight (with stand)	8.2 kg
Market positioning *	Office	Width (without stand)	612 mm
Product colour *	White	Depth (without stand)	61 mm
Ports & interfaces		Height (without stand)	359 mm
Built-in USB hub *	✓	Weight (without stand)	5.5 kg
USB upstream port type	USB Type-B, USB Type-C	Packaging content	
Number of upstream ports	2	Cables included	AC, USB Type-C to USB Type-C
Number of USB Type-B upstream ports quantity	1	Quick start guide	✓
Number of USB Type-C upstream ports quantity	1	Sustainability	
USB Type-A downstream ports quantity	3	Sustainability compliance	✓
USB Type-C downstream ports quantity	1	Sustainability certificates	ENERGY STAR, EPEAT Climate +, EPEAT Gold, TCO
USB Type-C DisplayPort Alternate Mode	✓	Other features	
USB Power Delivery (USB PD)	✓	Compliance certificates	CB, CCC, CE, China RoHS, Federal Communications Commission (FCC), GS mark, ICES, PSE, RCM, RoHS, cTUVus, UKCA, VCCI, WEEE
USB Power Delivery up to	94 W	Certification	CE, UKCA, CB, TÜV/GS, TÜV/Ergonomics (including ISO 9241-307), TCO Certified Generation 9, EPEAT 2018 (US), TÜV/Blue Low Light Content, TÜV/Flicker Free, RCM, cTUVus, FCC-B, CAN ICES-3 (B), TÜV/S, PSE, VCCI-B, EPA ENERGY STAR, RoHS, WEEE, China RoHS, CCC
HDMI *	✓		
HDMI ports quantity	2		
DisplayPorts quantity	1		



4995047065173

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 16-DEC-2024. Prints or copies of Information are only valid on the printed Publication date