Brother MFC-L9630CDN Imprimante multifonction Laser A4 2400 x 600 DPI 40 ppm

Code produit: MFC-L9630CDN

Marque : Brother

Nom du produit : MFC-L9630CDN Imprimante multifonction laser couleur A4 professionnelle

- Impression jusqu'à 40ppm pages par minute

- Impression recto-verso, jusqu'à 28 faces par minute
- Numérisation recto-verso jusqu'à 100 ipm (images par minute) couleur et monochrome
- Bac d'alimentation papier de 520 feuilles extensible jusqu'à 2 600 feuilles
- Chargeur automatique de documents (ADF) de 100 feuilles
- Toners embarqués jusqu'à 9 000 pages (noir), jusqu'à 6 500 pages (couleur)*


Imprimante multifonction laser couleur A4 tout-en-un de niveau professionnel. Personnalisez et automatisez facilement des flux de travail complexes.





Printing		Network	
Iplex printing modeAutont technology *Lasernting *Colour priIplex printing *✓	Laser Colour printing	Ethernet LAN * Cabling technology Ethernet LAN data rates Near Field Communication (NFC)	10/100/1000Base-T(X) 100,1000 Mbit/s
Maximum resolution * Print speed (black, normal quality, A4/US Letter) * Print speed (colour, normal quality, A4/US Letter) Duplex print speed (black, normal quality, A4/US Letter) Duplex print speed (colour, normal quality, A4/US Letter)	2400 x 600 DPI 40 ppm 40 ppm 28 ppm 28 ppm	Performance Internal memory * Sound pressure level (printing) Sound pressure level (duplex printing) Sound pressure level (quiet mode) Mac compatibility	2000 MB 55 dB 56.5 dB 53 dB
Time to first page (black, normal) Time to first page (colour, normal) Copying Duplex copying * Copying * Maximum copy resolution *	10 s 10 s ✓ Colour copying 600 x 600 DPI	Design Product colour * Market positioning * Built-in display * Display diagonal Control type	White Home & office ✓ 17.8 cm (7") Touch
Scanning Duplex scanning * Scanning * Optical scanning resolution * Optical scanning resolution (ADF) Scanner type * Scan to Scan speed (colour) Scan speed (black)	Colour scanning 600 x 600 DPI 600 x 600 DPI 600 x 600 DPI ADF scanner FTP 100 ppm 100 ppm	Power Power consumption (max) Power consumption (printing) Power consumption (copying) Power consumption (ready) Power consumption (sleep) Power consumption (off) AC input voltage AC input frequency	1080 W 770 W 730 W 85 W 16.8 W 0.04 W 220 - 240 V 50 - 60 Hz

Fax		System requirements	
Duplex faxing	1	Windows operating systems	1
Modem speed	33.6 Kbit/s	supported Mac operating systems supported	
Features		Linux operating systems supported	
Recommended duty cycle	520 - 2600 pages per month 2600 pages per month		
Maximum duty cycle *		Mobile operating systems supported	•
Duplex functions *	Copy, Print, Scan	Operational conditions	
Country of origin	China	Operating relative humidity (H-H)	20 - 80%
Input & output capacity		Storage temperature (T-T)	0 - 40 °C
Total input capacity *	520 sheets	Operating temperature (T-T) Storage relative humidity (H-H)	10 - 32 °C 10 - 90%
Total output capacity *	250 sheets		
Multi-Purpose tray	1	Weight & dimensions	
Multi-Purpose tray input capacity	100 sheets	Width	663.7 mm
Auto document feeder (ADF)	1	Depth	734 mm
Auto document feeder (ADF) input	100 sheets	Height	580 mm
capacity		Weight	36.9 kg
Paper handling		Packaging data	
Maximum ISO A-series paper size *	A4	Package weight	42.8 kg
Paper tray media types *	Bond paper, Envelopes, Glossy paper, Plain paper, Recycled paper, Thick paper, Thicker paper, Thin	Logistics data	
		Pallet gross height	16.2 cm
	paper	Pallet gross weight	189 kg
ISO A-series sizes (A0A9) *	A4, A5, A6	Master (outer) cases per pallet	4 pc(s)
ISO B-series sizes (B0B9) Envelopes sizes	B5, B6 C5, Com-10, DL	Layers per pallet	2 pc(s)
Custom media width	100 - 215.9 mm	Products per pallet	4 pc(s)
Custom media length	147.3 - 355.6 mm	Technical details	
Ports & interfaces		Master (outer) cases per pallet layer	
Direct printing *	1	Pallet type	800 x 1200 mm
USB port	-		
con porc	-		
USB 2.0 ports quantity	2		
USB 2.0 ports quantity	2		
USB 2.0 ports quantity Network Wi-Fi *	2		





4977766814188

0012502666240



012502666240

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.