



## ATEN CS19216-AT-G commutateur écrans, claviers et souris Noir

Marque : ATEN

Code produit: CS19216-AT-G

Nom du produit : Commutateur KVM DisplayPort 4K 16 ports USB 3.0



Commutateur KVM DisplayPort 4K 16 ports USB 3.0

ATEN CS19216-AT-G commutateur écrans, claviers et souris Noir:

Le commutateur KVM DisplayPort 4K 16 ports USB 3.0 CS19216 d'ATEN peut accéder et contrôler efficacement jusqu'à 16 ordinateurs DisplayPort depuis un(e) seul(e) clavier USB, souris USB et console de contrôle. Grâce à sa console à deux interfaces, les utilisateurs peuvent choisir entre la sortie vidéo DisplayPort/HDMI prenant en charge une haute qualité vidéo jusqu'au 4K DCI (4096 x 2160 à 60 Hz), présentant des effets visuels parfaitement nets.



1x Commutateur KVM DisplayPort 4K 16 ports USB 3.0 CS19216 avec Kit de montage en rack

2x LIN5-20K1-K13G Câbles DisplayPort 1.4

2x LIN6-11C1-E12G Câbles USB 3.0

2x LIN5-0205-21CG Câbles audio

1x LIN5-04A2-J11G Câble de mise à niveau du micrologiciel

1x 0X02-0017-000G Ensemble de coussinets (4 pièces)

1x LIN2-418K-E12G + 0AD8-8012-50M2 Adaptateur d'alimentation

1x Instructions utilisateur

Ports & interfaces		System requirements	
Number of computers controlled *	16	Windows operating systems supported	✓
Keyboard port type *	USB	Linux operating systems supported	✓
Mouse port type *	USB	Mac operating systems supported	✓
Video port type *	DisplayPort		
DisplayPorts quantity	16		
DisplayPort version	1.2		
USB 3.2 Gen 1 (3.1 Gen 1) Type-B ports quantity	16		
Console ports *	3.5mm headphone, 3.5mm mic, DisplayPort, HDMI, USB A		
Console USB ports quantity	2		
USB hub	✓		
USB 3.2 Gen 1 (3.1 Gen 1) Type-A hub ports quantity	2		
USB connector type	USB Type-A, USB Type-B		
Audio connections	✓		
Headphone outputs	17		
Number of microphone inputs	17		
DC-in jack	✓		
Performance		Operational conditions	
HD type *	4K Ultra HD	Operating temperature (T-T)	0 - 40 °C
Maximum resolution *	4096 x 2160 pixels	Storage temperature (T-T)	-20 - 60 °C
Video bandwidth	60 Hz	Operating relative humidity (H-H)	0 - 80%
Scan interval	1,5,255 s	Storage relative humidity (H-H)	0 - 80%
HDCP	✓		
Firmware upgradeable	✓		
Design		Weight & dimensions	
Product colour *	Black	Width	432.4 mm
Housing material	Metal	Depth	214.3 mm
LED indicators	✓	Height	44 mm
Push button	✓	Weight	4.18 kg
Display		Packaging data	
Built-in display *	✗	Package width	133 mm
		Package depth	499 mm
		Package height	324 mm
		Package weight	5.33 kg
		Packaging content	
		Quick installation guide	✓
		Manual	✓
		Logistics data	
		Master (outer) case net weight	12.5 kg
		Harmonized System (HS) code	85176200
		Master (outer) case width	427 mm
		Master (outer) case length	519 mm
		Master (outer) case height	348 mm
		Master (outer) case gross weight	15.3 kg
		Products per master (outer) case	3 pc(s)

**Power**

Power source	DC
Input voltage	12 V
Power consumption (typical)	26.66 W



4719264649264

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 05-APR-2025. Prints or copies of Information are only valid on the printed Publication date