



KYOCERA ECOSYS M4125idn Laser A3 1200 x 1200 DPI 25 ppm

Marque : KYOCERA

Famille de produit: ECOSYS

Code produit: 1102P23NLO

Nom du produit : M4125idn

KYOCERA ECOSYS M4125idn. Technologie d'impression: Laser, Impression: Impression mono, Résolution maximale: 1200 x 1200 DPI. Copier: Copie simple, Résolution max. des copies: 600 x 600 DPI. Numérisation: Numérisation couleur, Résolution de numérisation optique: 600 x 600 DPI. Fonctions recto verso: Copie, Télécopie, Impression, Numérisation. Taille de papier de série A ISO maximum: A3. Impression directe. Couleur du produit: Noir, Blanc

Printing		Paper handling	
Duplex printing mode	Auto/Manual	Multi-Purpose Tray media weight	45 - 256 g/m ²
Print technology *	Laser	Auto Document Feeder (ADF) media weight	45 - 160 g/m ²
Printing *	Mono printing	Duplex media weight	60 - 163 g/m ²
Duplex printing *	✓	Media thickness (min)	0.11 mm
Maximum resolution *	1200 x 1200 DPI	Ports & interfaces	
Print speed (black, normal quality, A4/US Letter) *	25 ppm	Standard interfaces	Ethernet, USB 2.0
Print speed (black, normal quality, A3)	12 ppm	Direct printing *	✓
Duplex print speed (black, normal quality, A4/US Letter)	22 ppm	USB port	✓
Warm-up time	20 s	USB 2.0 ports quantity	3
Time to first page (black, normal)	5.8 s	Optional connectivity	Ethernet, Wireless LAN
N-in-1 print function	✓	Network	
Skip blank page function	✓	Wi-Fi *	✗
N-up printing	2, 4	Ethernet LAN *	✓
Barcode printing	✓	Cabling technology	10/100/1000Base-T(X)
Watermark printing	✓	Ethernet LAN data rates	10,100,1000 Mbit/s
Secure printing	✓	Bluetooth	✗
Poster printing function	✓	Near Field Communication (NFC)	✗
Secure PDF printing function	✓	Mobile printing technologies	Apple AirPrint, Google Cloud Print, Kyocera Mobile Print, Mopria Print Service
Eco printing function	✓	Performance	
Copying		Maximum internal memory	3000 MB
Duplex copying *	✓	Internal memory *	1000 MB
Duplex copying mode	Auto	Compatible memory cards	SD
Copying *	Mono copying	Built-in processor	✓
Maximum copy resolution *	600 x 600 DPI	Processor family	ARM Cortex-A9
Copy speed (black, normal quality, A4)	25 cpm	Processor frequency	1200 MHz
Copy speed (black, normal quality, A3)	12 cpm	Processor cores	2
Time to first copy (black, normal)	7 s	Sound pressure level (printing)	49 dB
Maximum number of copies	999 copies	Sound pressure level (copying)	49 dB
Copier resize	25 - 400%	Sound power level (standby)	34 dB
N-in-1 copy function	✓	Design	
N-in-1 copy function (N=)	2, 4	Product colour *	Black, White
Copy programming function	✓	Market positioning *	Business
ID-card copy function	✓	Built-in display *	✓
Scanning		Display	TFT
Duplex scanning *	✓	Display diagonal	10.9 cm (4.3")
Duplex scanning mode	Auto	Touchscreen	✓
Scanning *	Colour scanning	Control type	Touch
Optical scanning resolution *	600 x 600 DPI	Colour display	✓
Maximum scan area	297 x 420 mm		


Scanning		Power	
Scanner type *	Flatbed & ADF scanner	Power consumption (average operating)	410 W
Scan technology	CIS/CCD	Power consumption (PowerSave)	45 W
Scan to	E-mail, FTP, SMB, USB	Power consumption (printing)	410 W
Scan speed (colour)	50 ppm	Power consumption (copying)	410 W
Scan speed (black)	50 ppm	Power consumption (ready)	65 W
Image formats supported	JPG, MMR, TIF	Power consumption (sleep)	0.5 W
Document formats supported	PDF, XPS	Power consumption (off)	0.1 W
Greyscale levels	256	Energy Star Typical Electricity Consumption (TEC)	0.96 kWh/week
Scan drivers	TWAIN, WIA	AC input voltage	220 - 240 V
Fax		AC input frequency	50 - 60 Hz
Duplex faxing	✓	System requirements	
Faxing *	✗	Windows operating systems supported	✓
Fax resolution (black)	400 x 400 DPI		Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.5 Leopard, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks
Fax transmission speed	33.6 sec/page	Mac operating systems supported	
Modem speed	33.6 Kbit/s		
Fax memory	700 pages	Linux operating systems supported	✓
Fax coding methods	JBIG, MH, MMR, MR	Operational conditions	
Features		Operating relative humidity (H-H)	10 - 80%
Recommended duty cycle	4000 - 8000 pages per month	Storage temperature (T-T)	-20 - 40 °C
Maximum duty cycle *	15000 pages per month	Operating temperature (T-T)	10 - 32.5 °C
Duplex functions *	Copy, Fax, Print, Scan	Storage relative humidity (H-H)	10 - 90%
Digital sender	✓	Operating altitude	0 - 3500 m
Number of print cartridges *	1	Non-operating altitude	0.6 - 15000 m
Printing colours *	Black	Certificates	
Page description languages	Microsoft XPS, OpenXPS, PCL 5e, PCL 6, PCL XL, PostScript 3	Waste Electrical and Electronic Equipment (WEEE) compliance	✓
Number of printer fonts	101	Certification	TÜV/GS, CE
Optional functions	Fax	Sustainability	
Replacement cartridges	TK-6115 (15.000 pagina's)	Sustainability certificates	Blue Angel, EPEAT Silver, ENERGY STAR
Input & output capacity		Weight & dimensions	
Total number of input trays *	1	Width	590 mm
Total input capacity *	500 sheets	Depth	590 mm
Total output capacity *	300 sheets	Height	688 mm
Paper tray 1 input capacity	500 sheets	Weight	49 kg
Multi-Purpose tray	✓	Packaging data	
Multi-Purpose tray input capacity	100 sheets	Package width	760 mm
Paper input type	Cassette, Paper tray	Package depth	760 mm
Auto document feeder (ADF)	✓	Package height	911 mm
Auto document feeder (ADF) input capacity	50 sheets	Package weight	72 kg
Maximum number of input trays	3	Packaging content	
Maximum input capacity	1600 sheets	Cartridge(s) included	✓
Maximum output capacity	300 sheets	Included cartridge capacity (black)	3000 pages
Paper handling		Imaging unit included	✓
Maximum ISO A-series paper size *	A3	Cables included	AC
Maximum print size	297 x 432 mm	Drivers included	✓
Paper tray media types *	Plain paper	Power cord included	✓
Multi-purpose tray media types	Legal, Letter	Quick installation guide	✓
ISO A-series sizes (A0...A9) *	A3, A4, A5, A6	Logistics data	
ISO B-series sizes (B0...B9)	B5	Harmonized System (HS) code	84433100
Non-ISO print media sizes	Folio, Ledger (media size), Legal, Letter		
Custom media width	98 - 297 mm		
Custom media length	148 - 432 mm		
Paper tray media weight	60 - 163 g/m ²		

Technical details

Compliance certificates	REACH, RoHS
-------------------------	-------------

Other features

Finishing option	✘
Energy saving mode	✔



0632983041512



632983041512

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.