




iiyama T5562AS-B1 Signage Display Écran plat interactif 138,7 cm (54.6") VA 500 cd/m² 4K Ultra HD Noir Écran tactile Intégré dans le processeur Android 8.0 24/7

Marque : iiyama

Code produit: T5562AS-B1

Nom du produit : T5562AS-B1

iiyama T5562AS-B1. Design Produit: Écran plat interactif. Taille de l'écran: 138,7 cm (54.6"), Technologie d'affichage: VA, Résolution de l'écran: 3840 x 2160 pixels, Luminosité de l'écran: 500 cd/m², Type HD: 4K Ultra HD, Écran tactile. Operating hours (hours/days): 24/7. Système d'exploitation installé: Android 8.0. Couleur du produit: Noir



| Display | | Performance | |
|------------------------------------|-----------------------|-----------------------------------|--|
| Display diagonal * | 138.7 cm (54.6") | On Screen Display (OSD) | ✓ |
| Display technology * | VA | Number of OSD languages | 8 |
| Display resolution * | 3840 x 2160 pixels | On Screen Display (OSD) languages | German, Dutch, English, Spanish, French, Japanese, Polish, Russian |
| Display brightness * | 500 cd/m ² | Operating hours (hours/days) | 24/7 |
| HD type * | 4K Ultra HD | HDCP | ✓ |
| Touchscreen * | ✓ | HDCP version | 2.2 |
| Touchscreen technology | Capacitive | Mean time between failures (MTBF) | 50000 h |
| Number of simultaneous touchpoints | 20 | Power | |
| Multi-touch | ✓ | Power consumption (typical) * | 150 W |
| Native aspect ratio | 16:9 | Power consumption (standby) * | 1.5 W |
| Response time | 8 ms | Power consumption (off) | 0.3 W |
| Contrast ratio (typical) | 5000:1 | AC input voltage | 100 - 240 V |
| Viewing angle, horizontal | 178° | AC input frequency | 50 - 60 Hz |
| Viewing angle, vertical | 178° | Computer system | |
| Display number of colours | 1.07 billion colours | Computer system * | ✓ |
| Pixel pitch | 0.315 x 0.315 mm | Built-in processor * | ✓ |
| Active display area (W x H) | 1209.6 x 680.4 mm | Internal memory | 2 GB |
| Display diagonal (metric) | 138 cm | On-board graphics card model | ARM Mali-G51 |
| Horizontal scan range | 30 - 135 kHz | Internal storage capacity | 16 GB |
| RGB colour space | NTSC | Operating system installed | Android 8.0 |
| Ports & interfaces | | Weight & dimensions | |
| HDMI ports quantity * | 3 | Width | 1264 mm |
| DVI port * | ✗ | Depth | 65 mm |
| USB port * | ✓ | Height | 734 mm |
| USB ports quantity | 2 | Weight | 23.4 kg |
| USB version | 2.0 | Packaging data | |
| Ethernet LAN * | ✓ | Package width | 1410 mm |
| Ethernet LAN (RJ-45) ports | 1 | Package depth | 203 mm |
| Wi-Fi * | ✗ | Package height | 891 mm |
| RS-232C | ✓ | Package weight | 29.8 kg |
| Audio | | Packaging content | |
| Built-in speaker(s) * | ✓ | Remote control included | ✓ |
| Number of built-in speakers | 2 | | |

| | | | |
|--------------------------|------------------------|-------------------------------|-----------------------|
| Audio | | Packaging content | |
| RMS rated power | 20 W | Cables included | AC, HDMI, RS-232, USB |
| Design | | Operational conditions | |
| Product design * | Interactive flat panel | Operating temperature (T-T) | 0 - 40 °C |
| Placement supported * | Indoor | Storage temperature (T-T) | -20 - 60 °C |
| Orientation | Horizontal/Vertical | Technical details | |
| Product colour * | Black | Sustainability certificates | ErP |
| VESA mounting * | ✓ | Pallet net height | 13 cm |
| Panel mounting interface | 400 x 400 mm | Pallet net length | 104 cm |
| Performance | | Pallet net width | 142 cm |
| Purpose * | Universal | Compliance certificates | CE, REACH, RoHS, WEEE |



4948570120475

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 16-DEC-2024. Prints or copies of Information are only valid on the printed Publication date