# LG

LG 75UH5J-M Signage Display Écran plat de signalisation numérique 190,5 cm (75") LED Wifi 500 cd/m² 4K Ultra HD Noir WebOS 24/7

Marque : LG

Code produit: 75UH5J-M

Nom du produit : 75UH5J-M

LG 75UH5J-M. Design Produit: Écran plat de signalisation numérique. Taille de l'écran: 190,5 cm (75"), Technologie d'affichage: LED, Résolution de l'écran: 3840 x 2160 pixels, Luminosité de l'écran: 500 cd/m², Type HD: 4K Ultra HD. Wifi. Operating hours (hours/days): 24/7. Système d'exploitation installé: WebOS. Couleur du produit: Noir

Display

Panel type	IPS
LED backlight	✔
LED backlighting type	Edge-LED
Display diagonal *	190.5 cm (75")
Display technology *	LED
Display resolution *	3840 x 2160 pixels
Display brightness *	500 cd/m²
HD type *	4K Ultra HD
Touchscreen *	✘
Response time	6 ms
Contrast ratio (typical)	1000:1
Contrast ratio (dynamic)	1000000:1
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Display number of colours	1.07 billion colours
Colour saturation	72%
Native refresh rate	120 Hz
Surface hardness	28

Ports & interfaces

HDMI ports quantity *	3
DVI port *	✔
DVI-D ports quantity	1
DisplayPorts quantity *	1
USB port *	✔
USB ports quantity	1
USB version	2.0
Ethernet LAN *	✔
Ethernet LAN (RJ-45) ports	1
Wi-Fi *	✔
Audio (L/R) in	1
Audio (L/R) out	1
RS-232C	✔
Infrared data port	✔
Remote (IR) input	1

Design

Bezel width (bottom)	1.49 cm
Bezel width (side)	1.49 cm
Bezel width (top)	1.49 cm

Performance

Purpose *	Commercial
On Screen Display (OSD)	✔
Ambient light sensor	✔
Operating hours (hours/days)	24/7
HDCP	✔
International Protection (IP) code	IP5X
HDCP version	1.4/2.2

Power

Power consumption (typical) *	170 W
Power consumption (standby) *	0.5 W
Power consumption (off)	0.5 W
Power consumption (max)	230 W
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz
Heat dissipation	581 BTU/h

Computer system

Internal memory	16 GB
Operating system installed	WebOS
Operating system version	6.0

Weight & dimensions

Display width	1682.4 mm
Display depth	57.9 mm
Display height	960.3 mm
Display weight	41.5 kg

Packaging data

Package width	1816 mm
Package depth	228 mm
Package height	1123 mm
Package weight	51.2 kg

Audio

Built-in speaker(s) *	✔

Design

Product design *	Digital signage flat panel
Placement supported *	Indoor
Orientation	Horizontal/Vertical
Product colour *	Black
Screen shape	Flat
VESA mounting *	✔
Panel mounting interface	600 x 400 mm

Packaging content

Remote control included	✔
Cables included	Power
Tilt adjustment	✔

Operational conditions

Operating temperature (T-T)	0 - 40 °C
Operating relative humidity (H-H)	10 - 80%

Features

Heat dissipation (max)	785 BTU/h

0195174060810

195174060810

Publication date: 16-DEC-2024. Prints or copies of Information are only valid on the printed Publication date