

## DELL Precision 7680 Intel® Core<sup>™</sup> i7 i7-13850HX Station de travail mobile 40,6 cm (16") Full HD+ 32 Go DDR5-SDRAM 1 To SSD NVIDIA RTX 3500 Ada Wi-Fi 6E (802.11ax) Windows 11 Pro Gris

Famille de produit: Precision Code produit: 4W5KH

Marque : DELL Nom du produit : 7680

DELL Precision 7680. Type de produit: Station de travail mobile, Elément de format: Boîte coquille. Famille de processeur: Intel® Core™ i7, Modèle de processeur: i7-13850HX. Taille de l'écran: 40,6 cm (16"), Type HD: Full HD+, Résolution de l'écran: 1920 x 1200 pixels. Mémoire interne: 32 Go, Type de mémoire interne: DDR5-SDRAM. Capacité totale de stockage: 1 To, Supports de stockage: SSD. Modèle d'adaptateur graphique à bord: Intel® UHD Graphics, Modèle d'adaptateur graphique discrêt: NVIDIA RTX 3500 Ada. Système d'exploitation installé: Windows 11 Pro. Couleur du produit: Gris





## Ports & interfaces Design USB 3.2 Gen 2 (3.1 Gen 2) Type-C Product type \* Mobile workstation 1 ports quantity Product colour \* Grey 1 Ethernet LAN (RI-45) ports Form factor Clamshell HDMI ports quantity \* 1 **Business** Market positioning Thunderbolt 4 ports quantity 2 Introduction year 2023 Intel® Thunderbolt 4 Intel<sup>®</sup> vPro<sup>™</sup> Platform Eligibility 1 Combo headphone/mic port 1 Display Charging port type DC-in jack Display diagonal \* 40.6 cm (16") Power adapter barrel connector 7.4 mm Display resolution \* 1920 x 1200 pixels Performance Touchscreen \* × Ambient light sensor Full HD+ HD type WVA Accelerometer Panel type LED backlight 1 Hall sensor Native aspect ratio 16:10 Keyboard Anti-glare screen Pointing device Touchpad 250 cd/m<sup>2</sup> Display brightness Keyboard language US International Pixel density 142 ppi Numeric keypad \* 1 RGB colour space NTSC Keyboard backlit 45% Colour gamut 60 Hz Software Maximum refresh rate Contrast ratio (typical) 1000:1 Operating system architecture 64-bit Operating system language Multilingual Processor No Microsoft Office License Included Processor manufacturer \* Intel Trial software 30 day Trial Offer Only Processor family \* Intel® Core<sup>™</sup> i7 Operating system installed \* Windows 11 Pro 13th gen Intel® Core<sup>™</sup> i7 Processor generation Processor special features Processor model \* i7-13850HX Performance-core Max Turbo Intel Flex Memory Access 5.3 GHz Frequency Intel VT-x with Extended Page Efficient-core Max Turbo Frequency 3.8 GHz Tables (EPT) Processor cache 30 MB CPU configuration (max) 1 Processor cache type Smart Cache Embedded options available x DMI4 Bus type Intel Virtualization Technology for Configurable TDP-down 45 W Directed I/O (VT-d) Intel Virtualization Technology (VT-Memory x) Internal memory \* 32 GB

| Momory  |                                      | Patton  |   |
|---|--------------------------------------|---|---|
| Memory  |                                      | Battery   |   |
| Internal memory type                                  | DDR5-SDRAM                           | Battery technology                                    | Lithium-Ion (Li-Ion)  |
| Memory clock speed                                    | 5600 MHz                             | Number of battery cells                               | 6   |
| Memory form factor                                    | CAMM module                          | Battery capacity *                                    | 93 Wh   |
| Maximum internal memory *                             | 128 GB                               | Battery voltage                                       | 11.55 V   |
| Memory channels                                       | Dual-channel                         | Battery recharge time                                 | 3 h   |
| Non-ECC   | 1                                    | Fast charging   | 1   |
| Storage   |                                      | Battery weight  | 410 g   |
| Total storage capacity *                              | 1 TB                                 | Power   |   |
| Storage media *                                       | SSD                                  | AC adapter power                                      | 240 W   |
| Total SSDs capacity                                   | 1 TB                                 | AC adapter frequency                                  | 50 - 60 Hz  |
| Number of SSDs installed                              | 1                                    | AC adapter input voltage                              | 100 - 240 V   |
| SSD capacity  | 1 TB                                 | AC adapter output current                             | 12.3 A  |
| SSD interface   | PCI Express 4.0                      | AC adapter output voltage                             | 19.5 V  |
| NVMe  | · ·                                  | Security  |   |
| SSD form factor                                       | M.2                                  |   | -   |
| Optical drive type *                                  | ×                                    | Cable lock slot                                       |   |
| Card reader integrated                                | ✓                                    | Cable lock slot type                                  | Wedge   |
| Compatible memory cards                               | SD, SDHC, SDXC                       | Smart card reader                                     | <i>✓</i>  |
|   |                                      | Trusted Platform Module (TPM)                         | <ul> <li>Image: A set of the set of the</li></ul> |
| Graphics  |                                      | Trusted Platform Module (TPM)                         | 2.0   |
| Discrete graphics card model *                        | NVIDIA RTX 3500 Ada                  | version   |   |
| Discrete graphics card memory                         | 12 GB                                | Password protection                                   | 1   |
| Discrete graphics memory type                         | GDDR6                                | Operational conditions                                |   |
| On-board graphics card *                              | 1                                    | Operating temperature (T-T)                           | 0 - 35 °C   |
| On-board GPU manufacturer                             | Intel                                | Storage temperature (T-T)                             | -40 - 65 °C   |
| Discrete graphics card *                              | 1                                    | Operating relative humidity (H-H)                     | 10 - 90%  |
| On-board graphics card model *                        | Intel <sup>®</sup> UHD Graphics      | Storage relative humidity (H-H)                       | 0 - 95%   |
| Audio   |                                      | Operating altitude                                    | -15.2 - 3048 m  |
| Audio chip  | Realtek ALC3281                      | Non-operating altitude                                | -15.2 - 10668 m   |
| Number of built-in speakers                           | 2                                    | Operating shock                                       | 110 G   |
| Speaker power   | 2 W                                  | Non-operating shock                                   | 160 G   |
| Built-in microphone                                   | 1                                    | Operating vibration                                   | 0.66 G  |
| Number of microphones                                 | 2                                    | Non-operating vibration                               | 1.3 G   |
|   | -                                    | Weight & dimensions                                   |   |
| Camera  |                                      | Width   | 356 mm  |
| Front camera  | 1                                    | Depth   | 258.3 mm  |
| Front camera resolution (numeric)                     | 0.92 MP                              | Height (front)  | 2.23 cm   |
| Front camera resolution                               | 1920 x 1080 pixels                   | Height (rear)   | 2.32 cm   |
| Front camera HD type                                  | Full HD                              | Weight *  | 2.6 kg  |
| Video capturing speed                                 | 30 fps                               | Carbon footprint                                      |   |
| Infrared (IR) camera                                  | 1                                    | Total carbon footprint (kg of CO2e)                   | 471   |
| Network   |                                      | Total carbon emissions, standard                      |   |
| Top Wi-Fi standard *                                  | Wi-Fi 6E (802.11ax)                  | deviation (kg of CO2e)                                | 93  |
|   | 802.11a, 802.11b, 802.11g, Wi-Fi 4   | Carbon emissions, manufacturing                       | 386   |
| Wi-Fi standards                                       | (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi | (kg of CO2e)  | 500   |
| Mahila naturali anno-ti *                             | 6E (802.11ax)                        | Carbon emissions, logistics (kg of CO2e)              | 16  |
| Mobile network connection *                           | X                                    | Coze)<br>Carbon emissions, energy usage (kg           |   |
| Wi-Fi data rate (max)                                 | 2400 Mbit/s                          | of CO2e)  | 66  |
| Antenna type  | 2x2                                  | Carbon emissions, end-of-life (kg of                  | 2   |
| WLAN controller model<br>WLAN controller manufacturer | Intel Wi-Fi 6E AX211                 | CO2e)   | -   |
|   | Intel                                | Total carbon emissions, w/o use<br>phase (kg of CO2e) | 405   |
| Ethernet LAN data rates                               |                                      | PAIA version  | 1.3.2   |
| Ethernet LAN data rates                               | 10,100,1000 Mbit/s                   |   | 1.5.6   |
| Bluetooth   | v                                    | Packaging content                                     |   |
| Ports & interfaces                                    |                                      | Cables included                                       | AC  |
| USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *     | 2                                    |   |   |



5397184810378

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.