



TP-Link RE230 prolongateur réseau Blanc 10, 100 Mbit/s

Marque : TP-Link

Code produit: RE230

Nom du produit : RE230

TP-Link RE230. Taux de transfert de données: 433 Mbit/s, LAN Ethernet : taux de transfert des données: 10,100 Mbit/s. Type d'antenne: Interne, Transmitting power (CE): 17 DBm. Technologie de câblage: 10/100Base-T(X), Standards réseau: IEEE 802.11a, IEEE 802.11ac, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n, IEEE 802.3, IEEE 802.3u, Standards wifi: 802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac). Couleur du produit: Blanc, Quantité par paquet: 1 pièce(s). Tension d'entrée AC: 100 - 240 V, Fréquence d'entrée AC: 50/60 Hz, Consommation (max): 9,5 W



Performance		Design	
Data transfer rate	433 Mbit/s	Quantity per pack	1 pc(s)
Ethernet LAN data rates	10,100 Mbit/s	Reset button	✓
WPS push button	✓	Power	
Windows operating systems supported	✓	AC input voltage	100 - 240 V
Mac compatibility	✓	AC input frequency	50/60 Hz
Mac operating systems supported	✓	Power consumption (max)	9.5 W
Linux operating systems supported	✓	Operational conditions	
Antenna		Operating temperature (T-T)	0 - 40 °C
Antennas quantity	2	Storage temperature (T-T)	-40 - 70 °C
Antenna type	Internal	Operating relative humidity (H-H)	10 - 90%
Transmitting power (CE)	17 dBm	Storage relative humidity (H-H)	5 - 90%
Network		Weight & dimensions	
Cabling technology	10/100Base-T(X)	Width	124 mm
Networking standards	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n, IEEE 802.3, IEEE 802.3u	Depth	69 mm
Wi-Fi	✓	Height	52 mm
Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac)	Packaging content	
Wi-Fi data rate (max)	433 Mbit/s	Quick start guide	✓
Wi-Fi band	Dual-band (2.4 GHz / 5 GHz)	Packaging data	
Security algorithms	64-bit WEP, 128-bit WEP, WPA-PSK, WPA2-PSK	Package width	156.5 mm
Ports & interfaces		Package depth	101.5 mm
Ethernet LAN (RJ-45) ports	1	Package height	89 mm
Design		Package weight	230 g
Product colour	White	Certificates	
		Compliance certificates	RoHS, Federal Communications Commission (FCC), CE


Design

LED indicators

**Logistics data**

Harmonized System (HS) code

85176990



6935364030599

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 28-FEB-2025. Prints or copies of Information are only valid on the printed Publication date