

Allied Telesis AT-IE340-12GT-80 Géré L3 Gigabit Ethernet (10/100/1000) Gris

Marque : Allied Telesis

Code produit: 990-007021-80


Nom du produit : AT-IE340-12GT-80

Allied Telesis AT-IE340-12GT-80. Type de commutateur: Géré, Banc de commutateurs: L3. Type de port Ethernet RJ-45 de commutation de base: Gigabit Ethernet (10/100/1000), Quantité de ports Ethernet RJ-45 de commutation de base: 8, Quantité de Ports USB 2.0: 1, Port de console: RJ-45. Full duplex. Répertoire MAC: 16000 entrées, Capacité de commutation: 24 Gbit/s. Standards réseau: IEEE 1588, IEEE 802.1AX, IEEE 802.1D, IEEE 802.1Q, IEEE 802.1ab, IEEE 802.1ad, IEEE 802.1ag, IEEE.... Voltage d'entrée DC: 18 - 57 V. Montage mural



Management features		Multicast features	
Switch type *	Managed	Multicast support	✓
Switch layer	L3	Protocols	
Quality of Service (QoS) support	✓	Routing protocols	BGP, OSPF, RIP
Web-based management	✓	Design	
Traffic classification	✓	Rack mounting *	✗
Traffic shaping	✓	Stackable *	✗
ARP inspection	✓	Product colour	Grey
Configuring Location Settings (CLI)	✓	Housing material	Aluminium, Metal
System event log	✓	LED indicators	✓
Ports & interfaces		International Protection (IP) code	IP30
Basic switching RJ-45 Ethernet ports quantity *	8	Wall mountable	✓
Basic switching RJ-45 Ethernet ports type *	Gigabit Ethernet (10/100/1000)	DIN rail mounting	✓
SFP module slots quantity	4	Electromagnetic compatibility	EN 55024, EN 61000-6-2
Console port	RJ-45	Performance	
USB 2.0 ports quantity	1	Memory type	DDR-SDRAM
Network		Internal memory	512 MB
Networking standards *	IEEE 1588, IEEE 802.1AX, IEEE 802.1D, IEEE 802.1Q, IEEE 802.1ab, IEEE 802.1ad, IEEE 802.1ag, IEEE 802.1p, IEEE 802.1s, IEEE 802.1v, IEEE 802.1w, IEEE 802.1x, IEEE 802.2, IEEE 802.3ab, IEEE 802.3ac, IEEE 802.3ad, IEEE 802.3af, IEEE 802.3at, IEEE 802.3az, IEEE 802.3u, IEEE 802.3x, IEEE 802.3z	Flash memory	128 MB
		Export Control Classification Number (ECCN)	5A992C
10G support *	✗	Power	
Port mirroring	✓	Power supply included *	✗
Full duplex	✓	Redundant power supply (RPS) support	✓
Policy-based routing	✓	DC input voltage	18 - 57 V
Flow control support	✓	Power consumption (max)	24 W
Link aggregation	✓	Power over Ethernet (PoE)	
Broadcast storm control	✓	Power over Ethernet (PoE) *	✗
Spanning tree protocol	✓	Operational conditions	
VLAN support	✓	Operating temperature (T-T)	-40 - 75 °C
Virtual LAN features	Private VLAN, Tagged VLAN	Storage temperature (T-T)	-40 - 85 °C
Number of VLANs	4094	Operating relative humidity (H-H)	5 - 95%
Data transmission		Storage relative humidity (H-H)	5 - 90%
Switching capacity *	24 Gbit/s	Operating altitude	0 - 3000 m
Forwarding rate	17.8 Mpps	Heat dissipation	81.9 BTU/h
		Weight & dimensions	
		Width	91 mm
		Depth	139 mm
		Height	153 mm

Data transmission		Weight & dimensions	
MAC address table *	16000 entries	Weight	2.34 kg
Number of queues	8	Certificates	
Jumbo frames support	✓	Certification	CE, FCC, ICES, RCM, TEC8, UL, VCCI RoHS, China-RoHS, WEEE
Jumbo frames	9000	Logistics data	
Packet buffer memory	1.5 MB	Harmonized System (HS) code	85176990
Security			
DHCP features	DHCP relay, DHCP server, DHCP snooping, DHCPv6 relay, DHCPv6 server		
Access Control List (ACL)	✓		
IGMP snooping	✓		
MAC address filtering	✓		
BPDU filtering/protection	✓		
Authentication	Guest VLAN, MAC-based authentication, Port-based authentication, Web-based authentication		
Password protection	✓		



0767035218984



767035218984

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 18-JAN-2025. Prints or copies of Information are only valid on the printed Publication date