



DELL P Series P2424HT écran plat de PC 60,5 cm (23.8") 1920 x 1080 pixels Full HD LCD Écran tactile Noir, Argent

Marque : DELL

Famille de produit: P Series

Code produit: DELL-P2424HT

Nom du produit : P2424HT

- 60.5cm (23.8") Full HD 1920 x 1080 LED IPS

- 8ms, 16:9, 300cd/m², 1000:1

- USB, HDMI, DisplayPort

60.5cm (23.8") Full HD 1920 x 1080 LED IPS, 16:9, 300cd/m², 16.78M, 8ms, 178°/178°, 1000:1

DELL P Series P2424HT écran plat de PC 60,5 cm (23.8") 1920 x 1080 pixels Full HD LCD Écran tactile Noir, Argent:

L'écran 23,8 pouces offre une grande productivité grâce à son écran tactile, à sa connectivité supérieure et à son socle articulé.

DELL P Series P2424HT. Taille de l'écran: 60,5 cm (23.8"), Résolution de l'écran: 1920 x 1080 pixels, Type HD: Full HD, Technologie d'affichage: LCD, Temps de réponse: 8 ms, Ratio de format d'image: 16:9, Angle de vision horizontal: 178°, Angle de vision vertical: 178°. Haut-parleurs intégrés. Built-in USB hub. Montage VESA, Réglage de la hauteur. Couleur du produit: Noir, Argent



Display		Ergonomics	
Display diagonal *	60.5 cm (23.8")	Swivelling	✓
Display resolution *	1920 x 1080 pixels	Swivel angle range	-30 - 30°
HD type *	Full HD	Tilt adjustment	✓
Native aspect ratio *	16:9	Tilt angle range	-5 - 60°
Display technology *	LCD	On Screen Display (OSD)	✓
Panel type *	IPS	Plug and Play	✓
Backlight type	LED	LED indicators	✓
Touchscreen *	✓		
Display brightness (typical)	300 cd/m ²	Power	
Response time *	8 ms	Energy efficiency class (SDR) *	E
Anti-glare screen	✓	Energy efficiency class (HDR) *	Not available
Screen shape *	Flat	Energy consumption (SDR) per 1000 hours *	18 kWh
Supported video modes	480p, 576p, 720p, 1080i, 1080p	Power consumption (typical) *	18 W
Contrast ratio (typical) *	1000:1	Power consumption (standby) *	0.5 W
Maximum refresh rate *	60 Hz	Power consumption (max)	190 W
Viewing angle, horizontal	178°	Power consumption (off)	0.3 W
Viewing angle, vertical	178°	AC input voltage	100 - 240 V
Display number of colours *	16.78 million colours	AC input frequency	50/60 Hz
Response time (fast)	5 ms	Power supply type	Internal
Pixel pitch	0.2745 x 0.2745 mm	Energy efficiency scale	A to G
Pixel density	93 ppi	European Product Registry for Energy Labelling (EPREL) code	1465328
Horizontal scan range	30 - 88 kHz	Operational conditions	
Vertical scan range	48 - 75 Hz	Operating temperature (T-T)	0 - 40 °C
Viewable size, horizontal	52.7 cm	Storage temperature (T-T)	-20 - 60 °C
Viewable size, vertical	29.6 cm	Operating relative humidity (H-H)	10 - 80%
Viewable size diagonal	60.5 cm	Storage relative humidity (H-H)	5 - 90%
Display diagonal (metric)	60.47 cm	Operating altitude	0 - 5000 m
High Dynamic Range (HDR) supported	✗		

Display		Operational conditions	
Surface hardness	3H	Non-operating altitude	5000 - 12192 m
Colour depth	6 bit	Weight & dimensions	
sRGB coverage (typical)	99%	Width (with stand)	538.8 mm
Performance		Depth (with stand)	248.9 mm
Low Blue Light technology	✓	Height (with stand)	431.5 mm
Multimedia		Weight (with stand)	7.86 kg
RMS rated power	3 W	Width (without stand)	538.8 mm
Built-in speaker(s) *	✓	Depth (without stand)	54.1 mm
Built-in camera *	✗	Height (without stand)	321 mm
Design		Weight (without stand)	3.86 kg
Market positioning *	Business	Bezel width (side)	5.88 mm
Product colour *	Black, Silver	Bezel width (top)	5.87 mm
Front bezel colour	Black	Bezel width (bottom)	1.86 cm
Feet colour	Silver	Packaging data	
Ports & interfaces		Package weight	10.8 kg
Built-in USB hub *	✓	Packaging content	
USB upstream port type	USB Type-C	Stand included	✓
Number of USB Type-C upstream ports quantity	1	Cables included	AC, DisplayPort, USB Type-A to USB Type-C, USB Type-C to USB Type-C
USB Type-A downstream ports quantity	2	Power adapter included	✓
USB Type-C downstream ports quantity	1	Remote control included	✗
USB Type-C DisplayPort Alternate Mode	✓	Stylus included	✗
USB Power Delivery (USB PD)	✓	Quick start guide	✓
USB Power Delivery up to	90 W	DisplayPort cable length	1.8 m
HDMI *	✓	Sustainability	
HDMI ports quantity	1	Sustainability compliance	✓
HDMI version	1.4	Sustainability certificates	ENERGY STAR
DisplayPorts quantity	1	Doesn't contain	PVC/BFR
DisplayPort version	1.2	Carbon footprint	
Headphone out *	✓	Total carbon footprint (kg of CO2e)	633
Headphone connectivity	3.5 mm	Total carbon emissions, standard deviation (kg of CO2e)	149
Microphone in	✗	Carbon emissions, manufacturing (kg of CO2e)	397
PC Audio in	✗	Carbon emissions, logistics (kg of CO2e)	53
HDCP	✓	Carbon emissions, energy usage (kg of CO2e)	177
HDCP version	1.4	Carbon emissions, end-of-life (kg of CO2e)	6
AC (power) in	✓	Total carbon emissions, w/o use phase (kg of CO2e)	456
Network		PAIA version	1.3.2
Wi-Fi	✗	Other features	
Ergonomics		RJ-45 ports quantity	1
VESA mounting *	✓	Heavy metals free	Hg (mercury)
Panel mounting interface	100 x 100 mm	Compliance certificates	RoHS
Cable management	✓		
Cable lock slot *	✓		
Cable lock slot type	Kensington		
Height adjustment *	✓		
Adjustable height (max)	11.1 cm		
Pivot	✗		



5397184821367

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.