



TP-Link VIGI C540V security cameras Caméra de sécurité IP Intérieure et extérieure 2560 x 1440 pixels Plafond

Marque : TP-Link

Famille de produit: VIGI

Code produit: VIGI C540V

Nom du produit : VIGI C540V

TP-Link VIGI C540V. Type: Caméra de sécurité IP, Installation prise en charge: Intérieure et extérieure, Technologie de connectivité: Avec fil. Type de montage: Plafond, Couleur du produit: Blanc, Noir, Matériau du boîtier/corps: Plastique. Lens viewing angle, horizontal: 84°, Lens viewing angle, vertical: 46°, Lens viewing angle, diagonal: 100°. Type de capteur: CMOS, Taille du capteur optique: 25,4 / 3 mm (1 / 3"). Zoom numérique: 3x, Longueur focale: 4 - 12 mm




Performance		Video	
Type *	IP security camera	Video formats supported	H.264, H.264+, H.265, H.265+
Placement supported *	Indoor & outdoor	Supported graphics resolutions	1280 x 720 (HD 720), 1920 x 1080 (HD 1080), 2048 x 1280, 2304 x 1296, 2560 x 1440
Connectivity technology *	Wired	Supported video modes	720p, 1080p, 1440p
PTZ control	✓	Video recording	✓
Certification	CE, EAC, UKCA, RCM, Triman, BSMI, VCCI, FCC, IC	Frame rate	30 fps
Design		Bit rate control	Constant Bit Rate (CBR), Variable Bit Rate (VBR)
Mounting type *	Ceiling	Bit rate	256 Kbps - 4 Mbps
Product colour *	White, Black	Network	
Housing material	Plastic	Ethernet LAN *	✓
International Protection (IP) code	IP66	Ethernet interface type	Fast Ethernet
Camera		Wi-Fi *	✗
Camera pan control	✓	Bluetooth *	✗
Camera tilt control	✓	Storage	
Lens viewing angle, horizontal	84°	Built-in HDD *	✗
Lens viewing angle, vertical	46°	Card reader integrated	✓
Lens viewing angle, diagonal	100°	Compatible memory cards	MicroSD (TransFlash)
Tilt angle range	0 - 120°	Maximum memory card size	256 GB
Tilt speed	40 °/sec	Ports & interfaces	
Pan range	0 - 332°	Ethernet LAN (RJ-45) ports	1
Pan speed	55 °/sec	Power	
Image sensor		Power source type *	PoE
Number of sensors	1	Power consumption (typical)	2.9 W
Optical sensor size	25.4 / 3 mm (1 / 3")	Power consumption (max)	14 W
Sensor type *	CMOS	DC output voltage	12
Lens system		Operational conditions	
Zoom capability	✓	Operating temperature (T-T)	-30 - 60 °C
Digital zoom	3x	Storage temperature (T-T)	-40 - 60 °C
Number of lenses *	1	Operating relative humidity (H-H)	5 - 95%
Focal length range	4 - 12 mm	Storage relative humidity (H-H)	5 - 95%
Maximum aperture number	1.6	Weight & dimensions	
Night vision		Width	136 mm
Night vision *	✓	Depth	139 mm
Night vision distance	30 m	Height	107 mm
LED type	IR	Weight	430 g
Number of illumination LEDs	1		
Infra-red wavelength	850 nm		

Video		Packaging data	
Maximum resolution *	2560 x 1440 pixels	Package weight	660 g
Total megapixels *	4 MP	Package type	Box
		Packaging content	
		Number of cameras *	1
		Manual	✓



4895252500844



4895252500837

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 01-MAR-2025. Prints or copies of Information are only valid on the printed Publication date