

GIGABYTE B650E AORUS ELITE X AX ICE AMD B650 Emplacement AM5 ATX

Marque : GIGABYTE

Code produit: B650E A ELITE X ICE


Nom du produit : B650E AORUS ELITE X AX ICE Carte mère - AMD Ryzen série 9000, VRM 12+2+2 phases, jusqu'à 8000 MHz DDR5 (OC), 1xPCIe 5.0 + 2xPCIe 4.0 M.2, LAN 2,5 GbE, WIFI 6E, USB 3.2 Gen 2



B650E AORUS ELITE X AX ICE Carte mère - AMD Ryzen série 9000, VRM 12+2+2 phases, jusqu'à 8000 MHz DDR5 (OC), 1xPCIe 5.0 + 2xPCIe 4.0 M.2, LAN 2,5 GbE, WIFI 6E, USB 3.2 Gen 2

GIGABYTE B650E AORUS ELITE X AX ICE AMD B650 Emplacement AM5 ATX:

Améliorez votre expérience informatique avec les séries de cartes mères renommées de GIGABYTE : AORUS, AERO et GIGABYTE. Dotées de designs innovants et de fonctionnalités avancées, ces cartes offrent des performances et une fiabilité exceptionnelles. Que vous soyez un joueur, un créateur de contenu ou un professionnel, nos séries répondent à vos besoins, en garantissant une qualité sans compromis et une technologie de pointe.



Processor		Rear panel I/O ports	
Processor manufacturer *	AMD	WiFi-AP antenna jack	2
Processor socket *	Socket AM5	Network	
Compatible processor series *	AMD Ryzen 7000 Series, AMD Ryzen 8000 Series, AMD Ryzen 9000 Series	Ethernet LAN	✓
	Socket AM5	Ethernet interface type	2.5 Gigabit Ethernet
Supported processor sockets	Socket AM5	LAN controller	Realtek RTL8125
Memory		Wi-Fi *	✓
Supported memory types *	DDR5-SDRAM	Top Wi-Fi standard	Wi-Fi 6E (802.11ax)
Number of memory slots *	4	Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax), Wi-Fi 6E (802.11ax)
Memory slots type	DIMM		Realtek RTL8852CE
Memory channels	Dual-channel	WLAN controller model	Realtek RTL8852CE
ECC compatibility	Non-ECC	Bluetooth	✓
Supported memory clock speeds	8000,7800,7600,7200,7000,6800,6666,6600,6400,6200,6000,5600,5200,4800,4400 MHz	Bluetooth version	5.3
Supported memory clock speed (max)	8000 MHz	Features	
Maximum internal memory *	256 GB	Motherboard chipset *	AMD B650
Unbuffered memory	✓	Audio chip	Realtek ALC897
Maximum internal memory per slot	64 GB	Audio output channels *	7.1 channels
Storage controllers		Product colour	White
Supported storage drive types	HDD & SSD	PC health monitoring	Fan, Temperature, Voltage, Water cooling
Supported storage drive interfaces *	M.2, SATA III	Component for *	PC
Number of HDDs supported	3	Motherboard form factor *	ATX
Number of storage drives supported	7	Motherboard chipset family *	AMD
RAID support	✓	Power source type	ATX
RAID levels	0, 1, 10	Windows operating systems supported	Windows 10 x64, Windows 11 x64
Graphics		Expansion slots	
Parallel processing technology support *	Not supported	PCI Express x16 (Gen 3.x) slots	2
Maximum resolution	4096 x 2160 pixels		
HDCP	✓		
DirectX version	12.0		
Discrete graphics support	✓		

Internal I/O		Expansion slots	
USB 2.0 connectors *	2	PCI Express x16 (Gen 5.x) slots	1
USB 3.2 Gen 1 (3.1 Gen 1) connectors *	1	Number of M.2 (M) slots	3
USB 3.2 Gen 2x2 connectors	1	1st M.2 largest key size	25110
Number of SATA III connectors *	4	1st M.2 highest PCI Express generation	5.0
Front panel audio connector	✓	2nd M.2 largest key size	22110
Front panel connector	✓	2nd M.2 highest PCI Express generation	4.0
ATX Power connector (24-pin)	✓	3rd M.2 largest key size	22110
CPU fan connector	✓	3rd M.2 highest PCI Express generation	4.0
Number of CPU fan connectors	2	<b>BIOS</b>	
Number of chassis fan connectors	4	BIOS type *	UEFI AMI
EPS power connector (8-pin)	✓	BIOS memory size	256 Mbit
Number of EPS power connectors (8-pin)	1	ACPI version	5.0
TPM connector	✓	Clear CMOS jumper	✓
12V power connector	✓	Desktop Management Interface (DMI) version	2.7
Number of water pump connectors	2	System Management BIOS (SMBIOS) version	2.7
RGB LED pin header	✓	<b>Logistics data</b>	
Number of RGB LED pin headers	4	Country of origin	China
<b>Rear panel I/O ports</b>		Products per shipping (inner) case	1 pc(s)
USB 2.0 ports quantity *	4	<b>Battery</b>	
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	5	Battery weight	3 g
USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity *	2	Lithium weight per battery	0.07 g
USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity *	1	Number of battery cells	1
Ethernet LAN (RJ-45) ports *	1	Battery technology	Lithium-Manganese Dioxide (LiMnO2)
HDMI ports quantity *	1	Battery type	CR2032
HDMI version	2.1	<b>Packaging data</b>	
DisplayPort version	1.4	Package width	335 mm
Headphone outputs	1	Package depth	270 mm
Line-in	✓	Package height	80 mm
Microphone in	✓	Package weight	2.45 kg
		<b>Weight &amp; dimensions</b>	
		Width	305 mm
		Depth	244 mm
		Height	35 mm
		<b>Packaging content</b>	
		Batteries included	✓
		Antenna included	✓
		Screws included	✓
		Bundled software	Norton Internet Security (OEM version) LAN bandwidth management software
		<b>Technical details</b>	
		Warranty period	3 year(s)



4719331860554

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 23-JAN-2025. Prints or copies of Information are only valid on the printed Publication date