

TP-Link Tapo C410 security cameras Balle (forme) Caméra de sécurité IP Extérieur 2304 x 1296 pixels Plafond/mur

Marque : TP-Link

Famille de produit: Tapo

Code produit: C410

Nom du produit : C410

TP-Link Tapo C410. Type: Caméra de sécurité IP, Installation prise en charge: Extérieur, Technologie de connectivité: Sans fil. Type de montage: Plafond/mur, Couleur du produit: Blanc, Elément de format: Balle (forme). point de vue angle (FOV): 125°, Lens viewing angle, horizontal: 111°, Lens viewing angle, vertical: 56°. Type de capteur: CMOS, Taille du capteur optique: 25,4 / 2,8 mm (1 / 2.8"). Focale Fixe: 3,17 mm






Performance		Network	
Type *	IP security camera	Ethernet LAN *	×
Placement supported *	Outdoor	Wi-Fi *	1
Connectivity technology *	Wireless	Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)
Wide Dynamic Range (WDR)	1	Bluetooth *	×
Day/night mode	1	Channel bandwidth	2400 MHz
Built-in light	1	Works with the Google Assistant	1
Certification	CE, FCC, DOE, CEC, RCM, KC, NCC, BSMI, NTRA, IP65	Works with Amazon Alexa	/
Design		Live view	1
Form factor *	Bullet	Storage	
Mounting type *	Ceiling/wall	Built-in HDD *	×
Product colour *	White	Card reader integrated	1
International Protection (IP) code	IP65	Compatible memory cards	MicroSD (TransFlash)
Weatherproof	1	Maximum memory card size	512 GB
Camera		Security	
Field of view (FOV) angle	125°	Built-in siren	1
Lens viewing angle, horizontal	111°	Siren noise level	94 dB
Lens viewing angle, vertical	56°	Video motion detection	1
Lens viewing angle, diagonal	125°	Security algorithms	128-bit AES, SSL/TLS, WPA, WPA2- PSK
Image sensor	-	Management features	
Number of sensors	1	Reset button	1
Optical sensor size Progressive scan	25.4 / 2.8 mm (1 / 2.8")	Reset button	•
5	CMOS	Power	
Sensor type *	CMOS	Power source type *	Battery, DC, Solar
Lens system		AC input voltage	100-240 V
Number of lenses *	1	AC input frequency	50/60 Hz
Maximum aperture number	1.65	Power consumption (typical)	1.04 W
Fixed focal length	3.17 mm	Power consumption (max)	2.12 W

Night vision		Power	
Night vision * Night vision distance LED type Infra-red wavelength	✓ 9.1 m IR 850 nm	DC output voltage DC output current Battery technology Rechargeable battery	5 1 A Lithium-Ion (Li-Ion)
Video		Operational conditions	
Supported video modes Frame rate	2304 x 1296 pixels 3 MP H.264 1080p 15 fps 3D noise reduction DNR	Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H)	-20 - 45 °C -20 - 60 °C 10 - 90% 5 - 90%
		System requirements	
Noise reduction technology Image quality adjustment Audio			Android 10, Android 10.0, Android 11.0, Android 12.0, Android 13.0, Android 5.0, Android 5.1, Android 6.0, Android 7.0, Android 7.1, Android 7.1.2, Android 8.0, Android 8.1, Android 9.0, iOS 11.0, iOS 11.4, iOS 12, iOS 13, iOS 13.4, iOS 14, iOS 14.5, iOS 15, iOS 16
Built-in speaker(s)Audio system2-wayBuilt-in microphone	2-way	Mobile operating systems supported	
		Weight & dimensions	
		Weight Cable length	230 g 0.5 m
		Packaging content	

Number of cameras *

1





4895252503746



4895252503753

8885020625660

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.