



DELL G Series G3223Q LED display 81,3 cm (32") 3840 x 2160 pixels 4K Ultra HD LCD Noir

Marque : DELL

Famille de produit: G Series

Code produit: DELL-G3223Q

Nom du produit : G3223Q

- 81.3cm (32") 4K Ultra HD 3840 x 2160 LED IPS

- 1ms, 16:9, 600cd/m², 1000:1

- USB, HDMI, DisplayPort

81.3cm (32") 4K Ultra HD 3840 x 2160 LED IPS, 16:9, 600cd/m², 1.07B, 1ms, 178°/178°, 1000:1

DELL G Series G3223Q LED display 81,3 cm (32") 3840 x 2160 pixels 4K Ultra HD LCD Noir:

L'écran Dell 32" haut de gamme conçu pour votre prochaine expérience de gaming sur PC ou console. Grâce à la puissance de la connectivité HDMI 2.1, profitez d'une résolution UHD 4K native inégalée et d'une précision colorimétrique exceptionnelle.

DELL G Series G3223Q. Taille de l'écran: 81,3 cm (32"), Résolution de l'écran: 3840 x 2160 pixels, Type HD: 4K Ultra HD, Technologie d'affichage: LCD, Temps de réponse: 1 ms, Ratio de format d'image: 16:9, Angle de vision horizontal: 178°, Angle de vision vertical: 178°. Built-in USB hub. Montage VESA, Réglage de la hauteur. Couleur du produit: Noir



Display		Network	
Display diagonal *	81.3 cm (32")	Wi-Fi	✗
Display resolution *	3840 x 2160 pixels	Ergonomics	
HD type *	4K Ultra HD	VESA mounting *	✓
Native aspect ratio *	16:9	Panel mounting interface	100 x 100 mm
Display technology *	LCD	Cable lock slot *	✓
Panel type *	IPS	Height adjustment *	✓
Backlight type	LED	Adjustable height (max)	10 cm
Touchscreen *	✗	Pivot	✗
Display brightness (typical)	600 cd/m²	Swivelling	✓
Response time *	1 ms	Swivel angle range	-30 - 30°
Anti-glare screen	✓	Tilt adjustment	✓
Screen shape *	Flat	Tilt angle range	-5 - 21°
Supported video modes	480p, 576p, 720p, 1080i, 1080p	On Screen Display (OSD)	✓
Contrast ratio (typical) *	1000:1	Plug and Play	✓
Maximum refresh rate *	144 Hz	Power	
Viewing angle, horizontal	178°	Energy efficiency class (SDR) *	G
Viewing angle, vertical	178°	Energy efficiency class (HDR) *	G
Display number of colours *	1.07 billion colours	Energy consumption (SDR) per 1000 hours *	34 kWh
Response time (fast)	4 ms	Energy consumption (HDR) per 1000 hours *	36 kWh
Pixel pitch	0.1845 x 0.1845 mm	Power consumption (typical) *	33.7 W
Pixel density	137.67 ppi	Power consumption (standby) *	0.3 W
Horizontal scan range	30 - 340 kHz	Power consumption (max)	121 W
Vertical scan range	48 - 144 Hz	Power consumption (off)	0.3 W
Viewable size, horizontal	70.8 cm	AC input voltage	100 - 240 V
Viewable size, vertical	39.9 cm	AC input frequency	50 - 60 Hz
Display diagonal (metric)	81.29 cm	Input current	1.7 A
High Dynamic Range (HDR) supported	✓		
High Dynamic Range (HDR) technology	DisplayHDR 600		

Display		Power	
Colour depth	8 bit	Power supply type	Internal
Colour gamut standard	DCI-P3	Energy efficiency scale	A to G
Colour gamut	95%	European Product Registry for Energy Labelling (EPREL) code	1089190
sRGB coverage (typical)	99%		
Performance		Operational conditions	
NVIDIA G-SYNC *	✗	Operating temperature (T-T)	0 - 40 °C
AMD FreeSync *	✓	Storage temperature (T-T)	-20 - 60 °C
AMD FreeSync type	FreeSync Premium Pro	Operating relative humidity (H-H)	10 - 80%
Low Blue Light technology	✓	Storage relative humidity (H-H)	5 - 90%
Smart modes	RPG	Operating altitude	0 - 5000 m
		Non-operating altitude	5000 - 12192 m
Multimedia		Weight & dimensions	
Built-in speaker(s) *	✗	Width (with stand)	725.3 mm
Built-in camera *	✗	Depth (with stand)	246.9 mm
Design		Height (with stand)	559 mm
Market positioning *	Gaming	Weight (with stand)	8.83 kg
Product colour *	Black	Width (without stand)	725.3 mm
Front bezel colour	Black	Depth (without stand)	68.8 mm
Detachable stand	✓	Height (without stand)	427.2 mm
Feet colour	Black	Weight (without stand)	6.03 kg
Ports & interfaces		Bezel width (side)	8.4 mm
Built-in USB hub *	✓	Bezel width (top)	7.7 mm
USB upstream port type	USB Type-B	Bezel width (bottom)	2.1 cm
Number of upstream ports	1	Packaging content	
Number of USB Type-B upstream ports quantity	1	Stand included	✓
USB Type-A downstream ports quantity	2	Cables included	AC, DisplayPort, HDMI, USB Type-A to USB Type-B
DVI port	✗	Quick start guide	✓
HDMI *	✓	DisplayPort cable length	1.8 m
HDMI ports quantity	2	HDMI cable length	1 m
HDMI version	2.1	Sustainability	
DisplayPorts quantity	1	Doesn't contain	PVC/BFR
DisplayPort version	1.4	Other features	
Headphone out *	✓	Heavy metals free	Hg (mercury)
Headphone connectivity	3.5 mm	Compliance certificates	RoHS
HDCP	✓	Logistics data	
		Harmonized System (HS) code	85285210



5397184567920

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 19-JAN-2025. Prints or copies of Information are only valid on the printed Publication date