

LG 49UH5N-E Écran plat de signalisation numérique 124,5 cm (49") LCD Wifi 500 cd/m² 4K Ultra HD Noir WebOS 24/7

Marque : LG

Code produit: 49UH5N-E.AEU




LG 49UH5N-E. Design Produit: Écran plat de signalisation numérique. Taille de l'écran: 124,5 cm (49"), Technologie d'affichage: LCD, Résolution de l'écran: 3840 x 2160 pixels, Luminosité de l'écran: 500 cd/m², Type HD: 4K Ultra HD. Wifi. Operating hours (hours/days): 24/7. Système d'exploitation installé: WebOS. Couleur du produit: Noir





Display		Performance	
Panel typeIPSLED backlight✓LED backlighting typeEdge-LEDDisplay diagonal *124.5 cm (49")Display technology *LCDDisplay resolution *3840 x 2160 pixelsDisplay brightness *500 cd/m²HD type *4K Ultra HD	✓ Edge-LED 124.5 cm (49") LCD 3840 x 2160 pixels 500 cd/m ² 4K Ultra HD	Purpose * Picture-in-Picture On Screen Display (OSD) Operating hours (hours/days) HDCP Automatic brightness control International Protection (IP) code HDCP version	Universal ✓ 24/7 ✓ IP5X 1.4/2.2/2.3
Native aspect ratio Response time Contrast ratio (typical) Contrast ratio (dynamic) Viewing angle, horizontal Viewing angle, vertical Display number of colours Panel life Colour depth Native refresh rate Haze rate Colour gamut	× 16:9 6 ms 1100:1 1000000:1 178° 178° 1.07 billion colours 50000 h 10 bit 60 Hz 28% 95%	PowerPower consumption (typical) *Power consumption (standby) *Power consumption (max)Energy efficiency class (SDR)AC input voltageAC input frequencyComputer systemComputer system *Computer system typeInternal memoryOperating system installed	100 W 0.5 W 140 W G 100-240 V 50-60 Hz ✓ System on Chip (SoC) 16 GB WebOS
Ports & interfaces HDMI ports quantity * HDMI input ports quantity HDMI output ports quantity DVI port * DisplayPorts quantity * USB port * USB ports quantity USB version USB connector type Ethernet LAN * Ethernet LAN (RJ-45) ports Wi-Fi *	4 3 1 × 1 2.0 USB Type-A ✓ 1	Operating system versionWeight & dimensionsDisplay widthDisplay depthDisplay heightDisplay weightPackaging dataPackage widthPackage depthPackage heightPackage weight	6.0 1095.6 mm 29.7 mm 630.8 mm 13.6 kg 1215 mm 152 mm 152 mm 736 mm 16.1 kg

Ports & interfaces		Packaging content	
RS-232C Remote (IR) input Audio Built-in speaker(s) *	✓ 1	Remote control included Batteries included Cables included Operational conditions	✓ ✓ AC, Phone
Design	esign Digital signage flat panel oduct design * Digital signage flat panel acement supported * Indoor rientation Horizontal/Vertical oduct colour * Black ESA mounting * ✓ anel mounting interface 300 x 300 mm ezel width (bottom) 1.29 cm ezel width (side) 8.9 mm	Operating temperature (T-T) Operating relative humidity (H-H)	0 - 40 °C 10 - 80%
Placement supported * Orientation Product colour *		Technical details Real Time Clock (RTC)	1
VESA mounting * Panel mounting interface Bezel width (bottom) Bezel width (side) Bezel width (top)		Other features Audio output Power consumption (PowerSave) Plug and Play	1 70 W ✔





8806084296412

0195174062340



195174062340

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.