## Yealink SIP-T58W téléphone fixe Gris LCD Wifi

Marque : Yealink

Nom du produit : SIP-T58W

Code produit: 1301112




Yealink SIP-T58W. Type de produit: Téléphone IP, Couleur du produit: Gris, Type de combiné: Combiné filaire. Dual-Tone Multi-Frequency (DTMF) modes: In-band, En dehors de la bande, Info SIP. Capacité du répertoire: 1000 entrées. Écran: LCD, Taille de l'écran: 17,8 cm (7"), Résolution de l'écran: 1024 x 600 pixels. Résolution de la caméra avant (numerique): 5 MP, point de vue angle (FOV): 75°

Design Product type * IP Phone	Audio
Product type * IP Phone	
	Voice codecs G.711a, G.722, G.723.1, G.726,
Handset type Wired handset	Voice coulds     G.729, G.729A, G.729B, iLBC       Noise reduction     ✓
Product colour * Grey	Voice activity detection
Wall mountable	
Performance	Adaptive jitter buffers
Dual-Tone Multi-Frequency (DTMF) In-band, Out-of band modes	Automatic gain control     ✓       SIP info     Comfort noise generation (CNG)     ✓
Hearing aid compatibility 🗸	Packet loss concealment (PLC) 🖌
Phone features	Video
Answering machine 🗸	Video resolutions 1280 x 720 pixels
Call waiting	Video codecs H.264 High Profile, H.264, VP8
Speed dialling	Network
Intercom 🗸	Ethernet LAN *
Call hold 🗸	Ethernet LAN interface type Gigabit Ethernet
Call forwarding	Ethernet LAN data rates 1000 Mbit/s
Conference call	Wi-Fi * 🗸
Redialing	Wi-Fi standards 802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n)
Caller ID *	Bluetooth *
Do not disturb function	Bluetooth version 4.2
Phonebook capacity * 1000 entries	IPv4/IPv6, SIP v1 (RFC2543), v2
Call park 🗸	Supported network protocols (RFC3261), UDP/TCP/DNS-SRV (RFC 3263)
Call pick up 🖌	Quality of Service (QoS) support
Anonymous call	256-bit AFS HTTPS TIS WPA2
Anonymous call rejection	Security algorithms WPA3
Full duplex 🗸	IEEE 802.11a, IEEE 802.11b, IEEE
Call return 🗸	Networking standards 802.11g, IEEE 802.11n, IEEE 802.1 IEEE 802.3af
Call transfer 🗸	Ports & interfaces
Message-waiting indicator (MWI) 🛛 🖌	USB 2.0 ports quantity 2
Management features	Ethernet LAN (RJ-45) ports 2
Integrated voicemail	RJ-9 ports quantity 2
Keypad number of keys 27	Power
Number of function keys 7	Power over Ethernet (PoE) *
Display	Operational conditions
Display LCD	Operating temperature (T-T) 0 - 40 °C
Display diagonal 17.8 cm (7")	Operating temperature (1-1) 0 - 40 °C Operating relative humidity (H-H) 10 - 95%
Display resolution 1024 x 600 pixels	
Touchscreen *	

Display		Weight & dimensions	
Touchscreen type	Capacitive	Width	259.4 mm
Camera		Depth	220 mm
Front camera Front camera resolution (numeric) Field of view (FOV) angle	✓ 5 MP 75°	Height	239 mm
		Weight	9.16 kg
		Package width	324 mm
		Package depth	293 mm
Audio		Package height	128 mm
Speakerphone *	1	Package weight	9.86 kg
Microphone mute	1	Packaging content	
		Number of handles included *	1 pc(s)
		Logistics data	

Harmonized System (HS) code 85171800



6938818307674

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.