
## Viewsonic IFP6562 Signage Display Écran plat interactif 165,1 cm (65") LED Wifi 350 cd/m² 4K Ultra HD Noir Écran tactile Intégré dans le processeur Android 8.0

Marque : Viewsonic Code produit: IFP6562

Nom du produit : IFP6562







Display		Design	
Panel type	TFT-LCD  165.1 cm (65")  LED  3840 x 2160 pixels  350 cd/m²  4K Ultra HD  Ultra Fine Touch (UFT)  20  16:9  6.5 ms  1200:1  5000:1  178°  178°  1.07 billion colours  1428.48 x 803.52 mm  9H	Anti-glare screen	✓
LED backlight		Performance	
Display diagonal * Display technology * Display resolution * Display brightness *		Purpose * HDCP HDCP version	Universal  ✓ 2.2
HD type *		Power	
Touchscreen * Touchscreen technology Number of simultaneous		Power consumption (typical) * Power consumption (standby) * Power consumption (max)	115 W 0.5 W 390 W
touchpoints  Multi-touch  Native aspect ratio		Energy efficiency class (SDR) Energy consumption (SDR) per 100 hours	G <sup>00</sup> 161 kWh
Response time Contrast ratio (typical)		AC input voltage Energy efficiency scale	100 - 240 V A to G
Contrast ratio (dynamic) Viewing angle, horizontal Viewing angle, vertical Display number of colours Active display area (W x H) Surface hardness		Computer system  Computer system *  Computer system type  Built-in processor *  Processor architecture	System on Chip (SoC)  ARM Cortex-A73  1.2 GHz
Ports & interfaces		Processor frequency Processor cores	1.2 GH2 4
HDMI ports quantity * HDMI version HDMI input ports quantity HDMI output ports quantity DVI port * VGA (D-Sub) input ports	5 2.0 4 1 ×	Internal memory Internal storage capacity Operating system installed Windows operating systems supported	3 GB 32 GB Android 8.0 ✓

Ports & interfaces		Weight & dimensions	
USB port * USB ports quantity USB version	9 2.0/3.2 Gen 1 (3.1 Gen 1) USB Type-A, USB Type-B, USB Type-C 2 5	Display width Display depth Display height Display weight	1492 mm 78 mm 907 mm 37.4 kg
USB connector type		Packaging data	
USB 2.0 Type-B ports quantity USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity USB 3.2 Gen 1 (3.1 Gen 1) Type-C ports quantity		Package width Package depth Package height Package weight	1607 mm 215 mm 1010 mm 48.9 kg
USB Power Delivery (USB PD)	✓	Packaging content	
USB Power Delivery up to USB Type-C DisplayPort Alternate Mode	65 W ✓	Remote control included Batteries included	<i>1</i>
Ethernet LAN *	✓	Stylus pen	✓
Ethernet LAN (RJ-45) ports	2	Number of stylus pens	2
Wi-Fi *	✓	Cables included	HDMI, Power, RS-232, USB Type-C
PC Audio in	✓	Mounting kit	<b>✓</b>
Microphone in	✓	Operational conditions	
RS-232 interface	✓	Operating temperature (T-T)	0 - 40 °C
Digital audio optical out	1	Operating relative humidity (H-H)	20 - 80%
PC Audio out	<b>V</b>	Certificates	
OPS module slot  Audio  Built-in speaker(s) *  Number of built-in speakers  RMS rated power	2 24 W	Certification	cTUVus, FCC/ICES003, Energy star 8.0, EPEAT, Mexico NOM, Mexico Energy, EMC/CE, CB/LVD, GOST-R / EAC, UkrSEPRO, UKCA, LBL, Green BOM, ROHS, ErP, REACH, SCIP, WEEE, TPCH, CA65, PAIA
·	24 W	Technical details	
Design	Interactive flat name	OPS slot	1
Product design * Placement supported *	Interactive flat panel Indoor	Other features	
Product colour *	Black	Manual	1
VESA mounting *	<b>✓</b>	Quick start guide	<b>✓</b>
Panel mounting interface	600 x 400 mm	Built-in microphone	<b>✓</b>
Bezel width (bottom)	6.39 cm	Built-in subwoofer	<b>✓</b>
Bezel width (side)	3.05 cm	Mobile operating systems supported	Android
Bezel width (top)	3.8 cm	Subwoofer RMS power	15 W
		USB 2.0 ports quantity	1





766907012064

0766907012064

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.