



Brother MFC-J5340DW Jet d'encre A3 1200 x 4800 DPI Wifi

Marque : Brother

Code produit: MFCJ5340DWRE1

Nom du produit : MFC-J5340DW

Impression A4 en recto-verso automatique, écran tactile couleur de 6,8 cm et bac papier A4/A3 de 250 feuilles. Répondre aux besoins des professionnels exigeants dans les petites et moyennes entreprises. Bénéficiez d'un essai gratuit de 2 mois à l'abonnement EcoPro.

Brother MFC-J5340DW Jet d'encre A3 1200 x 4800 DPI Wifi:

L'imprimante multifonction professionnelle A3 MFC-J5340DW est conçue pour durer et répondre aux besoins des petits groupes de travail en entreprise. La fonction A3 vous permet d'imprimer des documents A4 et A3 de haute qualité sans aucune difficulté. Vous bénéficiez également de vitesses d'impression rapides et de coûts réduits. Cette imprimante multifonction offre des fonctionnalités d'impression, de copie, de numérisation et de télécopie. Imprimez depuis votre poste de travail, dans une salle de réunion ou depuis votre appareil mobile grâce à la connectivité Wi-Fi. Pour l'achat d'une imprimante jet d'encre multifonction MFC-J5340DW, profitez de 2 mois gratuits d'essai au forfait EcoPro.



Printing		Paper handling	
Duplex printing mode	Auto	Paper tray media weight	64 - 220 g/m ²
Print technology *	Inkjet	Auto Document Feeder (ADF) media weight	64 - 120 g/m ²
Printing *	Colour printing	Duplex media weight	64 - 120 g/m ²
Duplex printing *	✓	Ports & interfaces	
Maximum resolution *	1200 x 4800 DPI	Direct printing *	✓
Print speed (ISO/IEC 24734) mono	28 ipm	USB 2.0 ports quantity	1
Print speed (ISO/IEC 24734) colour	28 ipm	Network	
N-in-1 print function	✓	Wi-Fi *	✓
N-up printing	2, 4, 9	Ethernet LAN *	✓
Watermark printing	✓	Cabling technology	10/100Base-T(X)
Booklet printing function	✓	Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)
Poster printing function	✓	Security algorithms	64-bit WEP, 128-bit WEP, APOP, SMTP-AUTH, SNMPv3, SSL/TLS, WPA-PSK, WPA2-PSK, WPA3-SAE ARP, RARP, BOOTP, DHCP, APIPA(Auto IP), WINS/NetBIOS name resolution, DNS Resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/ Port9100, IPP, FTP Client ,FTP Server, SNMPv1/v2c/v3, TFTP server, POP3/IMAP4/SMTP Client, ICMP, Web Services (Print/Scan), CIFS Client, SNTTP Client, LDAP, HTTP Server
ID printing function	✓		
Copying			
Copying *	Colour copying		
Maximum copy resolution *	600 x 600 DPI		
Time to first copy (black, normal)	5 s		
Time to first copy (colour, normal)	6 s		
Maximum number of copies	999 copies		
Copier resize	25 - 400%		
N-in-1 copy function	✓		
N-in-1 copy function (N=)	2, 4		
ID-card copy function	✓		
Scanning			
Duplex scanning *	✓		
Scanning *	Colour scanning		
Optical scanning resolution *	600 x 600 DPI		

Scanning		Network	
Optical scanning resolution (ADF)	600 x 600 DPI	Supported network protocols (IPv6)	NDP, RA, mDNS, LLMNR Responder, DNS Resolver, LPR/LPD, Custom Raw Port/ Port9100, IPP, FTP Client, FTP Server, SNMPv1/v2c/v3, TFTP server, Web Services (Print/ Scan), POP3/IMAP4, SMTP Client, CIFS Client, SNTTP Client, LDAP, ICMPv6, HTTP Server
Maximum scan resolution	1200 x 2400 DPI		
Maximum scan area	215.9 x 297 mm		
Scanner type *	Flatbed & ADF scanner		
Scan technology	CIS		
Scan to	E-mail, FTP, File, Image, Network folder, OCR	Mobile printing technologies	Apple AirPrint, Brother iPrint & Scan, Mopria Print Service
Input colour depth	48 bit		
Output colour depth	24 bit	Performance	
Input greyscale depth	16 bit	Internal memory *	256 MB
Output greyscale depth	8 bit	Sound pressure level (printing)	51.5 dB
Scan drivers	SANE, TWAIN, WIA	Sound power level (printing)	68.2 dB
Fax		Design	
Faxing *	Colour faxing	Product colour *	Black, White
Modem speed	14.4 Kbit/s	Market positioning *	Business
Fax memory	150 pages	Built-in display *	✓
Auto reduction	✓	Display	LCD
Error Correction Mode (ECM)	✓	Display diagonal	6.78 cm (2.67")
Features		Control type	Touch
Maximum duty cycle *	2500 pages per month	Power	
Duplex functions *	Print	Power consumption (copying)	36 W
Number of print cartridges *	4	Power consumption (ready)	5.5 W
Printing colours *	Black, Cyan, Magenta, Yellow	Power consumption (sleep)	0.9 W
Country of origin	Philippines	Power consumption (off)	0.03 W
Input & output capacity		Energy Star Typical Electricity Consumption (TEC)	0.17 kWh/week
Total number of input trays *	1	System requirements	
Total input capacity *	250 sheets	Windows operating systems supported	Windows 10, Windows 7, Windows 8
Total output capacity *	100 sheets		Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 10.2 Jaguar, Mac OS X 10.3 Panther, Mac OS X 10.4 Tiger, Mac OS X 10.5 Leopard, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks, Mac OS X 11.0 Big Sur
Auto document feeder (ADF)	✓	Mac operating systems supported	
Auto document feeder (ADF) input capacity	50 sheets		
Manual feeder	✓		
Paper handling		Linux operating systems supported	✓
Maximum ISO A-series paper size *	A3	Server operating systems supported	Windows Server 2008, Windows Server 2012, Windows Server 2012 R2, Windows Server 2016, Windows Server 2019
Paper tray media types *	Envelopes, Photo paper, Plain paper, Recycled paper		
ISO A-series sizes (A0...A9) *	A3, A4, A5, A6		
Non-ISO print media sizes	Legal, Letter		
Envelopes sizes	Com-10, DL, Monarch		
Photo paper sizes	9x13,10x15,13x18,13x20		
Weight & dimensions			
		Width	468 mm
		Depth	419 mm
		Height	636 mm
		Weight	17.2 kg
Packaging data			
		Package width	636 mm
		Package depth	468 mm
		Package height	419 mm
		Package weight	19.2 kg
Logistics data			
		Harmonized System (HS) code	84433100
		Pallet gross height	18.1 cm
		Pallet gross weight	172.4 kg
		Master (outer) cases per pallet	8 pc(s)
		Layers per pallet	4 pc(s)
		Products per pallet	8 pc(s)

Technical details


Master (outer) cases per pallet layer 2 pc(s)

Pallet type 800 x 1200 mm


Other features

Maximum scan area (ADF) 215.9 x 355.6 mm

Minimum scan area (ADF) 105 x 148 mm




4977766817783



0012502666301



012502666301



4977766817790

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.