



TP-Link Omada EAP615-WALL 1774 Mbit/s Blanc Connexion Ethernet, supportant l'alimentation via ce port (PoE)

Marque : TP-Link Famille de produit: Omada Code produit: EAP615-WALL(5-PACK)


Nom du produit : EAP615-WALL

TP-Link Omada EAP615-WALL. 2,4 GHz, 5 GHz, Maximum data transfer rate: 1774 Mbit/s. Algorithme de sécurité soutenu: HTTPS, SNMP, SNMPv2, SNMPv3, SSH, WPA-Enterprise, WPA-Personal, WPA2-Enterprise, WPA2-Personal,... LAN Ethernet : taux de transfert des données: 10,100,1000 Mbit/s. Connexion Ethernet, supportant l'alimentation via ce port (PoE). Couleur du produit: Blanc



Features		Ports & interfaces	
2.4 GHz *	✓	Ethernet LAN (RJ-45) ports *	4
5 GHz *	✓	Power	
6 GHz *	✗	Power over Ethernet (PoE) *	✓
Maximum data transfer rate *	1774 Mbit/s	Power consumption (typical)	10 W
Maximum data transfer rate (2.4 GHz)	574 Mbit/s	Design	
Maximum data transfer rate (5 GHz)	1201 Mbit/s	Placement *	Wall
Ethernet LAN data rates	10,100,1000 Mbit/s	Product colour *	White
Frequency band	2.4 - 5 GHz	Cable lock slot	✓
Networking standards	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11ax, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n, IEEE 802.1x, IEEE 802.3af, IEEE 802.3at	On/off switch	✓
		Reset button	✓
Cabling technology	10/100/1000Base-T(X)	LED indicators	Power
Automatic channel selection	✓	Antenna	
Automatic channel scanning	✓	Antenna type *	Internal
MIMO	✓	Antennas quantity	4
MIMO type	Multi User MIMO	Antenna gain level (max)	4 dBi
VLAN support	✓	Performance	
Rate limiting	✓	Compatible operating systems	Microsoft Windows XP, Vista, Windows 7, Windows 8, Windows 10, Windows 11, Linux
Wireless isolation	✓	Certificates	
Band steering	✓	Compliance certificates	CE, Federal Communications Commission (FCC), RoHS
Airtime Fairness (ATF)	✓	Weight & dimensions	
Quality of Service (QoS) support	✓	Width	143 mm
BeamForming	✓	Depth	86 mm
Transmitting power (CE)	23 dBm	Height	20 mm
Transmitting power (FCC)	21 dBm		

Security		Packaging data	
Security algorithms *	HTTPS, SNMP, SNMPv2, SNMPv3, SSH, WPA-Enterprise, WPA-Personal, WPA2-Enterprise, WPA2-Personal, WPA3-Enterprise, WPA3-Personal	Package width	385 mm
MAC address filtering	✓	Package depth	495 mm
Service Set Identifier (SSID) features	Multiple SSIDs	Package height	210 mm
Number of SSID supported	16	Package weight	330 g
Remote Authentication Dial-In User Service (RADIUS)	✓	Packaging content	
Access Control List (ACL)	✓	Quantity per pack	5 pc(s)
Protocols		Mounting kit	✓
STelnet using SSH v2	✓	Quick start guide	✓
Management features		Operational conditions	
Web-based management	✓	Operating relative humidity (H-H)	10 - 90%
Syslog	✓	Operating temperature (T-T)	0 - 40 °C
Firmware upgradeable	✓	Storage temperature (T-T)	-40 - 70 °C
		Storage relative humidity (H-H)	5 - 90%



8885020622898

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 09-APR-2025. Prints or copies of Information are only valid on the printed Publication date