



TP-Link TL-SG105 netwerk-switch Unmanaged L2 Gigabit Ethernet (10/100/1000) Zwart

Merk : TP-Link

Artikelcode: TL-SG105

Productnaam : TL-SG105

TP-Link TL-SG105. Switch type: Unmanaged, Switch-laag: L2. Type basis-switching RJ-45 Ethernet-poorten: Gigabit Ethernet (10/100/1000), Aantal basis-switching RJ-45 Ethernet-poorten: 5. Full duplex. MAC-adrestabel: 2048 entries, Switchingcapaciteit: 10 Gbit/s. Netwerkstandaard: IEEE 802.1p, IEEE 802.3, IEEE 802.3ab, IEEE 802.3u, IEEE 802.3x. Power connector: DC-in ingang. Ophangstelsysteem voor aan de muur



Beheerfuncties		Multicast features	
Switch type *	Unmanaged	Multicast-ondersteuning	✓
Switch-laag	L2	Design	
Quality of Service (QoS)	✓	Rack-montage *	✗
Poorten & interfaces		Kleur van het product	Zwart
Aantal basis-switching RJ-45 Ethernet-poorten *	5	Materiaal behuizing	Staal
Type basis-switching RJ-45 Ethernet-poorten *	Gigabit Ethernet (10/100/1000)	LED-indicatoren	✓
Aantal Gigabit Ethernet (koper)-poorten	5	Ophangstelsysteem voor aan de muur	✓
Netstekker	DC-in ingang	Energie	
Netwerk		Vermogenstoevoer inclusief *	✓
Netwerkstandaard *	IEEE 802.1p, IEEE 802.3, IEEE 802.3ab, IEEE 802.3u, IEEE 802.3x	AC invoer voltage	220 V
10G support *	✗	AC invoer frequentie	50 Hz
Koperen ethernetbekabelingstechnologie	10BASE-T, 100BASE-TX, 1000BASE-T	Stroom	0.6 A
Ondersteundende kabel types	Cat3, Cat4, Cat5, Cat5e	Vermogensverbruik (max)	2,3 W
Full duplex	✓	Power over Ethernet (PoE)	
Datastroombeheer	✓	Power over Ethernet (PoE) *	✗
Auto MDI/MDI-X	✓	Eisen aan de omgeving	
Auto-negotiation	✓	Temperatuur, in bedrijf	0 - 40 °C
MAC-adres zelflerende functie	✓	Temperatuur bij opslag	-40 - 70 °C
MAC-adres zelfverouderende functie	✓	Relatieve luchtvochtigheid, in bedrijf	10 - 90 procent
Data-uitwisseling		Luchtvochtigheid bij opslag	5 - 90 procent
Switchingcapaciteit *	10 Gbit/s	Warmtedissipatie	7,83 BTU/h
Verzending snelheid	7,4 Mpps	Gewicht en omvang	
MAC-adrestabel *	2048 entries	Breedte	100 mm
Store-and-forward	✓	Diepte	98 mm
Jumbo Frames ondersteuning	✓	Hoogte	25 mm
Jumbo frames	16000	Inhoud van de verpakking	
Packet buffergeheugen	1 MB	Meegeleverde kabels	Sector
		Gebruiksaanwijzing	✓

Beveiliging

IGMP snooping

**Verpakking**

Verpakkingstype

Pak


Certificaten

Certificering

CE, FCC, RoHS

Logistics data

Code geharmoniseerd systeem (HS) 85176990



0172304263228



172304263228

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 11-OCT-2024. Prints or copies of Information are only valid on the printed Publication date